

The Genus *Hosta*
List of
Registered Cultivars

Supplement I

Registrations 1992 – 1998
with Complete Index

January 2000



Prepared by
the International Registration Authority
for the Genus *Hosta*

The American Hosta Society
and
The University of Minnesota Landscape Arboretum



Publication Funded by
The American Hosta Society

Copyright © 2000

By The American Hosta Society

All Rights Reserved

Reproduction of the contents, either as a whole or in part, storage in a retrieval system, or transmittal, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the President, The American Hosta Society, is strictly prohibited.

Descriptions and index compiled by
The International Registrar for the Genus *Hosta*

Cover: *Hosta* 'Sagae' (Watanabe - 96) photographed
in the garden of Bob and Karen Olson by Janet Mills.

Introduction

This supplemental list of registered cultivars was prepared by the International Registrar for the Genus *Hosta* under the advocacy of the International Registration Authority for the Genus *Hosta*. This list comprises all cultivars registered from 1992 through 1998. It is intended to be a companion volume to *The Genus Hosta List of Registered Cultivars*, published by The American Hosta Society in 1993. Funding, support and distribution are provided by The American Hosta Society.


The description provided with each cultivar contains essentially the same information as was originally published in *The Hosta Journal* Vol. 24 No. 1 through Vol. 30 No. 1. No attempt was made to verify the accuracy of descriptive information that was originally submitted. The description format is the same as that used in the *The Genus Hosta List of Registered Cultivars*, with some additional descriptive categories added. Registration submitted between 1992 and 1998 included six different versions of registration forms. Thus the amount and type of descriptive information can vary significantly. The amount of detail found in any particular description is typically reflective of the form submitted.

A Brief Key to Descriptions

ONIR: O=originator, N=nominant (namer), I=introducer, R=registrant.

Flowers: Bloom periods are given in either start – peak – finish format or a more general period format. The general periods are very early period: before June 1, average period: June 1 to July 15, summer period: July 15 to August 15, late period: August 15 to October 1, very late period: after October 1.

Bloom Period Codes: Ties the flowering of the cultivar to a “species scale.” The registrant has provided the number code from the scale below for the start - peak - finish of the flowering period. These appear in parenthesis after the traditional bloom times.



Some Cautionary Notes

Age: The age of the hosta clump described can be found listed under “Clump History.” The ages of plants described for registration can vary from 1 year to 15 years or more. The age (maturity) of the plant being described can affect the accuracy and reliability of the descriptive information when it is considered in the context of a more mature plant. In other words, cultivars can change significantly when they mature, but become more predictable as well. Although maturity can vary considerably from cultivar to cultivar, information gathered on a very young plant should be considered with some degree skepticism.

Seed and Fertility: Although the registration forms have varied over the years, at least two questions have always remained consistent. “Set seed?” and “Seed viable?” However, how the answers to these questions have been translated in the published descriptions have not been consistent or wholly accurate.

While one can confidently say that a hosta cultivar is fertile if it produces viable seed, the lack of viable seed does not necessarily indicate an infertile plant. Unfortunately, past registration descriptions have included such fallacious judgements. Descriptions in this publication have been modified to include a category for seed. Under this category can be found information which was submitted on seed viability. No judgements on fertility are included.

A

- Hosta 'Abba Dabba Do'** T. Avent (ONIR) 1998
Plant: 70 in. (178 cm.) diameter, 24 in. (61 cm.) high. Rhizomatous with a moderate growth rate.
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. Veins prominent. Medium green with a 0.5 in. (1.27 cm.) wide, slightly rippled, golden yellow margin. Dull on top and underneath; lightly wavy, ovate with a rounded base.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular.
Seed: viable.
[H. 'Sun Power' sport]
- H. 'Academy Fire'** S. Chamberlain (ONIR) 1997
Plant: 36 in. (91.4 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.
Leaf: 8 in. (20.3 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of prominent veins. Light green with a 0.06 in. (0.15 cm.) wide, flat, creamy white margin. Dull on top and underneath; ovate with a flat base; petiole with purple dots at the base.
Scape: 15.5 in. (39.4 cm.) high, ranging from 15-16 in. (38.1-40.6 cm.).
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Manlius NY: 7/23 - 8/18 - 8/25 (5 - 5 - 5).
Seed: none set.
Clump History: the original tissue culture sport, 4 years old, growing in Manlius NY.
Notable Characteristics: fast growing with a white margin and a green center.
[H. 'Francee' sport]
- H. 'Academy Muse'** H. Chamberlain (ON), S. Chamberlain (NIR) 1997
Plant: 32 in. (81.3 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.
Leaf: 8.5 in. (21.6 cm.) long, 6.75 in. (17.1 cm.) wide. 10 pairs of prominent veins. Ranging medium green to gold with a 1 in. (2.54 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly cupped, lightly corrugated, ovate with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.).
Flower: 2 in. (5.1 cm.) long, near white with lavender striping, tubular; pod is dark green; Manlius NY: 7/6 - 7/29 - 8/6 (4 - 4 - 4).
Seed: viability unknown.
Clump History: the original seedling, 5 years old, growing in Manlius NY.
Notable Characteristics: green gold center with dark green margin.
[Parentage unknown]
- H. 'Academy Redundant'** S. Chamberlain (ONIR) 1998
Plant: 43 in. (109 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of veins. Medium green with a 0.19 in. (0.48 cm.) wide, flat, pure white margin. Slightly shiny on top and underneath; lightly cupped, broadly ovate with a cordate base.
Scape: ranging from 21-30 in. (53.3-76.2 cm.) in length; inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, medium lavender, striped, tubular; Manlius NY: 7/3 - 7/16 - 8/1 (5 - 5 - 5).
Seed: viable; pod is medium green.
Notable Characteristics: large leaf size and vigorous.
Clump History: the original sport, 3 years old, growing in Manlius NY.
Note: this cultivar was formerly known under the name "Academy White Edge".
[H. 'Fortunei Aureomarginata' sport]
- H. 'Ace of Spades'** E. Lunsford (OR) 1993
Plant: 36 in. (91.4 cm.) wide, 16 in. (40.6 cm.) high.
Leaf: 7.5 in. (19.1 cm.) long, 5.25 in. (13.3 cm.) wide, 8 pairs of prominent veins; dark green; broadly ovate with a flat base folded under; dull above and underneath; rippled; corrugated.
Scape: 18 in. (45.7 cm.) long; medium green.
Flower: pale lavender, tubular; Georgia: late May.
Seed: viable.
[H. 'Blue Wedgwood' hybrid]
- H. 'Achy Breaky Heart'** J. Schwarz (ONIR) 1996
Plant: 14 in. (35.6 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of insignificant veins. Dark green with a 0.5 in., flat, white margin. Slightly shiny on top and underneath; lightly twisted; ovate with a rounded base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); green.
Flower: 1 in. (2.5 cm.) long, lavender, tubular; Dubuque IA: 7/5 - 7/15 - 7/25 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original seedling, 5 years old, growing in Dubuque IA.
[Parentage unknown]
- H. 'Aestival Festival'** U. Syre-Herz (ONIR) 1996
Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like.
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. 8-9 pairs of prominent veins. Light yellow with green veins and petioles. Margin heavily rippled. Slightly shiny on top and underneath; broadly ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high; inflorescence leaves.
Flower: pale lavender, tubular; Myrtle Beach SC: 6/15 - 7/10.
Seed: viable.
Clump History: 6 years old.
[Parentage unknown]
- H. 'Aladdin's Lamp'** D. & J. Ward (ONIR) 1996
Plant: 48 in. (122 cm.) diameter, 21 in. (53.3 cm.) high.
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 15 pairs of prominent veins. Medium gold with a slightly rippled margin. Dull on top and underneath; deeply cupped, moderately corrugated; broadly ovate with a cordate base.

- Scape: 27 in. (68.6 cm.) high, ranging from 25-29 in. (63.5-73.7 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 7/1 - 7/15 - 7/25 (4 - 4 - 4).
 Seed: viable; pod is green.
 Clump History: the original seedling, 6 years old, growing in Columbus OH.
 Notable Characteristics: muted gold, deeply cupped and corrugated leaf.
 [Parentage unknown]
- H. 'Alaskan Halo'** P. Ruh (ONIR) 1997
 Plant: 59 in. (150 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Dark green with lighter green next to the margin. A 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy, lightly corrugated, ovate with a rounded base.
 Scape: 31 in. (78.7 cm.) high, ranging from 28-31 in. (71.1-78.7 cm.).
 Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/14 - 7/27 - 8/8 (1 - 2 - 3).
 Seed: none set.
 Clump History: the original sport, 13 years old, growing in Chesterland OH.
 Notable Characteristics: vigorous; deep green with a creamy margin.
 [H. 'Fortunei Hyacinthina' sport]
- H. 'Alice Gladden'** D. & J. Ward (ONIR) 1998
 Plant: 39 in. (99.1 cm.) diameter, 19 in. (48.3 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 14 pairs of prominent veins. Yellow gold with a flat margin. Slightly shiny on top, dull underneath; moderately wavy, ovate with a cordate base.
 Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.).
 Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 7/10 - 7/20 - 8/1 (4 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 [H. 'White Vision' x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H. 'Alma'** G. Krossa (O), P. Ruh (R) 1995
 Plant: 18 in. (45.7 cm.) diameter, 8.5 in. (21.6 cm.) high. A compact, rhizomatous habit.
 Leaf: 4.75 in. (12.0 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of moderately prominent veins. Yellow gold with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly folded; lightly corrugated; good substance; elliptic with a rounded base.
 Scape: 18 in. (45.7 cm.) high.
 Flower: pale purple, striped, tubular; Ohio: July.
 Remarks: named after Alma Krossa.
 Seed: viable.
 Clump History: 15 years old.
 [Parentage unknown]
- H. 'Alston Glenn'** R. Stephens (ONIR) 1998
 Plant: 36 in. (91.4 cm.) diameter, 33 in. (83.8 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6.5 in. (16.5 cm.) long, 6.5 in. (16.5 cm.) wide. 13 pairs of prominent veins. Medium blue-green with a heavily rippled margin. Very shiny on top, slightly shiny underneath; lightly corrugated, nearly round with a cordate base.
 Scape: 36 in. (91.4 cm.) high, ranging from 33-36 in. (83.8-91.4 cm.).
 Flower: 1 in. (2.5 cm.) long, pale lavender, striped, bell-shaped; Tucker GA: 6/1 - 6/20 - 6/24.
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Tucker GA.
 [H. 'Pearl Lake' x *H. 'Tucker Pucker'*]
- H. 'Am I Blue'** D. & J. Ward (ONIR) 1998
 Plant: 44 in. (112 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 13 in. (33.0 cm.) long, 12 in. (30.5 cm.) wide. 19 pairs of prominent veins. Intensely blue-green with a flat margin. Slightly shiny on top, dull underneath; corrugated, nearly round with a cordate base.
 Scape: 30 in. (76.2 cm.) high, ranging from 27-31 in. (68.6-78.7 cm.).
 Flower: 0.5 in. (1.3 cm.) long, pale lavender, bell-shaped; Columbus OH: 6/10 - 6/20 - 6/25 (2 - 2 - 2).
 Seed: viable; pod is green.
 Clump History: the original seedling, 7 years old, growing in Columbus OH.
 [H. 'Reginald Kaye' hybrid]
- H. 'Amber Tiara'** Walters Gardens, Inc. (ONIR) 1998
 Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.
 Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs veins. Yellow becoming greenish yellow. Dull on top and underneath; broadly ovate with a flat base.
 Scape: ranging from 14-18 in. (35.6-45.7 cm.) in length.
 Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular.
 Clump History: the original tissue culture sport, 4 years old, growing in Zeeland MI.
 Notable Characteristics: heavy substance; frequently has small sectoral chimeras of white or green.
 [H. 'Grand Tiara' sport]
- H. 'Amethyst Blue'** C. Seaver (ONIR) 1996
 Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high. Upright and slow growing.
 Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 16 pairs of prominent veins. Medium blue-green with flat margin. Glaucous bloom on top and underneath; moderately cupped, lightly folded, moderately corrugated; broadly ovate with a cordate base. Petiole has glaucous bloom.
 Scape: 16 in. (40.6 cm.) high, ranging from 14-20 in. (35.6-50.8 cm.); glaucous bloom.
 Flower: 2 in. (5.1 cm.) long, deep purple, bell shaped, white striped; Wilmington DE: 6/21 - 7/1 - 7/10 (2 - 3 - 4).
 Seed: viable; pod is blue with glaucous bloom.
 Clump History: the original seedling, 7 years old, growing in Wilmington DE.

- Notable Characteristics: "Love Pat like" appearance with "ventricosa type blooms".
[*H. 'Sea Lotus Leaf'* hybrid]
- H. 'Amethyst Jewel'** P. Banyai (OR) 1992
Plant: 21 in. (53.3 cm) wide, 15 in. (38.1 cm) high.
Leaf: 8.5 in. (21.6 cm) long, 5.5 in. (14 cm) wide, 7 pairs of veins; medium green; ovate with a rounded base; margin slightly rippled; twisted, particularly at the tip; heavy substance; slightly shiny above and underneath.
Scape: 35 in. (88.9 cm) long, inflorescence leaves; brown-maroon dots
Flower: purple outside, white and purple striped inside, flaring; Michigan: Sept.
Seed: viable.
[*H. rupifraga* hybrid]
- H. 'Andy Taylor'** T. Avent (OR) 1993
Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.
Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide, 8 pairs of veins; dark green; ovate with a tapered base; satin sheen.
Scape: 24 in. (61 cm.) long.
Flower: near-white, tubular; N. Carolina: July.
[*H. 'August Moon'* x *H. tardiflora* (*H. 'Tardiflora'*)]
- H. 'Angel Wings'** J. & B. Diesen (ONIR) 1998
Plant: 65 in. (165 cm.) diameter, 34 in. (86.4 cm.) high.
Upright with a moderate growth rate.
Leaf: 13 in. (33.0 cm.) long, 9.5 in. (24.1 cm.) wide. 11 pairs of veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, broadly ovate with a cordate base.
Scape: ranging from 48-52 in. (121.9-132.1 cm.) high; inflorescence leaves.
Flower: pure white, tubular; Plattsouth NE: June (3 - 3 - 3).
Seed: viable; pod is green.
[parentage unknown]
- H. 'Apple Court'** P. Scolnik (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high.
Upright with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 1.5 in. (3.8 cm.) wide. pairs of veins. Pure white with a 1 in. (2.54 cm.) wide, medium green margin.
Flower: pale lavender.
Clump History: a tissue culture sport, 2 years old, growing in Wilmington DE.
[*H. 'Geisha'* sport]
- H. 'Arctic Rim'** R. Lydell (OR) 1993
Plant: 30 in. (76.2 cm.) wide, 18 in. (45.7 cm.) high.
Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide, 8 pairs of moderately prominent veins; medium green with a 0.75 in. white margin (uneven); ovate with a rounded base; satin sheen.
Scape: 24 in. (61 cm.) long.
Flower: lavender, striped; tubular; New York: August.
[*H. 'Fortunei Hyacinthina'* sport]
- H. 'Aristocrat'**TM Walters Gardens, Inc. (ONIR) 1997
Plant: 16 in. (40.6 cm.) diameter, 12 in. (30.5 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 7.5 in. (19.1 cm.) long, 5.5 in. (14 cm.) wide. 11-13 pairs of insignificant veins. Intensely blue-green with a 0.63 in. (1.59 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; lightly corrugated, broadly ovate with a cordate base.
Scape: 16 in. (40.6 cm.) high, ranging from 14-18 in. (35.6-45.7 cm.).
Flower: 1.75 in. (4.4 cm.) long, pale lavender, white edged, tubular; Zealand MI: 7/25 - 8/1 - 8/15 (4 - 4 - 5).
Seed: pod is blue-green
Clump History: the original sport, 3 years old, growing in Zealand MI.
Notable Characteristics: blue with a creamy yellow margin.
[*H. 'Hadspen Blue'* sport]
- H. 'August Moon'** R. Langfelder (O), 1996
A. Summers (NI), P. Ruh (R)
Plant: 38 in. (96.5 cm.) diameter, 16 in. (40.6 cm.) high.
Mound-like with a moderate to fast growth rate.
Leaf: 7 in. (17.8 cm.) long, 6.75 in. (17.1 cm.) wide. 10 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; lightly wavy, moderately corrugated; nearly round with a rounded base. Petiole stout and cupped.
Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); inflorescence leaves.
Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/14 - 7/25 - 8/6.
Seed: viable; pod is greenish yellow.
Clump History: a division of the original, 6 years old, growing in Chesterland OH.
[Parentage unknown]
- H. 'Austin Dickinson'** W. & E. Lachman (OR) 1992
Plant: 21 in. (53.3 cm) wide, 16 in. (40.6 cm) high
Leaf: 8 in. (20.3 cm) long, 6 in. (15.2 cm) wide, 8-9 pairs of veins; medium green with a pure white, 1 inch margin; ovate with a cordate base; lightly corrugated; slightly shiny; dull texture underneath.
Scape: 29 in. (73.7 cm) long; light green
Flower: pale purple, flaring, striped; Massachusetts: July
[*H. 'Resonance'* x *H. plantaginea*]
- H. 'Avocado'** J. & B. Diesen (ONIR) 1998
Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high.
Upright and fast growing.
Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs of veins. Greenish yellow with a 2 in. (5.08 cm.) wide, flat, dark green margin. Very shiny on top and underneath; moderately folded, broadly ovate with a rounded base.
Scape: ranging from 30-34 in. (76.2-86.4 cm.) high; inflorescence leaves.
Flower: 3.5 in. (8.9 cm.) long, pure white, tubular, fragrant; Plattsouth NE: 7 - 7 - 7 (5 - 5 - 5), significant fragrance.
Seed: viability unknown; pod is green.
Clump History: a tissue cultured plant, 3 years old, growing in Plattsouth NE.
Notable Characteristics: a wide dark green margin with medium green veins.

[*H.* 'Guacamole' sport]

- H. 'Azure Chalice'** U. Syre-Herz (ONIR) 1996
 Plant: 42 in. (107 cm.) diameter, 10 in. (25.4 cm.) high.
 Upright.
 Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 17 pairs of prominent veins. Dark blue-green. Glaucous bloom on top and underneath; cupped, rippled, corrugated; nearly round with a cordate base.
 Scape: 13 in. (33 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).
 Flower: pale lavender, funnel shaped; Myrtle Beach SC: June.
 Clump History: 9 years old.
 [Parentage unknown]

B

- H. 'Balloons'** Belle Gardens (OR) 1994
 Plant: 30 in. (76.2 cm.) diameter, 11 in. (27.9 cm.) high, with an open mound-like habit.
 Leaf: 2 in. (5.1 cm.) wide, 7 in. (17.8 cm.) long; 6 pairs of flat veins; medium green; slightly rippled margin; dull above and underneath; moderately wavy; average substance; lance-shaped with a rounded base.
 Scape: 28 in. (71.1 cm.) high, ranging from 22-32 in. (55.8-81.3 cm.); deep maroon.
 Flower: 1.75 in. (4.5 cm.) long, deep purple, closed; Mich: August-mid Sept.
 Seed: viable.
 Clump History: 4 years old.
 [*H.* 'Anne Arett' hybrid]
- H. 'Banana Muffins'** J. Schwarz (ONIR) 1996
 Plant: 24 in. (61 cm.) diameter, 20 in. (50.8 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 4.5 in. (11.4 cm.) long, 4.5 in. (11.4 cm.) wide. 6 pairs of prominent veins. Light green to medium gold, with a slightly rippled margin. Dull on top and underneath; moderately cupped, intensely corrugated; nearly round with a cordate base.
 Scape: 30 in. (76.2 cm.) high, ranging from 26-33 in. (66-83.8 cm.).
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dubuque IA: 7/1 - 7/15 - 8/1 (4 - 5 - 6).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Dubuque IA.
 Notable Characteristics: corrugated yellow leaf.
 [Parentage unknown]
- H. 'Barney Fife'** T. Avent (OR) 1993
 Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide, 7 pairs of veins; dark green; ovate with a rounded base; satin sheen.
 Scape: 24 in. (61 cm.) long.
 Flower: pinkish lavender, tubular; N. Carolina: July.
 Seed: viable.
 [*H.* 'August Moon' x *H. tardiflora* (*H.* 'Tardiflora')]
- H. 'Belle of the Ball'** H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 51 in. (13 cm.) diameter, 23 in. (58.4 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 10 in. (25.4 cm.) long, 6.75 in. (17.1 cm.) wide 11 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately twisted, moderately folded, lightly wavy, moderately corrugated, broadly ovate with a rounded base; petiole lavender in the spring.
 Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.) in length; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/29 - 8/14 - 8/30.
 Seed: viable; pod is green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: leaf has a lavender petiole and white back.
 [*H. kiyosumiensis* x *H. pycnophylla*]
- H. 'Bells of Edinborough'** R. Savory (OR) 1993
 Plant: 14 in. (35.6 cm.) high.
 Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of veins; medium green; ovate with a rounded base; satin sheen; lightly puckered.
 Scape: 21 in. (53.3 cm.) long.
 Flower: violet, striped; tubular.
 [*H.* 'Rim Rock' hybrid]
- H. 'Benedict Arnold'** B. Arnold (ONIR) 1996
 Plant: 26 in. (66 cm.) diameter, 12 in. (30.5 cm.) high. Semi-upright and slow growing.
 Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 11-13 prominent veins. Medium blue-green with 1 in. slightly rippled, greenish white margin. Glaucous bloom on top and underneath; moderately corrugated; broadly ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Peoria IL: mid-June - early July.
 Seed: viability unknown.
 Clump History: 5 years old.
 [*H.* 'Dorothy Benedict' hybrid]
- H. 'Big Dipper'** B. Kuk (OR) 1995
 Plant: 48 in. (121.9 cm.) diameter, 31 in. (78.7 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 11 in. (28.0 cm.) long, 10.5 in. (27.0 cm.) wide. 15-17 pairs of prominent veins. Medium gold with a slightly rippled margin. Glaucous bloom on top and underneath; moderately cupped, moderately wavy, moderately corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 39 in. (99.1 cm.) high, ranging from 34-39 in. (86.4-99.1 cm.); light green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ohio: July.
 Seed: viable.
 Clump History: 7 years old.
 [*H.* 'Gold Regal' hybrid]

- H. 'Big Shot'** E. Minks (OIR), A. Arett (N) 1992
Plant: 40 in. (101.6 cm) wide, 36 in. (91.4 cm) high.
Leaf: 14 in. (35.6 cm) long, 9 in. (22.9 cm) wide, 10 pairs of veins; light green; rippled margins.
Flower: lavender, fade to white, flaring; Minnesota: July.
[Parentage unknown]
- H. 'Bigfoot'** R. Duback (ONIR) 1998
Plant: 68 in. (173 cm.) diameter, 30 in. (76.2 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 19 in. (48.3 cm.) long, 12 in. (30.5 cm.) wide. 18 pairs veins. Medium blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; broadly ovate with a cordate base.
Flower: near-white, tubular.
Seed: viable.
Clump History: 8 years old, growing in Vancouver WA.
[parentage unknown]
- H. 'Bilben Little Atlantis'** W. Bennett (ONIR) 1998
Plant: 9.5 in. (24.1 cm.) diameter, 4 in. (10.2 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 7-8 pairs veins. Golden yellow streaked with medium green. Margin flat. Slightly shiny on top and underneath; moderately folded, ovate with a tapered base.
Scape: ranging from 6-7 in. (15.2-17.8 cm.) in length.
Flower: 0.75 in. (1.9 cm.) long, medium lavender, striped, tubular; Riner VA: 7/15 - 8/1 - 8/15 (7 - 8 - 8).
Seed: none set.
Clump History: the original sport, 6 years old, growing in Riner VA.
[H. 'Gold Edger' sport]
- H. 'Bingo'** Belle Gardens (OR) 1993
Plant: 31 in. (78.7 cm.) wide, 17 in. (43.2 cm.) high.
Leaf: 8.5 in. (21.6 cm.) long, 6 in. (15.2 cm.) wide, 11 pairs of prominent veins; medium green with a 1.5 in. medium gold margin, turning to cream; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above and dull underneath; lightly corrugated.
Scape: 28 in. (71.1 cm.) long; small inflorescence leaves.
Flower: medium lavender, tubular; Michigan: late June.
Seed: viable.
[H. 'Tokudama Aureonebulosa' hybrid]
- H. 'Blackfoot'** M. Plater-Zyberk (O), R. Solberg (R) 1994
Plant: 16 in. (40.6 cm.) diameter, 10 in. (25.4 cm.) high, with a moderately dense, rhizomatous habit.
Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 6 pairs of moderately prominent veins; yellow gold; smooth margin; dull above, slightly shiny underneath; average substance; elliptic with a rounded base.
Scape: 16 in. (40.6 cm.) high; purple.
Flower: pale lavender with purple veins, tubular; North Carolina: mid-July to mid- August.
[H. 'Kabitan' hybrid]
- H. 'Blast Off'** H. & D. Benedict (OR) 1995
Plant: 72 in. (182.9 cm.) diameter, 30 in. (76.2 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 16 in. (41.0 cm.) long, 13 in. (33.0 cm.) wide. 15 pairs of prominent veins. Green gold with a slightly rippled margin. Very shiny on top and underneath; moderately corrugated, moderately rippled; heavy substance; broadly ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.).
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mich: late June to late July.
Seed: viable.
Clump History: 4 years old.
[H. 'Mikado' x H. 'Dorothy Benedict']
- H. 'Blue Chip'** H. Benedict (ONIR), B. Olson (R) 1997
Plant: 15 in. (38.1 cm.) diameter, 9 in. (22.9 cm.) high.
Mound-like and slow growing.
Leaf: 2.75 in. (7 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. Intensely blue-green with a flat margin. Dull on top and underneath; deeply cupped, nearly round with a rounded base; petiole stout and semi-circular.
Scape: 5 in. (12.7 cm.) high, ranging from 4-6 in. (10.2- 15.2 cm.).
Flower: 0.86 in. (2.2 cm.) long, near white with a lavender center, bell-shaped; St. Louis Park MN: early August - mid Aug. - late Aug. (5 - 5 - 5).
Seed: viable; pod is blue-green
Clump History: a division of the original, 6 years old, growing in St. Louis Park MN.
[H. 'Dorset Blue' x H. 'Dorset Blue']
- H. 'Blue Clown'** H. & D. Benedict (O), J. & E. Stratton (R) 1996
Plant: 21 in. (53.3 cm.) diameter, 7 in. (17.8 cm.) high.
Mound-like and slow growing.
Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 7 pairs of moderately prominent veins. Intensely blue-green. Glaucous bloom on top and underneath; moderately corrugated; ovate with a rounded base.
Scape: 12 in. (30.5 cm.) high; light green.
Flower: 1.25 in. (3.2 cm.) long, pure white, tubular, lavender striped inside; Iowa City IA: 8/1 - 8/7 - 8/24.
Seed: viable.
Clump History: 4 years old.
[H. 'Dorset Blue' selfed]
- H. 'Blue Delight'** E. Moore (OR) 1993
Plant: 56 in. (142.2 cm.) wide, 22 in. (55.9 cm.) high.
Leaf: 14.5 in. (36.8 cm.) long, 10.5 in. (26.7 cm.) wide, 19 pairs of prominent veins; medium blue-green; ovate with a cordate base; margin heavily rippled; slightly shiny above and underneath; corrugated.
Scape: 28 in. (71.1 cm.) long.
Flower: near-white, bell-shaped; Georgia: June.
Seed: viable.
[H. 'Blue Mammoth' sport]
- H. 'Blue Eyes'** R. Herman (ONIR) 1996
Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 2.75 in. (7 cm.) long, 2.25 in. (5.7 cm.) wide. 6-8 pairs of moderately prominent veins. Medium blue-green.

- Glaucous bloom on top and underneath; lightly cupped; ovate with a flat base.
 Scape: 21 in. (53.3 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); inflorescence leaves; medium blue-green.
 Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Winsted CT: 7/10 - 7/20 - 7/29.
 Seed: none set.
 Clump History: 3 years old.
 [*H. venusta* hybrid]
- H. 'Blue Gown'** W. & E. Lachman (OR) 1992
 Plant: 46 in. (116.8 cm) wide, 18 in. (45.7 cm) high.
 Leaf: 9.25 in. (23.5 cm) long, 8.75 in. (22.2 cm) wide, 14 pairs of veins; intensely blue-green; ovate with a heart shaped base; deeply corrugated; heavy substance; prominent veins; glaucous bloom above and underneath.
 Scape: 18 in (45.7 cm) long; green.
 Flower: pure white, tubular; Massachusetts: June.
 Seed: viable.
 [Parentage unknown]
- H. 'Blue Lady'** E. Fisher (ONI), P. Ruh (R) 1998
 Plant: 37 in. (94 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 4.75 in. (12.1 cm.) wide. 9 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top, dull underneath; lightly folded, lightly wavy, ovate with a cordate base.
 Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.) in length; inflorescence leaves.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH: 6/13 - 6/30 - 7/17.
 Seed: viability unknown; pod is blue-green.
 Clump History: obtained from the originator, 18 years old, growing in Chesterland OH.
 [parentage unknown]
- H. 'Blue Max'** M. Zilis (O), 1998
 Walters Gardens, Inc. (ONI), P. Ruh (R)
 Plant: 28 in. (71.1 cm.) diameter, 13 in. (33 cm.) high. Mound-like and slow growing.
 Leaf: 11 in. (27.9 cm.) long, 7.5 in. (19.1 cm.) wide. 14 pairs prominent veins. Blue-green with a slightly rippled margin. Dull on top and underneath; lightly folded, moderately wavy, broadly ovate with a cordate base; petiole blue-green at the top.
 Scape: 17 in. (43.2 cm.) high; inflorescence leaves.
 Flower: 1.75 in. (4.4 cm.) long, near-white, tubular; Chesterland OH: 6/15 - 6/30 - 7/14.
 Seed: viable; pod is light green.
 Clump History: obtained from the originator, 11 years old, growing in Chesterland OH.
 [*H. 'Helen Doriot'* hybrid]
- H. 'Blue Monday'** R. Solberg (ONIR) 1998
 Plant: small.
 Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. Medium blue-green.
 Flower: medium lavender; Chapel Hill NC: average period.
 Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.
- Notable Characteristics: small round leaves with good substance; symmetrical flower cluster.
 [*H. 'Peedee Gray Mulkin'* x *H. 'Popo'*]
- H. 'Blue Pearl'** Hillier Nursery (O) 1994
 G. Krossa (I), A. Summers (IN), P. Ruh (R)
 Plant: 11.5 in. (29.2 cm.) diameter, 23 in. (58.4 cm.) high, with a moderately dense, mound-like habit.
 Leaf: 6.25 in. (15.9 cm.) wide, 8 in. (20.3 cm.) long; 15 pairs of moderately prominent veins; intensely blue-green; slightly rippled margin; glaucous bloom above, dull underneath; moderately wavy; heavy substance; ovate with a rounded base.
 Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); blue.
 Flower: 2.5 in. (6.4 cm.) long, pure white, tubular; Ohio: mid-June to mid-July.
 Seed: viable.
 Clump History: 16+ years old.
 [Parentage unknown]
- H. 'Blue River'** D. Reath (O), R. Klehm (NIR) 1998
 Plant: 30 in. (76.2 cm.) diameter, 12 in. (30.5 cm.) high. Upright.
 Leaf: 9 in. (22.9 cm.) long, 7.5 in. (19.1 cm.) wide. 13-15 veins. Medium blue-green with a 1 in. (2.54 cm.) wide, flat, yellow margin. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base.
 Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length.
 Flower: 1 in. (2.5 cm.) long, white.
 Seed: viable; pod is green.
 Clump History: the original sport, 4 years old, growing in South Barrington IL.
 [*H. 'True Blue'* sport]
- H. 'Blue Star'** J. Brennan (ONIR) 1998
 Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 8-10 pairs insignificant veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; ovate with a rounded base.
 Scape: 14 in. (35.6 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.) in length.
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Malvern PA: 7/14 - 7/20 - 7/26 (3 - 3 - 4).
 Seed: none set.
 Clump History: 11 years old, growing in Malvern PA.
 Notable Characteristics: intensely blue with "star-shaped" flowers.
 [parentage unknown]
- H. 'Bob Olson'** H. & D. Benedict (OR) 1995
 Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high. Fast growing, moderately dense, semi-upright habit.
 Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 4-5 pairs of moderately prominent veins. Dark green with a 0.5 in. (1.3 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; moderately wavy, moderately folded; good substance; ovate with a rounded base.

- Scape: 16 in. (40.6 cm.) high, ranging from 15-18 in. (38.1-45.7 cm.); green with purple flecks.
Flower: 1 in. (2.5 cm.) long, medium lavender, bell shaped; Mich; August.
Seed: viability unknown.
Clump History: 5 years old.
[*H.* 'Yellow Splash' selfed]
- H. 'Bob Sanders'** B. Sanders (O), E. Elslager (NIR) 1998
Plant: 26 in. (66 cm.) diameter, 21 in. (53.3 cm.) high. Upright with a moderate growth rate.
Leaf: 7.25 in. (18.4 cm.) long, 5.25 in. (13.3 cm.) wide. 10 pairs prominent veins. Dark green streaked with medium green, yellow and creamy white. Margin flat. Slightly shiny on top and waxy underneath; moderately corrugated, ovate with a rounded base; petiole glaucous green with white streaks.
Scape: 44 in. (112 cm.) high, ranging from 41-47 in. (104-119 cm.) in length; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, pale lavender, purple striping, tubular; Ann Arbor MI: 7/12 - 7/20 - 8/13 (5 - 5 - 6).
Seed: viable; pod is streaked with yellow.
Clump History: the original sport, 5 years old, growing in Ann Arbor MI.
Notable Characteristics: streaked dark green leaves and a white back.
[*H.* 'Gold Standard' sport]
- H. 'Bobbie Sue'** C. Owens (OR) 1994
Plant: 46 in. (116.8 cm.) diameter, 16 in. (40.6 cm.) high, with a compact, mound-like habit.
Leaf: 9.5 in. (24.1 cm.) wide, 12.5 in. (31.8 cm.) long; 12-14 pairs of prominent veins; dark green with a 1.5 in. (3.8 cm.) wide, pure white, slightly rippled margin; very shiny above and underneath; moderately corrugated; heavy substance; broadly ovate with a rounded base.
Scape: 32 in. (81.3 cm.) high.
Flower: 2 in. (5.1 cm.) long, pale lavender with inner striping, tubular; Mich; July.
Seed: viable.
Clump History: 5 years old.
[*H.* 'Marbled White' sport]
- H. 'Bonanza'** E. Nesmith (ONI), P. Ruh (R) 1997
Plant: 41 in. (104 cm.) diameter, 23 in. (58.4 cm.) high. Mound-like and fast growing.
Leaf: 12 in. (30.5 cm.) long, 9 in. (22.9 cm.) wide. 14 pairs of prominent veins. Dark green with a heavily rippled margin. Dull on top and underneath; lightly cupped, folded, wavy, lightly corrugated, ovate with a rounded base; heavy petiole.
Scape: 38 in. (96.5 cm.) high, ranging from 34-39 in. (86.4-99.1 cm.); inflorescence leaves.
Flower: 1.25 in. (3.2 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/26 - 7/11 - 7/23 (1 - 2 - 2).
Seed: viable; pod is green and purple.
Clump History: a division of the original, 12 years old, growing in Chesterland OH.
[Parentage unknown]
- H. 'Boogie Woogie'** C. Helsley (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. A moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 1 in. (2.5 cm.) wide. 2-3 pairs veins. Medium green streaked creamy white. A 0.06 in. (0.16 cm.) wide, heavily rippled, creamy white margin. Dull on top and underneath; intensely wavy, lance-shaped with a tapered base; petiole streaked.
Scape: ranging from 10-12 in. (25.4-30.5 cm.) high.
Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mansfield MO: 8/5 - 8/10 - 8/30 (5 - 6 - 7).
Seed: viable; pod is green.
Clump History: the original sport, 3 years old, growing in Mansfield MO.
Notable Characteristics: streaked, lanced shaped leaves.
[*H.* 'Stiletto' sport]
- H. 'Border Bandit'** W. & E. Lachman (OR) 1992
Plant: 10 in. (25.4 cm) wide, 9 in. (22.9 cm) high.
Leaf: 5.5 in. (14 cm) long, 3.75 in. (9.5 cm) wide, 6-7 pairs of veins; medium blue-green with a creamy white, streaked, 1 inch (2.5 cm) margin; margin slightly rippled; ovate with a rounded base; lightly twisted; heavy substance; very shiny; dull texture underneath.
Scape: 15 in. (38.1 cm), dark green.
Flower: medium lavender, tubular; Mass.: August.
[*H.* "81-8" x *H.* 'Haleyon']
- H. 'Brandywine'** R. Herold (OR) 1993
Plant: 15 in. (38.1 cm.) wide, 6 in. (15.2 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 6 pairs of moderately prominent veins; medium green; ovate with a flat base; margin slightly rippled; slightly shiny above, with a glaucous bloom underneath; lightly twisted; moderately wavy.
Scape: 12 in. (30.5 cm.) long; reddish brown over green.
Flower: light pinkish lavender, bell-shaped; Mass: early August.
Seed: viable.
[(*H. montana* 'Aureomarginata' x *H. venusta*) x *H. longipes* f. *hypoglauca*]
- H. 'Brave Amherst'** W. & E. Lachman (OR) 1993
Plant: 25 in. (63.5 cm.) wide, 18 in. (45.7 cm.) high.
Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide, 11 pairs of moderately prominent veins; dark green with a 0.5-1 in. creamy white margin; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above with glaucous bloom underneath; moderately wavy.
Scape: 25 in. (63.5 cm.) long; green.
Flower: near white, tubular; Mass: June.
Seed: viable.
[*H.* 'Christmas Tree' x *H.* 'Reversed']
- H. 'Brenda's Beauty'** R. Keller (OR) 1992
Plant: 26 in. (66 cm) wide, 15 in. (38.1 cm) wide.
Leaf: 8 in. (20.3 cm) long, 5 in. (12.7 cm) wide, 8 pairs of veins; light yellow with a variable, medium green, streaked margin; ovate with a rounded base; twisted; folded; dull texture.
Scape: 24 in. (61 cm) long, inflorescence leaves.
Flower: pale lavender, tubular; Illinois: July.
[*H.* 'Gold Standard' sport]

- H. 'Bright Eagle'** R. Lydell (ONIR) 1998
 Plant: 48 in. (122 cm.) diameter, 20 in. (50.8 cm.) high. A mound-like habit.
 Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 11-12 veins. Pale yellow with a slightly rippled margin. Dull on top, glaucous bloom underneath; lightly wavy, broadly ovate with a cordate base.
 Scape: ranging from 32-36 in. (81.3-91.4 cm.) high.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/1 - 6/20 - 7/10 (2 - 3 - 4).
 Seed: viable; pod is green.
 Clump History: the original seedling, 10 years old, growing in Dunkirk NY.
 Notable Characteristics: heavy substance and impressed veins. [Parentage unknown]
- H. 'Broad Ripple'** C. Crockett (OR) 1995
 Plant: 14 in. (35.6 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, moderately dense, semi-upright habit.
 Leaf: 6 in. (15.0 cm.) long, 2.5 in. (6.4 cm.) wide, 5-7 pairs of moderately prominent veins. Light green with a 0.5 in. (1.3 cm.) wide, heavily rippled, yellow gold margin. Dull on top and underneath; moderately twisted, intensely rippled; good substance; lance-shaped with a rounded base.
 Scape: 7 in. (17.8 cm.) high, ranging from 6-9 in. (15.2-22.9 cm.).
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indiana: mid-June to mid-July.
 Seed: viable.
 Clump History: 3 years old.
 [Parentage unknown]
- H. 'Broadway Frances'** C. Crockett (ONIR) 1997
 Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide, 16 pairs of insignificant veins. Intensely blue-green with a 2.5 in. (6.35 cm.) wide, heavily rippled, yellow margin. Slightly shiny on top, dull underneath; moderately wavy, moderately corrugated, broadly ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.).
 Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Indianapolis IN.: 7/1 - 7/15 - 7/25 (2 - 3 - 4).
 Seed: viable; pod is green.
 Clump History: the original sport, 16 years old, growing in Indianapolis IN.
 Notable Characteristics: very blue center and a wide margin. [H. 'Frances Williams' sport]
- H. 'Brother Stefan'** O. Petryszyn (ONIR) 1998
 Plant: 35 in. (88.9 cm.) diameter, 22 in. (55.9 cm.) high. Moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 10 in. (25.4 cm.) wide. 13 pairs veins. Yellow with a slightly rippled, medium green margin. Margin varies from 0.5 in. (1.27 cm.) to 3 in. (7.62 cm.) wide. Dull on top, glaucous bloom underneath; lightly cupped, deeply corrugated, nearly round with a cordate base.
- Scape: ranging from 24-26 in. (61-66 cm.) in length; inflorescence leaves.
 Flower: 1.5 in. (3.8 cm.) long, pure white, bell-shaped; Chesterton IN.; 6/10 - 6/20 - 7/10.
 Seed: viable; pod is green and white.
 Clump History: the original seedling, 6 years old, growing in Chesterton IN.
 Notable Characteristics: "Maple leaf" variegation pattern and heavy corrugation.
 [H. 'King Tut' x H. "Mildred Seaver Seedling"]
- H. 'Bubba'** T. Avent (ONIR) 1998
 Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 4.5 in. (11.4 cm.) wide. Medium green with a flat margin. Very shiny on top, slightly shiny underneath; lightly corrugated, broadly ovate with a rounded base.
 Scape: 20 in. (50.8 cm.) high.
 Flower: 1 in. (2.5 cm.) long, pale lavender, bell-shaped; June.
 Seed: none set.
 [H. 'Sum and Substance' hybrid]
- H. 'Buckeye Blue'** H. Hatfield (ONI), J & D Ward (R) 1997
 Plant: 60 in. (152 cm.) diameter, 22 in. (55.9 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 10-12 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; intensely corrugated, broadly ovate with a cordate base.
 Scape: 26 in. (66 cm.) high, ranging from 25-27 in. (63.5-68.6 cm.).
 Flower: 0.75 in. (1.9 cm.) long, near white, tubular; Columbus OH: 6/5 - 6/10 - 6/15 (2 - 2 - 2).
 Seed: viable; pod is green.
 Clump History: a division of the original, 10 years old, growing in Columbus OH.
 [Parentage unknown]
- C**
- H. 'Cadillac'** E. Skrocki (ON), T. Avent (IR) 1998
 Plant: 20 in. (50.8 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and slow growing.
 Leaf: 6 in. (15.2 cm.) long, 4.5 in. (11.4 cm.) wide. Golden yellow with a 1 in. (2.54 cm.) wide, flat, medium green margin. Dull on top and underneath; lightly cupped, moderately corrugated, nearly round with a cordate base.
 Scape: 16 in. (40.6 cm.) high.
 Flower: 1 in. (2.5 cm.) long, near-white, tubular.
 Seed: viable.
 [parentage unknown]
- H. 'Canadian Shield'** K. Knechtel (OR) 1993
 Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-9 pairs of moderately prominent veins. Green. Ovate with a rounded base; shiny above; cupped.
 Scape: 18 in. (45.7 cm.) long.

- Flower: lavender, tubular; British Columbia: July.
[*H.* 'Halcyon' sport]
- H. 'Candy Cane'** P. Banyai (O), E. Elslager (R) 1995
Plant: 14 in. (35.6 cm.) diameter, 7 in. (17.8 cm.) high. Fast growing, moderately dense, rhizomatous habit.
Leaf: 6 in. (15.0 cm.) long, 2.75 in. (7.0 cm.) wide. 5-6 pairs of prominent veins. Dark green with a 0.63 in. (1.6 cm.) wide, slightly rippled, yellow gold margin. Slightly shiny on top and underneath; rippled, moderately corrugated; good substance; ovate with a tapered base.
Scape: 14 in. (35.6 cm.) high, ranging from 13-16 in. (33-40.6 cm.); dark green.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Mich: late July to late August.
Seed: viability unknown.
Clump History: 5 years old.
[Parentage unknown]
- H. 'Candy Hearts'** E. Fisher (ONI), P. Ruh (R) 1998
Plant: 31 in. (78.7 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6.25 in. (15.9 cm.) long, 5.75 in. (14.6 cm.) wide. 10 pairs prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; cupped, lightly wavy, broadly ovate with a cordate base.
Scape: 18.5 in. (47 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.) in length.
Flower: 2 in. (5.1 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/14 - 7/1 - 7/17.
Seed: none set.
Clump History: obtained for the originator, 15 years old, growing in Chesterland OH.
[*H. nakaiana* hybrid]
- H. 'Carolina Moon'** A. Breiwick (ONIR) 1997
Plant: 27 in. (68.6 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 6.5 in. (16.5 cm.) wide. 10-12 pairs of insignificant veins. Medium green with a 2 in. (5.08 cm.) wide, slightly rippled, light green margin. Slightly shiny on top, dull underneath; lightly wavy, moderately corrugated, nearly round with a cordate base; margin color extends down the petiole.
Scape: 14 in. (35.6 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).
Flower: 1 in. (2.5 cm.) long, near white, bell-shaped; Anoka MN: 7/15 - 7/30 - 8/10 (4 - 5 - 5).
Seed: viable; pod is pale green
Clump History: the original sport, 5 years old, growing in Anoka MN.
[*H.* 'August Moon' sport]
- H. 'Cascades'** W. & E. Lachman (OR) 1993
Plant: 26 in. (66 cm.) wide, 15 in. (38.1 cm.) high.
Leaf: 11 in. (27.9 cm.) long, 4.5 in. (11.4 cm.) wide, 8 pairs of prominent veins; white with a 0.75-1 in. medium green margin; lance-shaped with a rounded base; margin slightly rippled; slightly shiny above and underneath; moderately wavy.
Scape: 34 in. (86.4 cm.) long; small inflorescence leaves; white.
- Flower: white, tubular; Mass: early July.
Seed: viable.
[*H.* 'Banana Sundae' x *H.* 'Frances Williams']
- H. 'Cat's Meow'** C. Falstad (ONIR) 1998
Plant: medium sized.
Leaf: 5 in. (12.7 cm.) long, 3.5 in. (8.9 cm.) wide. Light green with a golden yellow margin.
Flower: near-white, tubular; average period.
Clump History: 1 year old, growing in Zealand MI.
[*H.* 'Tokudama Flavocircinalis' sport]
- H. 'Celebrity'** W. & E. Lachman (OR) 1995
Plant: 44 in. (111.8 cm.) diameter, 26 in. (66.0 cm.) high. Moderately growing, moderately dense, semi-upright habit.
Leaf: 10 in. (25.0 cm.) long, 9.5 in. (24.0 cm.) wide. 10-11 pairs of prominent veins. Dark green with a 1.5 in. (3.8 cm.) wide, smooth, medium gold margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; broadly ovate with a cordate base.
Scape: 27 in. (68.6 cm.) high, ranging from 25-28 in. (63.5-71.1 cm.); green.
Flower: 2.5 in. (6.4 cm.) long, pale lavender, tubular; Mass: mid-June to late July.
Seed: viable.
Clump History: 10 years old.
[*H.* "Beatrice F6" x *H.* 'Francis Williams']
- H. 'Centennial'** D. & J. Ward (ONIR) 1996
Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high. Upright with a moderate growth rate.
Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Slightly blue-green changing to dark green. Margin slightly rippled. Dull on top and underneath; lightly wavy; ovate with a cordate base.
Scape: 42 in. (107 cm.) high, ranging from 40-43 in. (101.6-109.2 cm.); green.
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/15 - 7/12 - 7/152 (2 - 2 - 2).
Seed: viable; pod is green.
Clump History: the original seedling, 5 years old, growing in Columbus OH.
[Parentage unknown]
- H. 'Centerfold'** G. Kamp (OR) 1994
Plant: 46 in. (116.8 cm.) diameter, 24 in. (61 cm.) high, with a moderately dense, mound-like habit.
Leaf: 9 in. (22.9 cm.) wide, 10 in. (25.4 cm.) long; 13 pairs of prominent veins; yellow gold; slightly rippled margin; slightly shiny above and underneath; moderately folded, rippled, intensely corrugated; good substance; ovate with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 17-18 in. (43.2-45.7 cm.); green.
Flower: near white, tubular; Indiana: avg. period.
Clump History: 5 years old.
[Parentage unknown]
- H. 'Champagne'** R. Savory (OR) 1994
Plant: 10 in. (25.4 cm.) diameter, 8 in. (30.3 cm.) high, with a moderately dense, mound-like habit.

- Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; light green to yellow with a 0.25 in. (0.64 cm.) wide, dark green, slightly rippled margin; dull above, slightly shiny underneath; lightly corrugated; average substance; lance-shaped with a rounded base.
- Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); green with a red base.
- Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Minn: July.
- Seed: viable.
- Clump History: 5 years old.
- [*H.* 'Ogon Koba' hybrid]
- H. 'Chartreuse'** G. Holly (ONI), 1998
E. Fisher (I), P. Ruh (R)
- Plant: 20 in. (50.8 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 6.5 in. (16.5 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of prominent veins. Greenish-yellow with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, ovate with a rounded base.
- Scape: 19 in. (48.3 cm.) high.
- Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 6/14 - 6/22 - 7/5.
- Seed: none set.
- Clump History: 16 years old, growing in Chesterland OH. [parentage unknown]
- H. 'Cheatin Heart'** W. Zumbar (OR) 1995
- Plant: 6 in. (15.2 cm.) diameter, 2 in. (5.1 cm.) high. Moderately growing, compact, mound-like habit.
- Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of moderately prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; deeply folded, moderately rippled; average substance; ovate with a cordate base.
- Scape: 7 in. (17.8 cm.) high, ranging from 7-10 in. (17.8-25.4 cm.); yellow.
- Flower: 1.25 in. (3.2 cm.) long, light purple, tubular; Ohio: July.
- Seed: viable.
- Clump History: 4 years old.
- Remarks: leaf color intensifies to orange-gold in the sun. In the shade it is chartreuse streaked or mottled.
- [*H.* "Subcrocea cross F2" x *H.* 'Birchwood Gem']
- H. 'Chesterland Gold'** M. Zilis (O), P. Ruh (ONIR) 1997
- Plant: 20 in. (50.8 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 6.5 in. (16.5 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of prominent veins. Emerging bright gold changing to light green and gold with a slightly rippled margin. Slightly shiny on top, dull underneath; wavy, ovate with a rounded base; petiole green.
- Scape: 28 in. (71.1 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.).
- Flower: 1.25 in. (3.2 cm.) long, lavender, striped, tubular; Chesterland OH: 8/1 - 8/11 - 8/24 (2 - 4 - 4).
- Seed: viable; pod is green.
- Clump History: a division of the original tissue culture sport, 5 years old, growing in Chesterland OH.
- [*H.* 'Paul's Glory' sport]
- H. 'Chinese Sunrise'** R. Schaeffer (O) 1992
A. Summers (NI), P. Ruh (R)
- Plant: 18 in. (45.7 cm) wide, 10.5 in. (26.7 cm) high.
- Leaf: 5.5 in. (14 cm) long, 2.25 in. (5.7 cm) wide, 5-6 pairs of veins; medium yellow with a variable, 0.25 in. (.64 cm), dark green margin, changes to all green; lance-shaped, twisted; slightly rippled.
- Scape: 19 in. (48.3 cm), inflorescence leaves.
- Flower: lavender, flaring; Ohio: Sept.
- [Parentage unknown]
- H. 'Circle of Light'** K. Walek (ONIR) 1996
- Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 4.5 in. (11.4 cm.) long, 2.5 in. (6.4 cm.) wide. 5-7 pairs of moderately prominent veins. Medium green with a 0.25 in., slightly rippled, pure white margin. Slightly shiny on top, glaucous bloom underneath; lightly twisted, lightly wavy; ovate with a rounded base.
- Scape: 25 in. (63.5 cm.) high, ranging from 24-30 in. (61-76.2 cm.).
- Flower: 1.75 in. (4.4 cm.) long, pale lavender, bell shaped, lavender striped; Fairfax Station VA: late July - late August.
- Clump History: 5 years old.
- [*H.* 'Rosanne' x *H.* 'Little White Lines']
- H. 'City Slicker'** J. Dishon (ONIR) 1996
- Plant: 28 in. (71.1 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and fast growing.
- Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 7 pairs of insignificant veins. Dark green with a 0.25 in. slightly rippled, gold margin (changing to cream). Very shiny on top and underneath; moderately wavy; elliptic with a round base. Petiole red spotted.
- Scape: 21 in. (53.3 cm.) high; red to purple.
- Flower: 1.75 in. (4.4 cm.) long, deep purple, spider shaped, white striped; Jackson MI: 8/15 - 9/5 (5 - 6).
- Seed: viable; pod is light purple
- Clump History: the original seedling, 6 years old, growing in Jackson MI.
- Notable Characteristics: shiny, leathery leaves and "yingeri-like" stamens.
- [*H.* 'Yellow Splash' x *H.* *yingeri*]
- H. 'Clarence'** L. Simperts (O), M. Soules (NIR) 1996
- Plant: 36 in. (91.4 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 10.25 in. (26 cm.) long, 8.5 in. (21.6 cm.) wide. 17 pairs of prominent veins. Intensely blue-green with a slightly rippled, translucent margin. Glaucous bloom on top and underneath; intensely corrugated; broadly ovate with a cordate base.
- Scape: 20 in. (50.8 cm.) high.
- Flower: 1.5 in. (3.8 cm.) long, near white, funnel shaped; Indianapolis IN.; 7/1 - 7/12 - 7/25.
- Clump History: 6 years old.
- [*H.* *sieboldiana* hybrid]

- H. 'Cody'** R. Solberg (ONIR) 1996
Plant: 10 in. (25.4 cm.) diameter, 5 in. (12.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of moderately prominent veins. Dark green. Very shiny on top and underneath; lightly folded; ovate with a rounded base.
Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); green
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular, white striped; Chapel Hill NC: mid-June - mid-July;
Seed: viable.
Clump History: 2 years old.
[*H. 'Shining Tot'* x *H. venusta*]
- H. 'Concordia Petite'** U. Syre-Herz (ONIR) 1996
Plant: 14 in. (35.6 cm.) diameter, 5 in. (12.7 cm.) high.
Mound-like.
Leaf: 2 in. (5.1 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of prominent veins. Dark green. Dull on top and underneath; ovate with a rounded base.
Scape: 15 in. (38.1 cm.) high; inflorescence leaves.
Flower: medium lavender, funnel shaped, striped; Myrtle Beach NC: 7/20 - 9/15.
Seed: viable.
Clump History: 10 years old.
[*H. venusta* x *H. 'Golden Tiara'*]
- H. 'Cool Change'** B. Kuk (OR) 1995
Plant: 54 in. (137.2 cm.) diameter, 32 in. (81.3 cm.) high.
Moderately growing, moderately dense, semi-upright habit.
Leaf: 12 in. (30.0 cm.) long, 10 in. (25.0 cm.) wide. 16-18 pairs of prominent veins. Intensely blue-green with a heavily rippled margin. Glaucous bloom on top and underneath; lightly cupped, moderately wavy, lightly rippled, intensely corrugated; heavy substance; broadly ovate with a cordate base.
Scape: 32 in. (81.3 cm.) high, ranging from 26-32 in. (66-81.3 cm.); light green.
Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Ohio: July.
Seed: viable.
Clump History: 10 years old.
[*H. sieboldiana* hybrid]
- H. 'Corona'** G. Braun-Nauerz (ON), 1996
P. Th. Warmerdam (NIR)
Plant: 61 in. (155 cm.) diameter, 31 in. (78.7 cm.) high.
Mound-like and fast growing.
Leaf: 18 in. (45.7 cm.) long, 16 in. (40.6 cm.) wide. 14 pairs of prominent veins. Light green with a 1.5 in. slightly rippled, deep gold margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated; broadly ovate with a cordate base.
Scape: 37 in. (94 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); green with a brown base.
Flower: medium lavender, bell shaped; pod is dark green. Noordwijk Neth: 7/10 - 7/20 - 8/15 (2 - 3 - 5).
Seed: viability unknown.
Clump History: the original sport, 6 years old, growing in Noordwijk Neth.
[*H. 'Sum and Substance'* sport]
- H. 'Cotillion'** W. Zumber (OR) 1995
Plant: 8 in. (20.3 cm.) diameter, 5 in. (12.7 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 2.5 in. (6.4 cm.) long, 1.13 in. (2.9 cm.) wide. 3 pairs of prominent veins. Dark green with a 0.25 in. (0.6 cm.) wide, smooth, creamy white margin. Dull on top, very shiny underneath; lightly wavy; good substance; ovate with a rounded base.
Scape: 10 in. (25.4 cm.) high; green.
Flower: 1.5 in. (3.8 cm.) long, light purple, striped, tubular; Ohio: July.
Seed: viable.
Clump History: 3 years old.
[*H. "Breeder's Choice F1"* x (*H. nakaiana* x *H. 'Kii Hime'*)]
- H. 'Count Dracula'** C. Crockett (ONIR) 1997
Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high.
Mound-like and fast growing.
Leaf: 7.5 in. (19.1 cm.) long, 5.5 in. (14 cm.) wide. 9 pairs of prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; ovate with a rounded base.
Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.).
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Indianapolis IN.; mid August - late Aug. - early Sept. (7 - 8 - 8).
Seed: viability unknown; pod is green.
Clump History: the original seedling, 5 years old, growing in Indianapolis IN.
Notable Characteristics: large, smooth, very dark leaves.
[Parentage unknown]
- H. 'Craig Harlequin Bells'** J. Craig (ON), 1998
A. Summers (I), P. Ruh (R)
Plant: 15 in. (38.1 cm.) diameter, 12.5 in. (31.8 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 4.25 in. (10.8 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a flat base.
Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.) in length; inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, purple, white edged and striped, bell-shaped; Chesterland OH: 6/19 - 6/30 - 7/14.
Note: This cultivar name was previously listed as *H. 'Harlequin Bells'* it has been changed at the request of the registrant.
[parentage unknown]
- H. 'Crater Lake'** R. Snyder (ONIR) 1996
Plant: 54 in. (137 cm.) diameter, 34 in. (86.4 cm.) high.
Stoloniferous with a moderate growth rate.
Leaf: 12 in. (30.5 cm.) long, 10 in. (25.4 cm.) wide. 15 pairs of prominent veins. Intensely blue-green. Glaucous bloom on top and underneath; deeply cupped, intensely corrugated; nearly round with a cordate base.
Scape: 37 in. (94 cm.) high, ranging from 32-39 in. (81.3-99.1 cm.); green.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, pod is green. Willmar MN: mid-June - mid-July (2 - 3 - 4)

- Clump History: the original sport, 12 years old, growing in Willmar MN.
Notable Characteristics: deeply cupped and corrugated leaves.
[*H.* 'Elegans' hybrid]
- H. 'Cross Stitch'** W. Zumber (O), P. Ruh (R) 1992
Plant: 37 in. (94 cm) diameter, 17 in. (43.2 cm) high.
Leaf: 14 in. (35.6 cm) long, 10.25 in. (26 cm) wide, 10 pairs of veins; light green with a satin sheen; cupped, slightly folded, slightly rippled, puckering ("cross-stitching") along veins; glossy underneath; cordate.
Scape: 34 in. (86.4 cm) long, inflorescence leaves.
Flower: lavender, flaring; Ohio: mid-August.
Seed: Viable.
[*H.* "T4401" x *H.* "T4402"]
- H. 'Crow's Nest'** C. Seaver (OR) 1995
Plant: 20 in. (50.8 cm.) diameter, 9 in. (22.9 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 5 in. (13.0 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of moderately prominent veins. Dark green with a 0.5 in. (1.3 cm.) wide, slightly rippled, cream margin which extends down the petiole. Slightly shiny on top and underneath; lightly folded; average substance; elliptic with a tapered base.
Scape: 44 in. (111.8 cm.) high, ranging from 43-45 in. (109.2-114.3 cm.); green and light red.
Flower: 2 in. (5.1 cm.) long, dark purple, tubular; Delaware: mid-August.
Remarks: petiole is winged.
Seed: viable.
Clump History: 4 years old.
[*H.* 'Don Stevens' x *H.* 'Sea Angel']
- H. 'Crumples'** D. Grenfell (ONIR) 1996
Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top and underneath; intensely corrugated; broadly ovate with a cordate base. Petiole glaucous green.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); branched; inflorescence leaves; grayish green.
Flower: 1 in. (2.5 cm.) long, pale lavender, bell shaped; Lymington Hants UK: June - July (2 - 4 - 5).
Seed: pod is dark grayish brown.
Clump History: the original seedling, 6 years old, growing in Lymington Hants UK.
Notable Characteristics: intense corrugation and puckering.
[*H.* *sieboldiana* hybrid]
- H. 'Crystal Tiara'** Walters Gardens, Inc. (ONIR) 1998
Plant: small.
Leaf: 3.5 in. (8.9 cm.) long, 3 in. (7.6 cm.) wide. Creamy white with a pale yellow margin. Dull on top and underneath; broadly ovate with a rounded base.
Flower: 2.5 in. (6.4 cm.) long, deep purple, tubular; Zeeland MI: summer period.
Notable Characteristics: heavy substance and a wide margin.
Clump History: the original tissue culture sport, 2 years old, growing in Zeeland MI.
- [*H.* 'Grand Tiara' sport]
- H. 'Cupid's Dart'** Walters Gardens, Inc. (ONIR) 1997
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 1.75 in. (4.4 cm.) wide. 5-7 pairs of insignificant veins. Medium green with a 0.19 in. (0.48 cm.) wide, flat, pure white margin. Dull on top, slightly shiny underneath; lance-shaped with a tapered base.
Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.).
Flower: 1 in. (2.5 cm.) long, medium lavender with lighter edges, tubular; Zeeland MI: 6/28 - 7/2 - 7/28 (3 - 3 - 4).
Seed: none set.
Notable Characteristics: lance-shaped leaves with a narrow margin; flowers with recurved petals.
[*H.* 'Heartsong' sport]
- H. 'Curtain Call'** J. Wilkins (ONIR) 1998
Plant: medium in size.
Leaf: 12 in. (30.5 cm.) long, 6 in. (15.2 cm.) wide. Medium blue-green.
Flower: pale lavender; Chapel Hill NC: summer period.
Clump History: a tissue culture sport, 3 years old, growing in Chapel Hill NC.
Notable Characteristics: a fast grower with arching leaves.
[*H.* 'Wolverine' sport]

D

- H. 'Dale's Blue Gray'** L. Maroushek (ONI), 1998
R. Snyder (R)
Plant: 56 in. (142 cm.) diameter, 22 in. (55.9 cm.) high. Upright with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs veins. Medium blue-green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly corrugated, broadly ovate with a cordate base.
Scape: ranging from 18-24 in. (45.7-61 cm.) in length.
Flower: 2.25 in. (5.7 cm.) long, pale lavender, tubular; Willmar MN: 6/10 - 6/20 - 7/1 (1 - 2 - 3).
Seed: viability unknown; pod is green.
Clump History: 10 years old, growing in Willmar MN.
[parentage unknown]
- H. 'Dark Tower'** D. & J. Ward (ONIR) 1996
Plant: 80 in. (203 cm.) diameter, 35 in. (88.9 cm.) high. Mound-like with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs of prominent veins. Dark green with a slightly rippled margin. Dull on top and underneath; moderately twisted; broadly ovate with a cordate base.
Scape: 44 in. (112 cm.) high, ranging from 42-45 in. (106.7-114.3 cm.); green.
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/20 - 7/4 - 7/15 (3 - 3 - 3).
Seed: viable; pod is dark green.
Clump History: the original seedling, 7 years old, growing in Columbus OH.

- [*H.* 'Sageae' hybrid]
- H. 'David Reath'** D. Reath (ON), R. Klehm (IR) 1998
Plant: 42 in. (107 cm.) diameter, 28 in. (71.1 cm.) high.
Upright.
Leaf: 12 in. (30.5 cm.) long, 8 in. (20.3 cm.) wide. 11-12 veins. Dark green with a flat, golden yellow margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated, broadly ovate with a cordate base.
Scape: ranging from 26-30 in. (66-76.2 cm.) in length.
Flower: pale lavender; South Barrington IL; summer period.
Seed: viable; pod is green.
Clump History: a second generation division, 4 years old, growing in South Barrington IL.
Notable Characteristics: the margin extends into the center of the leaf.
[*H.* 'Gold Regal' sport]
- H. 'Dawn's Early Light'** O. Petryszyn (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high.
Moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs veins. Pale yellow with a heavily rippled margin. Dull on top and underneath; deeply corrugated, nearly round with a cordate base.
Scape: ranging from 29-31 in. (73.7-78.7 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Chesterton IN.; 7/15 - 7/20 - 7/28 (? - ? - 4).
Seed: none set.
Notable Characteristics: a symmetrical mound, ruffled and puckered.
Clump History: the original seedling, 8 years old, growing in Chesterton IN.
[*H.* 'Sea Fire' hybrid]
- H. 'Day Dream'** G. Trucks (ONIR) 1998
Plant: 32 in. (81.3 cm.) diameter, 10 in. (25.4 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 5 in. (12.7 cm.) wide. 7-9 pairs of prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top and underneath; lightly corrugated, broadly ovate with a rounded base; petiole has red spots on the base.
Scape: 31 in. (78.7 cm.) high, ranging from 28-35 in. (71.1-88.9 cm.).
Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; Benton Harbor MI; 7/1 - 7/5 - 7/11 (3 - 4 - 5).
Seed: viability unknown; pod is greenish-yellow with purple striping.
Clump History: the original sport, 4 years old, growing in Benton Harbor MI.
Notable Characteristics: colors early and holds it.
[*H.* 'Sea Dream' sport]
- H. 'Dee's Golden Jewel'** K. Walek (ONIR) 1996
Plant: 18 in. (45.7 cm.) diameter, 24 in. (61 cm.) high.
Stoloniferous and slow growing.
Leaf: 6.5 in. (16.5 cm.) long, 8 in. (20.3 cm.) wide. 12-14 moderately prominent veins. Yellow gold. Dull on top, glaucous bloom underneath; lightly cupped, lightly corrugated; broadly ovate with a cordate base.
- Scape: 30 in. (76.2 cm.) high, ranging from 26-33 in. (66-83.8 cm.); inflorescence leaves; chartreuse.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; Fairfax Station VA; early June - mid-July.
Seed: viable (poor).
Clump History: 5 years old.
[*H.* 'Royal Standard' x *H.* 'Galaxy']
- H. 'Deep Blue Sea'** C. Seaver (OR) 1994
Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high, with an open mound-like habit.
Leaf: 7 in. (17.8 cm.) wide, 8 in. (20.3 cm.) long; 12 pairs of prominent veins; dark blue; glaucous bloom above; lightly cupped, deeply corrugated; nearly round with a cordate base; petiole has glaucous bloom.
Scape: 14 in. (35.6 cm.) high.
Flower: medium lavender, closed; Delaware: mid-July to mid-August.
Clump History: 6 years old.
[*H.* 'Blue Moon' hybrid]
- H. 'Delia'** R. & M. Ford (OR) 1995
Plant: 18 in. (45.7 cm.) diameter, 6 in. (15.2 cm.) high. Slow growing, compact, mound-like habit.
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 8 pairs of moderately prominent veins. Light yellow with a 0.5 in. (1.3 cm.) wide, medium green margin. Dull on top and underneath; moderately cupped; good substance; broadly ovate with a rounded base.
Scape: 9 in. (22.9 cm.) high, ranging from 8-11 in. (20.3-27.9 cm.).
Flower: 1 in. (2.5 cm.) long, near-white, bell shaped; England: late July to early Sept.
Seed: viable.
Clump History: 4 years old.
[*H.* 'Golden Prayers' sport]
- H. 'Diana Remembered'** J. Kulpa (ONIR) 1997
Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high.
Mound-like and fast growing.
Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 9 pairs of prominent veins. Slightly blue-green with a 1.5 in. (3.81 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; moderately corrugated, broadly ovate with a cordate base; margin extends down the petiole.
Scape: 22 in. (55.9 cm.) high, ranging from 20-25 in. (50.8-63.5 cm.). inflorescence leaves.
Flower: 3 in. (7.6 cm.) long, near white, tubular, significant fragrance; Warren MI; 7/25 - 8/15 - 8/25 (5 - 6 - 6).
Seed: viable; pod is green.
Clump History: the original tissue culture sport, 3 years old, growing in Warren MI.
Notable Characteristics: large, near white, fragrant flowers.
[*H.* 'Seventh Heaven' sport]
- H. 'Dick's Delight'** R. Rossing (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high.
Mound-like and fast growing.
Leaf: 3.5 in. (8.9 cm.) long, 2.25 in. (5.7 cm.) wide. 7 pairs of moderately prominent veins. Light green with a slightly

- rippled, pure white margin. Slightly shiny on top and underneath; cupped, ovate with a rounded base.
Scape: 17 in. (43.2 cm.) high.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chanhassen MN: 7/1 - 7/15 - 7/20.
Seed: none set.
[*H. nakaiana* hybrid]
- H. 'Dim Sum'** Belle Gardens (OR) 1994
Plant: 8 in. (20.3 cm.) diameter, 3 in. (7.6 cm.) high, with a moderately dense, mound-like habit.
Leaf: 0.875 in. (2.2 cm.) wide, 1.625 in. (4.1 cm.) long; 4 pairs of moderately prominent veins; greenish changing to yellow gold; slightly rippled margin; dull above, slightly shiny underneath; lightly wavy; average substance; ovate with a rounded base.
Scape: 5 in. (12.7 cm.) high, ranging from 4-6 in. (10.2-15.2 cm.).
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: August.
Seed: viable.
Clump History: 4 years old.
[*H. longipes latifolia* hybrid]
- H. 'Dimity'** T. Micheletti (ONIR) 1998
Plant: 7 in. (17.8 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and fast growing.
Leaf: 1.5 in. (3.8 cm.) long, 0.5 in. (1.3 cm.) wide. 3 pairs of veins. Medium green with a slightly rippled margin. Dull on top, slightly shiny underneath; folded, wavy, ovate with a tapered base.
Scape: ranging from 6-10 in. (15.2-25.4 cm.) in length.
Flower: 1.25 in. (3.2 cm.) long, purple, white stripes, tubular; Barrington IL: 6/15 - 6/30 - 7/15 (2 - 2 - 2).
Seed: viable.
Clump History: the original seedling, 6 years old, growing in Barrington IL.
[*H. 'Baby Kim'* hybrid]
- H. 'Distinction'** E. Fisher (ONI), P. Ruh (R) 1998
Plant: 54 in. (137 cm.) diameter, 23 in. (58.4 cm.) high. Upright with a moderate growth rate.
Leaf: 13.75 in. (34.9 cm.) long, 10.25 in. (26 cm.) wide. 14 pairs veins. Dark green with a slightly rippled margin. Dull on top and underneath; wavy, broadly ovate with a cordate base.
Scape: 30.5 in. (77.5 cm.) high.
Flower: 2.5 in. (6.4 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/15 - 7/1 - 7/18.
Seed: viable; pod is blue-green.
[parentage undetermined]
- H. 'Doctor Fu Manchu'** H. Sugita (O), P. Ruh (ONIR) 1998
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 8.5 in. (21.6 cm.) long, 3.75 in. (9.5 cm.) wide. 7 pairs of prominent veins. Dark green with a heavily rippled margin. Slightly shiny on top, dull underneath; lightly folded, ovate with a rounded base; petiole spotted red.
Scape: 18.5 in. (47 cm.) high; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, lavender, bell-shaped; Chesterland OH: 8/3 - 8/14 - 8/28.
Seed: viable; pod is dark green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
[*H. longipes* x *H. pycnophylla*]
- H. 'Doctor Reath'** D. Reath (O), P. Ruh (NIR) 1997
Plant: 52 in. (132 cm.) diameter, 29 in. (73.7 cm.) high. Upright with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 8.5 in. (21.6 cm.) wide. 16 pairs of prominent veins. Blue-green mottled with yellow in the spring. Mottling changing to light green in June. Margin 0.5 in. (1.27 cm.) wide, slightly rippled, blue-green. Glaucous on top, dull underneath; twisted, folded, wavy, corrugated, ovate with a cordate base; petiole heavy.
Scape: 31 in. (78.7 cm.) high, ranging from 30-34 in. (76.2-86.4 cm.); inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, near white, tubular; Chesterland OH: 6/27 - 7/13 - 7/27 (1 - 2 - 2).
Seed: viable; pod is blue-green
Clump History: a division of the original, 5 years old, growing in Chesterland OH.
Notable Characteristics: yellow mottling in spring.
[*H. sieboldiana* sport]
- H. 'Domaine De Courson'** I. Van Doorslaer (I), D. Grenfell (ONR) 1996
Plant: 60 in. (152 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 18 in. (45.7 cm.) long, 10 in. (25.4 cm.) wide. 7-8 pairs of insignificant veins. Medium green with a flat margin. Slightly shiny on top, dull and waxy underneath; wavy; broadly ovate with a cordate base. Petiole nearly closed, red streaked towards the base.
Scape: 38 in. (96.5 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); inflorescence leaves; grayish green.
Flower: 1 in. (2.5 cm.) long, pale lavender to near-white, bell shaped; Lymington Hants UK: July to Sept. (4 - 5 - 8), repeating.
Seed: viable; pod is grayish brown.
Clump History: the original sport, 5 years old, growing in Lymington Hants UK.
[*H. 'Sum and Substance'* sport]
- H. 'Dragon Wings'** W. Lefever (ONIR) 1996
Plant: 60 in. (152 cm.) diameter, 24 in. (61 cm.) high. Semi-upright with a moderate growth rate.
Leaf: 18 in. (45.7 cm.) long, 11 in. (27.9 cm.) wide. 9-11 pairs of prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top and underneath; folded (tip is pinched), intensely wavy; ovate with a cordate base.
Scape: 60 in. (152 cm.) high, ranging from 54-62 in. (137.2-157.5 cm.); green.
Flower: 2.5 in. (6.4 cm.) long, pale lavender, tubular; Kernersville NC: 7/10 - 7/25 - 8/10.
Seed: viable.
Clump History: 4 years old.
Notable Characteristics: leaf tip is pinched (folded) downwards.
[*H. montana* x *H. 'Fortunei'*]

- H. 'Dragon's Blood'** H. Sugita(O), P. Ruh (ONIR) 1998
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 6.25 in. (15.9 cm.) wide. 9 pairs of prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately twisted, moderately folded, moderately wavy, broadly ovate with a cordate base; petiole reddish at the base.
Scape: 32 in. (81.3 cm.) high; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/5 - 8/14 - 8/30.
Seed: viable; pod is dark green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
[*H. longipes* x *H. pycnophylla*]
- H. 'Drawn Butter'** Belle Gardens (OR) 1994
Plant: 25 in. (63.5 cm.) diameter, 17 in. (43.2 cm.) high, with an open, semi-upright habit.
Leaf: 2.75 in. (7 cm.) wide, 5.375 in. (13.7 cm.) long; 6 pairs of moderately prominent veins; greenish gold changing to deep gold; slightly rippled margin; slightly shiny above, very shiny underneath; lightly wavy; good substance; lance-shaped with a rounded base.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); dark maroon.
Flower: 2 in. (5.1 cm.) long, pale purple, tubular; Mich: mid-July to mid-August.
Seed: viable.
Clump History: 4 years old.
[*H. 'Whoopie'* hybrid]
- H. 'Dream Weaver'** B. Ruetenik (O), K. Wajek (NIR) 1996
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12-14 moderately prominent veins. Pure white with a 3 in., intensely blue-green margin. Dull on top, glaucous bloom underneath; lightly cupped, lightly corrugated; nearly round with a cordate base.
Scape: 30 in. (76.2 cm.) high, ranging from 25-36 in. (63.5-91.4 cm.); white streaked.
Flower: 2 in. (5.1 cm.) long, near white, bell shaped; Fairfax Station VA: 6/1 - 6/30 - 7/15.
Seed: viable (poor).
Clump History: 3 years old.
[*H. 'Great Expectations'* sport]
- H. 'Dress Blues'** W. Zumbar (OR) 1995
Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high. Fast growing, open, upright habit.
Leaf: 7 in. (18.0 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of prominent veins. Intensely blue-green with a 0.5 in. (1.3 cm.) wide, smooth, yellow gold margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; ovate with a cordate base.
Scape: 34 in. (86.4 cm.) high, ranging from 28-38 in. (71.1-96.5 cm.); green with glaucous bloom.
Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular; Ohio: mid-July to late August.
Seed: viable.

Clump History: 5 years old.
[*H. 'Breeder's Choice F1'* x *H. 'Halcyon'*]

E

- H. 'Ebb Tide'** E. Elslager (ONIR) 1997
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high.
Upright with a moderate growth rate.
Leaf: 11.75 in. (29.8 cm.) long, 4.75 in. (12.1 cm.) wide. 10 pairs of prominent veins. Dark green with a 0.63 in. (1.59 cm.) wide, heavily rippled, yellow gold margin. Slightly shiny on top, very shiny underneath; intensely corrugated, ovate with a rounded base.
Scape: 34 in. (86.4 cm.) high, ranging from 29-36 in. (73.7-91.4 cm.); inflorescence leaves.
Flower: 2.5 in. (6.4 cm.) long, near white with lavender stripes, tubular; Ann Arbor MI: 7/20 - 7/27 - 8/10 (5 - 5).
Seed: viability unknown; pod is green.
Clump History: the original sport from a tissue cultured plant, 7 years old, growing in Ann Arbor MI.
Notable Characteristics: a miniature sport of *H. montana* 'Aureomarginata'.
[*H. montana* 'Aureomarginata' sport]
- H. 'Edina Hornet'** D. Savory (ONIR) 1996
Plant: 26 in. (66 cm.) diameter, 21 in. (53.3 cm.) high.
Upright with a moderate growth rate.
Leaf: 10.8 in. (27.4 cm.) long, 7 in. (17.8 cm.) wide. 13-14 prominent veins. Medium green with a slightly rippled, medium gold margin. Dull on top, waxy underneath; lightly wavy, moderately corrugated; ovate with a cordate base.
Scape: 29 in. (73.7 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.); inflorescence leaves; green.
Flower: 1.4 in. (3.6 cm.) long, near white, tubular; Edina MN: 7/1 - 7/10 - 7/20 (2 - 2 - 3).
Seed: viable; pod is green.
Clump History: the original sport, 5 years old, growing in Edina MN.
Notable Characteristics: muted color; corrugation and streaking.
[*H. 'Honey seedling'* sport]
- H. 'Eleanor Lachman'** W. & E. Lachman (OR) 1995
Plant: 15 in. (38.1 cm.) diameter, 5.5 in. (14 cm.) high.
Moderately growing, open, semi-upright habit.
Leaf: 3.75 in. (9.5 cm.) long, 2.8 in. (7.1 cm.) wide. 6 pairs of moderately prominent veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, dark green margin. Dull on top, glaucous bloom underneath; heavy substance; broadly ovate with a rounded base.
Scape: 10 in. (25.4 cm.) high, ranging from 8-11 in. (20.3-27.9 cm.); greenish white.
Flower: 1.4 in. (3.6 cm.) long, medium lavender, bell shaped; Mass: July.
Seed: viable.
Clump History: 1 year old.
[(*H. 'Neat Splash'* x *H. 'Flamboyant'*) x *H. 'Robert Frost'*]

- H. 'Electrifying'** E. Elslager (ONIR) 1998
Plant: 28 in. (71.1 cm.) diameter, 22 in. (55.9 cm.) high.
Upright with a moderate growth rate.
Leaf: 8.75 in. (22.2 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs prominent veins. Dark green with a 1.38 in. (3.51 cm.) wide, slightly rippled, golden yellow margin. Slightly shiny on top and waxy underneath; moderately corrugated, broadly ovate with a cordate base; petiole has a yellow margin.
Scape: 41 in. (104 cm.) high, ranging from 35-45 in. (88.9-114 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pale lavender, purple striping, tubular; Ann Arbor MI: 7/14 - 7/23 - 8/12 (5 - 5 - 6).
Seed: viable; pod is green.
Notable Characteristics: large dark green leaves with a yellow margin, vigorous.
Clump History: the original sport, 5 years old, growing in Ann Arbor MI.
[H. 'Electra' sport]
- H. 'Electrum Stater'** A. Malloy (ONIR) 1997
Plant: 26 in. (66 cm.) diameter, 12 in. (30.5 cm.) high.
Mound-like and fast growing.
Leaf: 7.5 in. (19.1 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Medium gold with some streaking. Margin 1.5 in. (3.81 cm.) wide, slightly rippled, white. Slightly shiny on top and underneath; lightly twisted, lightly wavy, moderately corrugated, ovate with a cordate base.
Scape: 23 in. (58.4 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; South Salem NY: 6/20 -? - 7/10 (1 - ? - 2).
Seed: viable; pod is green.
Clump History: the original sport, 4 years old, growing in South Salem NY.
Notable Characteristics: heavy substance, gold with a white edge.
[H. 'Abiqua Recluse' sport]
- H. 'Elephant Burgers'** T. Avent (OR) 1993
Plant: 30 in. (76.2 cm.) wide, 18 in. (45.7 cm.) high.
Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide, 6 pairs of veins; dark green; ovate with a rounded base; rippled.
Scape: 26 in. (66 cm.) long.
Flower: pale purple, tubular; N. Carolina: early June.
Seed: poor seed set, viable.
[Parentage unknown]
- H. 'Ellerbroek'** N. Hylander (O), 1996
P. Ellerbroek (NI), P. Ruh (R)
Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 5.63 in. (14.3 cm.) wide. 9-10 pairs of prominent veins. Dark green with a 0.5 in. slightly rippled, yellow margin. Slightly shiny on top, dull underneath; lightly cupped, wavy; ovate with a rounded base.
Scape: 38 in. (96.5 cm.) high, ranging from 24-38 in. (61-96.5 cm.); inflorescence leaves; light green.
Flower: 1 in. (2.5 cm.) long, lavender, tubular; Chesterland OH: 7/1 - 8/11 - 8/22.
Seed: viable; pale pod is green.
- Clump History: 5 years old, growing in Chesterland OH.
[H. 'Fortunei Aureomarginata' form]
- H. 'Ellie Bee'** E. Brinkerhoff (ONI), P. Ruh (R) 1996
Plant: 9.5 in. (24.1 cm.) diameter, 4.5 in. (11.4 cm.) high.
Mound-like and fast growing.
Leaf: 4.5 in. (11.4 cm.) long, 2 in. (5.1 cm.) wide. 3 pairs of insignificant veins. Medium gold with a slightly rippled margin. Dull on top and underneath; wavy; lance-shaped with a flat base.
Scape: 12 in. (30.5 cm.) high; inflorescence leaves; greenish.
Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Chesterland OH: 7/18 - 7/31 - 8/12.
Seed: viable (poor); pod is greenish yellow.
Clump History: a division of the original, 3 years old, growing in Chesterland OH.
Notable Characteristics: small size and yellow color.
[H. 'Nakaimo' selfed]
- H. 'Elvis Lives'** T. Avent (OR) 1995
Plant: 48 in. (121.9 cm.) diameter, 25 in. (63.5 cm.) high.
Moderately growing, moderately dense, mound-like habit.
Leaf: 11 in. (28.0 cm.) long, 4.5 in. (11.0 cm.) wide. 8-10 pairs of prominent veins. Dusty blue with a slightly rippled margin. Blue fades in summer. Slightly shiny on top, glaucous bloom underneath; moderately rippled; good substance; lance-shaped with a rounded base.
Scape: 22 in. (55.9 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.).
Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; N. Carolina: early June.
Seed: viable.
Clump History: 5 years old.
[H. 'Peter Pan' x H. 'Green Fountain']
- H. 'Emerald Carpet'** P. Banyai (ONI), P. Ruh (R) 1998
Plant: 18 in. (45.7 cm.) diameter, 7.5 in. (19.1 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 3.75 in. (9.5 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly folded, moderately wavy, lance-shaped with a tapered base.
Scape: 13 in. (33 cm.) high, ranging from 12-13 in. (30.5-33 cm.) in length; inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, tubular; Chesterland OH: 7/26 - 8/5 - 8/16.
Seed: viable; pod is dark green.
Clump History: obtained from the originator, 7 years old, growing in Chesterland OH.
[parentage undetermined]
- H. 'Emerald City'** D. & J. Ward (ONIR) 1996
Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 19 in. (48.3 cm.) long, 14 in. (35.6 cm.) wide. 20 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; lightly corrugated; ovate with a cordate base.
Scape: 38 in. (96.5 cm.) high, ranging from 37-39 in. (94-99.1 cm.); green.

- Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/20 - 7/6 - 7/20 (2 - 2 - 2).
Seed: viable.
Clump History: the original seedling, 4 years old, growing in Columbus OH.
Notable Characteristics: large stature and profuse Flowering.
[*H.* 'Big John' x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H.* 'Emerald Green'** Walter's Gardens, Inc. (OI), 1996
P. Ruh (NIR)
Plant: 18.5 in. (47 cm.) diameter, 32 in. (81.3 cm.) high. Upright and fast growing.
Leaf: 11 in. (27.9 cm.) long, 6.5 in. (16.5 cm.) wide. 9 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; lightly twisted, lightly wavy, lightly corrugated; lance-shaped with a tapered base. Petiole slightly winged.
Scape: 43 in. (109 cm.) high; branched; inflorescence leaves; deep green.
Flower: 2.5 in. (6.4 cm.) long, deep purple, bell shaped, white striped; Chesterland OH: 8/9 - 8/23 - 9/4.
Seed: viable; pod is green.
Clump History: found in tissue culture of *H.* 'Opipara', 5 years old, growing in Chesterland OH.
[*H.* 'Opipara' sport]
- H.* 'Emerald Necklace'** B. Kuk (OR) 1994
Plant: 16 in. (40.6 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; light green with a 0.38 in. (0.97 cm.) wide, dark green, slightly rippled margin; slightly shiny above, very shiny underneath; moderately twisted, lightly rippled; good substance; lance-shaped with a rounded base.
Scape: 30 in. (76.2 cm.) high, ranging from 24-30 in. (61-76.2 cm.); dark green.
Flower: 1 in. (2.5 cm.) long, pale purple, striped, tubular; Ohio: mid-July to mid-August.
Seed: viable.
Clump History: 5 years old.
[*H.* "tardiflora seedling" sport]
- H.* 'Emeralds and Rubies'** J. Dishon (OR) 1994
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high, with a compact, rhizomatous habit.
Leaf: 1 in. (2.5 cm.) wide, 3.5 in. (8.9 cm.) long; 3 pairs of moderately prominent veins; medium green; slightly rippled margin; dull above, very shiny underneath; lightly cupped; average substance; lance-shaped with a rounded base; bright red petiole.
Scape: 20 in. (50.8 cm.) high; dark red.
Flower: 1.25 in. (3.2 cm.) long, medium lavender with purple stripes inside, tubular; Mich: July.
Seed: viable.
Clump History: 5 years old.
[*H.* 'Emerald Carpet' hybrid]
- H.* 'Encore'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
Plant: 17 in. (43.2 cm.) diameter, 13 in. (33.0 cm.) high. Fast growing, compact, mound-like habit.
- Leaf: 6 in. (15.0 cm.) long, 2.75 in. (7.0 cm.) wide. 5 pairs of moderately prominent veins. Medium gold with a smooth margin. Slightly shiny on top and underneath; lightly wavy; average substance; lance-shaped with a rounded base.
Scape: 9 in. (22.9 cm.) high, ranging from 8-10 in. (20.3-25.4 cm.); deep purple.
Flower: 1.75 in. (4.5 cm.) long, pale purple, tubular; Mich: July, repeating mid-Sept. to early August.
Seed: none set.
Clump History: 6 years old.
[*H. tardiflora* (*H.* 'Tardiflora') hybrid]
- H.* 'Ersatz'** P. Ruh (NIR) 1996
Plant: 55 in. (140 cm.) diameter, 24.5 in. (62.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 11.25 in. (28.6 cm.) long, 7.13 in. (18.1 cm.) wide. 10 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy; ovate with a rounded base.
Scape: 66 in. (168 cm.) long, ranging from 65-69 in. (165.1-175.3 cm.); light green.
Flower: 2 in. (5.1 cm.) long, white, tubular; Chesterland OH: 7/20 - 7/31 - 8/12.
Seed: viable.
Clump History: plant was purchased incorrectly identified as *H. nigrescens* 'Elatior', 12 years old, growing in Chesterland OH.
Notable Characteristics: lazy scapes which lie down.
[*H. nigrescens* 'Elatior' hybrid]
- H.* 'Estrellita'** W. Zumbar (OR) 1995
Plant: 6 in. (15.2 cm.) diameter, 2 in. (5.1 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 2 in. (5.1 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of prominent veins. Clear yellow with a smooth margin. Dull on top and underneath; lightly wavy; good substance; lance-shaped with a rounded base.
Scape: plant has never produced a Scape.
Clump History: 15 years old.
[*H.* "Emerald Ripple F1" x *H.* 'Subcrocea']
- H.* 'Eternity'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.
Leaf: 8 in. (20.0 cm.) long, 6.5 in. (17.0 cm.) wide. 9 pairs of prominent veins. Light green with a smooth margin. Very shiny on top, glaucous bloom underneath; lightly cupped; good substance; ovate with a cordate base.
Scape: 23 in. (58.4 cm.) high, ranging from 20-24 in. (50.8-61 cm.); chartreuse.
Flower: 1.75 in. (4.5 cm.) long, white, tubular; Mich: late July to mid-August.
Seed: viability unknown.
Clump History: 6 years old.
[*H.* 'William Lachman' hybrid]
- H.* 'Eventide'** W. & E. Lachman (OR) 1992
Plant: 40 in. (101.6 cm) wide, 17 in. (43.2 cm) high.
Leaf: 10 in. (25.4 cm) long, 7 in. (17.8 cm) wide, 7-9 pairs of veins; green with a .7 in. (1.8 cm), pure white margin;

margin heavily rippled; ovate with a cordate base; moderately wavy; dull texture above and underneath.

Scape: 34 in. (86.4 cm) long; green.

Flower: pure white, flaring; Massachusetts: July.

Seed: viable.

[*H.* "seedling" x *H.* 'Tokudama Aureonebulosa']

- H.* 'Eye Catcher'** G. R. Goodwin (ONIR) 1996
 Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.
 Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 4 pairs of prominent veins. Yellow gold, changing to light green, with a flat margin. Dull on top and underneath; deeply cupped, intensely corrugated; broadly ovate with a rounded base.
 Scape: 18 in. (45.7 cm.) high, ranging from 15-24 in. (38.1-61 cm.); light green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indianapolis IN.; 6/15 - 7/1 - 7/15 (2 - 2 - 3).
 Seed: viable; pod is light green.
 Clump History: a division of the original, 6 years old, growing in Indianapolis IN.
 Notable Characteristics: cupped and corrugated leaf, and seasonal color change ("spring gold").
 [Parentage unknown]

F

- H.* 'Fair Dinkum'** Belle Gardens (OR) 1993
 Plant: 25 in. (63.5 cm.) wide, 11 in. (27.9 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 4.25 in. (10.8 cm.) wide, 8 pairs of moderately prominent veins; intensely blue-green; ovate with a cordate base; margin slightly rippled; glaucous bloom above changing to very shiny in July, glaucous bloom underneath; lightly rippled.
 Scape: 33 in. (83.8 cm.) long; small inflorescence leaves; glaucous bloom.
 Flower: medium lavender, tubular; Michigan: late July.
 Seed: viable.
 [*H.* 'Lavender Lace' hybrid]
- H.* 'Fair Maiden'** Walters Gardens, Inc. (O), C. Falstad (R) 1993
 Plant: 18 in. (45.7 cm.) wide, 14 in. (35.6 cm.) high.
 Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide, 10-11 pairs of flat veins; medium green with a 0.5 in. creamy yellow margin, changing to creamy white; ovate with a rounded base; margin smooth; dull above and underneath.
 Scape: 16 in. (40.6 cm.) long; green.
 Flower: medium lavender, tubular; Michigan: early July.
 [*H.* 'Amber Maiden']
- H.* 'Fairy Frolic'** H. & J. Millhorn (ONR), 1997
 Hoot Owl Hollow Nursery (I)
 Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and slow growing.
 Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 5 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top, slightly shiny underneath; ovate with a cordate base.

Scape: 18 in. (45.7 cm.) high, ranging from 12-27 in. (30.5-68.6 cm.).
 Flower: 1.75 in. (4.4 cm.) long, medium purple with darker purple stripes and translucent margins, tubular; Athens OH: 7/1 - 7/14 - 7/30.
 Seed: pod is green.
 Clump History: a division of the original, 6 years old, growing in Athens OH.
 Notable Characteristics: light green color and thin delicate leaves.
 [Parentage unknown]

- H.* 'Fall Emerald'** A. Summers (ONI), P. Ruh (R) 1997
 Plant: 43 in. (109 cm.) diameter, 25 in. (63.5 cm.) high. Upright with a moderate growth rate.
 Leaf: 9.5 in. (24.1 cm.) long, 8.5 in. (21.6 cm.) wide. 13 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top, dull underneath; lightly cupped, folded, lightly wavy, lightly corrugated, broadly ovate with a cordate base.
 Scape: 35 in. (88.9 cm.) high, ranging from 32-37 in. (81.3-94 cm.); inflorescence leaves.
 Flower: 2.5 in. (6.4 cm.) long, lavender, striped, tubular; Chesterland OH: 6/27 - 7/11 - 7/27 (1 - 1 - 2).
 Notable Characteristics: holds its color into fall.
 [Parentage unknown]

- H.* 'Fantasia'** R. Duback (ONIR) 1998
 Plant: 18 in. (45.7 cm.) diameter, 26 in. (66 cm.) high. Upright and fast growing.
 Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs veins. Light green overlaid with greenish yellow and golden yellow. Margin flat. Dull on top and underneath; broadly ovate with a cordate base.
 Flower: medium lavender; Vancouver WA: summer period.
 Clump History: 8 years old, growing in Vancouver WA.
 [parentage unknown]

- H.* 'Fat Cat'** D. & J. Ward (ONIR) 1996
 Plant: 60 in. (152 cm.) diameter, 29 in. (73.7 cm.) high. Upright with a moderate growth rate.
 Leaf: 12.5 in. (31.8 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; corrugated; nearly round with a cordate base.
 Scape: 42 in. (107 cm.) high, ranging from 41-43 in. (104.1-109.2 cm.); light green.
 Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/2 - 6/30 - 7/15 (3 - 3 - 3).
 Seed: viable; pod is light green.
 Clump History: the original seedling, 7 years old, growing in Columbus OH.
 Notable Characteristics: large, quilted, gold leaves.
 [*H.* 'Sagae' hybrid]

- H.* 'Festival'** A. Malloy (ONIR) 1998
 Plant: 41 in. (104 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of veins. Streaked light green, medium green, grayish green, greenish yellow and creamy white. Margin flat.

- Dull on top, slightly shiny underneath; broadly ovate with a cordate base; petiole green.
 Scape: ranging from 30-28 in. (76.2-71.1 cm.) in length; inflorescence leaves.
 Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; South Salem NY : 7/10 - 7/25 - 8/7 (4 - 5 - 5).
 Seed: viability unknown; pod is green, cream and white.
 Clump History: the original sport, 4 years old, growing in South Salem NY.
 Notable Characteristics: streaked many colors.
 [*H. 'Carnival'* sport]
- H. 'Finlandia'** A. Summers (N), A. Busse (NI), P. Ruh (R) 1997
 Plant: 11.5 in. (29.2 cm.) diameter, 10 in. (25.4 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 4.75 in. (12.1 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, folded, lance-shaped with a tapered base.
 Scape: 17.5 in. (44.5 cm.) high, ranging from 14-15 in. (35.6-38.1 cm.).
 Flower: 1 in. (2.5 cm.) long, near white with a violet base and striping, tubular; Chesterland OH: 8/1 - 8/14 - 8/22 (4 - 5 - 5).
 Seed: viable; pod is green.
 Clump History: a division of the original, 5 years old, growing in Chesterland OH.
 [*H. kikutii* hybrid]
- H. 'Fire Island'** W. Brincka (ONIR) 1998
 Plant: 34 in. (86.4 cm.) diameter, 14 in. (35.6 cm.) high.
 Mound-like and fast growing.
 Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 7-8 pairs veins. Greenish yellow with a flat margin. Slightly shiny on top, dull underneath; intensely wavy, broadly ovate with a base; petiole red throughout the season.
 Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length; inflorescence leaves.
 Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular; Michigan City IN.; late period.
 Seed: pod is green.
 Notable Characteristics: persistent red petioles.
 Clump History: the original seedling, 7 years old, growing in Michigan City IN.
 [*H. longipes hypoglauca* x *H. 'Crested Surf'*]
- H. 'Firefly'** D. & J. Ward (ONIR) 1996
 Plant: 16 in. (40.6 cm.) diameter, 7 in. (17.8 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of insignificant veins. Medium green with a 0.25 in. slightly rippled, creamy white margin. Slightly shiny on top and underneath; lance-shaped with a rounded base. Leaf margin extends down the petiole.
 Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.); green.
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 7/1 - 7/10 - 7/20 (4 - 4 - 4).
 Seed: viable; pod is brown.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
- Notable Characteristics: green Leaf with a cream edge and good substance.
 [*H. 'Pin Stripe'* hybrid]
- H. 'Fisher Cream Edge'** E. Fisher (O), P. Ruh (R) 1992
 Plant: 30 in. (76.2 cm) wide, 11 in. (27.9 cm) high.
 Leaf: 7.5 in. (19.1 cm) long, 4.75 in. (12.1 cm) wide, 8-10 pairs of veins; green with whitish-yellow, marbled, 0.5-0.75 in. (1.3-1.9 cm) margin; ovate with a flat to rounded base; slightly cupped, slightly rippled, puckered.
 Scape: 30 in. (76.2 cm) long, inflorescence leaves.
 Flower: lavender, flaring, striped; Ohio: mid-August.
 [*H. 'Fortunei'* sport]
- H. 'Fisher's Green Magic'** A. Fisher (ONIR) 1998
 Plant: 46 in. (117 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs prominent veins. Mottled light green, medium green, and creamy white. Margin slightly rippled. Dull on top, glaucous bloom underneath; corrugated, broadly ovate with a cordate base; petiole deeply ridged.
 Scape: 27 in. (68.6 cm.) high, ranging from 23-31 in. (58.4-78.7 cm.) in length.
 Flower: 2.5 in. (6.4 cm.) long, pale lavender, lavender striped inside, tubular; Roxby England: July - early Aug. (1 - 2 - 3).
 Seed: viable.
 Clump History: the original sport, 6+ years old, growing in Roxby England.
 Notable Characteristics: variegation.
 [*H. sieboldiana* sport]
- H. 'Flat Clyde'** C. Crockett (ONIR) 1997
 Plant: 10 in. (25.4 cm.) diameter, 4 in. (10.2 cm.) high.
 Mound-like and slow growing.
 Leaf: 2.25 in. (5.7 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of insignificant veins. Dark green with a flat margin. Very shiny on top, dull underneath; broadly ovate with a flat base.
 Scape: 9 in. (22.9 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.).
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Falls Church VA: 7/15 - 7/20 - 8/9 (4 - 5 - 6).
 Seed: viability unknown; pod is green.
 Clump History: a division of the original, 6 years old, growing in Falls Church VA.
 Notable Characteristics: velvety leaf texture.
 [Parentage unknown]
- H. 'Footlights'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 13 in. (33.0 cm.) diameter, 3 in. (7.6 cm.) high. Fast growing, moderately dense, rhizomatous habit.
 Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of moderately prominent veins. Medium gold with a smooth margin. Slightly shiny on top and underneath; lightly wavy; average substance; lance-shaped with a rounded base.
 Scape: 7 in. (17.8 cm.) high, ranging from 7-10 in. (17.8-25.4 cm.); light green.
 Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Mich: August.

- Seed: viable.
Clump History: 6 years old.
[*H.* 'Golden Hawk' hybrid]
- H. 'Forever Frances'** U. Syre-Herz (ONIR) 1996
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high.
Mound-like.
Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide, 10-12 prominent veins. Green with a 2 in., deep gold margin. Glaucous bloom on top and underneath; rippled, corrugated; broadly ovate with a cordate base.
Scape: 16 in. (40.6 cm.) high.
Flower: white, funnel shaped; Myrtle Beach SC: June.
Seed: viable.
Clump History: 5 years old.
Remarks: heavier substance and more compact than *H.* 'Frances Williams'.
[*H.* 'Frances Williams' sport]
- H. 'Forever Green'** J. Dishon (OR) 1994
Plant: 32 in. (81.3 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 7.5 in. (19.1 cm.) wide, 8.5 in. (21.6 cm.) long; 9 pairs of prominent veins; dark green; heavily rippled margin; very shiny above, glaucous bloom underneath; heavy substance; broadly ovate with a cordate base.
Scape: 38 in. (96.5 cm.) high; dark green.
Flower: 2.5 in. (6.4 cm.) long, pale lavender, inside white with a lavender stripe, bell-shaped; fragrant; Mich: mid-July through Sept.
Seed: viable.
Clump History: 4 years old.
[*H. rupifraga* x *H. plantaginea*]
- H. 'Fourth of July'** J. C. Taylor (O), T. Avent (R) 1993
Plant: 24 in. (61 cm.) wide, 10 in. (25.4 cm.) high.
Leaf: 6 in. (15.2 cm.) long, 1 in. (2.5 cm.) wide, 5 pairs of prominent veins; dark green; lance-shaped with tapered base; margin rippled; shiny above.
Scape: 48 in. (121.9 cm.) long.
Flower: purple, tubular; N. Carolina: July.
[Parentage unknown]
- H. 'Foxy Doxy'** Belle Gardens (OR) 1994
Plant: 28 in. (71.1 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 5.5 in. (14 cm.) wide, 6 in. (15.2 cm.) long; 9 pairs of prominent veins; blue-green, streaked with yellow and white; smooth margin; glaucous bloom above and underneath; lightly folded; heavy substance; broadly ovate with a cordate base.
Scape: 21 in. (53.3 cm.) high; blue.
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: July.
Seed: viable.
Clump History: 4 years old.
[*H.* 'William Lachman' x *H.* 'Frances Williams']
- H. 'Frank's Rocket'** F. Kruse (O), W. Hoover (I), C. Kruse (NR) 1998
Plant: 42 in. (107 cm.) diameter, 42 in. (107 cm.) high.
Upright with a moderate growth rate.
- Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide, 16 pairs prominent veins. Medium to intensely blue-green with a slightly rippled margin. Dull on top and underneath; deeply folded, broadly ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Marshfield WI: 6/20 - 6/25 - 7/25 (2 - 2 - 2).
Seed: viability unknown; pod is green.
Clump History: the original sport, 9 years old, growing in Marshfield WI.
Notable Characteristics: very upright with folded leaves.
[parentage unknown]
- H. 'Fried Bananas'** R. Solberg (OR) 1994
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with an open semi-upright habit.
Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 5-6 pairs of moderately prominent veins; yellow gold; smooth margin; very shiny above and underneath; moderately folded; average substance; ovate with a rounded base.
Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.).
Flower: 3.5 in. (8.9 cm.) long, near white, tubular, fragrant; North Carolina: mid-July to mid-August.
Clump History: 2 years old.
[*H.* 'Guacamole' sport]
- H. 'Fried Green Tomatoes'** R. Solberg (OR) 1995
Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high.
Moderately growing, open, semi-upright habit.
Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 6-8 pairs of prominent veins. Medium green with a smooth margin. Very shiny on top and underneath; moderately folded; average substance; ovate with a rounded base.
Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.).
Flower: 3.5 in. (8.9 cm.) long, nearly-white, tubular, fragrant; N. Carolina: late July to early August.
Seed: viability unknown.
Clump History: 2 years old.
[*H.* 'Guacamole' sport]
- H. 'Front Forty'** K. Squires (ONI), P. Ruh (R) 1996
Plant: 9.5 in. (24.1 cm.) diameter, 4.5 in. (11.4 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 4.25 in. (10.8 cm.) long, 1.13 in. (2.9 cm.) wide. 3 pairs of veins. Medium green with a slightly rippled margin. Dull on top, very shiny underneath; lightly wavy; lance-shaped with a flat base. Petiole winged at the base.
Scape: 21.5 in. (54.6 cm.) high; inflorescence leaves; purple.
Flower: 1.25 in. (3.2 cm.) long, lavender, tubular, striped; Chesterland OH: 8/1 - 8/14 - 8/26.
Seed: viable.
Clump History: a division of the original, 5 years old, growing in Chesterland OH.
Notable Characteristics: small size and good Flowering.
[Parentage unknown]
- H. 'Frosty Morn'** W. & E. Lachman (OR) 1993
Plant: 21 in. (53.3 cm.) wide, 9 in. (22.9 cm.) high.

Leaf: 6.5 in. (16.5 cm.) long, 6 in. (15.2 cm.) wide, 10 pairs of moderately prominent veins; medium gold; broadly ovate with a cordate base; margin slightly rippled; glaucous bloom above and underneath; wavy.

Scape: 1 in. (2.5 cm.) long; gold.

Flower: pale lavender, tubular; Mass: early August.

Seed: viable.

[*H. rupifraga* hybrid]

G

H. 'G String' J. Mann Jr. (ONIR) 1996

Plant: 39 in. (99.1 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.

Leaf: 8.5 in. (21.6 cm.) long, 5.5 in. (14 cm.) wide. 8-10 pairs of moderately prominent veins. Greenish yellow to yellow gold streaked, with a 2.25 in. slightly rippled, dark green margin. Slightly shiny on top and underneath; lightly wavy; ovate with a rounded base.

Scape: 28 in. (71.1 cm.) high, ranging from 20-36 in. (50.8-91.4 cm.); inflorescence leaves; grayish brown.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, purple striped, translucent margins; Sanbornville NH: 7/28 - 8/5 - 8/26.

Seed: none set.

Clump History: 5 years old (potted).

[*H. 'Gold Standard'* sport]

H. 'Gaijin' M. Zilis (R), W. Zumbur (R) 1995

Plant: 4.5 in. (11.4 cm.) diameter, 4 in. (10.2 cm.) high. Moderately growing, open, semi-upright habit.

Leaf: 1.63 in. (4.1 cm.) long, 0.63 in. (1.6 cm.) wide. 2 pairs of prominent veins. Light green with a 0.13 in. (0.3 cm.) wide, slightly rippled, yellow gold margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; lance-shaped with a rounded base.

Scape: 11 in. (27.9 cm.) high, ranging from 10-14 in. (25.4-35.6 cm.); light green.

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, Ohio: variable and unpredictable, repeats in the late fall.

Remarks: plant wild collected in Japan.

Seed: viable.

Clump History: 3 years old.

[Parentage unknown]

H. 'Garden Treasure' J. Schwarz (ONIR) 1997

Plant: 30 in. (76.2 cm.) diameter, 24 in. (61 cm.) high. Upright with a moderate growth rate.

Leaf: 9.5 in. (24.1 cm.) long, 6.5 in. (16.5 cm.) wide. 11-12 pairs of prominent veins. Medium blue-green with a 1.5 in. (3.81 cm.) wide, slightly rippled, medium gold margin. Slightly shiny on top, dull underneath; lightly cupped, lightly corrugated, ovate with a cordate base.

Scape: 24 in. (61 cm.) high, ranging from 20-30 in. (50.8-76.2 cm.); inflorescence leaves.

Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; Dubuque IA: 6/10 - 6/25 - 7/15 (2 - 3 - 4).

Seed: viable; pod is green.

Clump History: a division of the original, 5 years old, growing in Dubuque IA.

[*H. 'Treasure'* sport]

H. 'Gay Nineties' Belle Gardens (OR) 1994

Plant: 21 in. (53.3 cm.) diameter, 11 in. (27.9 cm.) high, with a moderately dense, mound-like habit.

Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 10 pairs of moderately prominent veins; dark green with a 0.625 in. (1.6 cm.) wide, creamy white, slightly rippled margin; slightly shiny above, very shiny underneath; lightly wavy; heavy substance; ovate with a rounded base.

Scape: 21.5 in. (54.6 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.); dark green.

Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: mid-July to mid-August.

Seed: viable.

Clump History: 4 years old.

[*H. 'William Lachman x H. montana'*]

H. 'Gaynor Miller' A & D Nursery & D. Smetana (OR) 1993

Plant: 40 in. (101.6 cm.) wide, 22 in. (55.9 cm.) high.

Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide, 11 pairs of veins; light green; broadly ovate with a cordate base; corrugated.

Scape: 28 in. (71.1 cm.) long.

Flower: pale lavender, striped; tubular; Wash: July.

Seed: viable.

[*H. 'Sea Gold Star'* sport]

H. 'Geneva Remembrance' G. & D. Stark (N), D. Dean (OIR) 1996

Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high. Upright with a moderate growth rate.

Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 13-14 prominent veins. Dark green to blue-green, with a slightly rippled margin. Dull on top, waxy underneath; deeply cupped, lightly wavy, intensely corrugated; nearly round with a cordate base. Petiole slightly glaucous.

Scape: 14.5 in. (36.8 cm.) high, ranging from 14-15 in. (35.6-38.1 cm.); pale green and glaucous.

Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular; Ramsey MN: 7/21 - 8/1 (3 - 3).

Seed: viable; pod is green.

Clump History: the original seedling, 5 years old, growing in Ramsey MN.

Notable Characteristics: dark green to intense blue-green color and heavy puckering. Blooms hidden beneath the foliage.

Remarks: named for Anna Geneva Stark.

[*H. 'Big Daddy'* hybrid]

H. 'Gig Harbor' A. Tower & Tower Perennial Gardens (ONIR) 1996

Plant: 36 in. (91.4 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.

Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of insignificant veins. Medium blue-green with slightly rippled margin. glaucous bloom on top, dull underneath; moderately wavy; ovate with a rounded base.

Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.); blue-green.

- Flower: 1.3 in. (3.3 cm.) long, pale lavender, bell shaped; Spokane WA: 8/15 - 8/25 - 9/5 (6 - 6 - 6).
Seed: viable.
Clump History: the original seedling, 5 years old, growing in Spokane WA.
Notable Characteristics: heavy substance; distinct mound form, wavy leaves and waxy bloom.
[*H. tardiflora* (*H. 'Tardiflora'*) hybrid]
- H. 'Gilded Tiara'** Walters Gardens, Inc. (ONIR) 1998
Plant: small.
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 7-8 pairs veins. Greenish yellow with a yellow margin.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped.
Notable Characteristics: a thin gold margin on a chartreuse leaf.
Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.
[*H. 'Grand Tiara'* sport]
- H. 'Godzilla'** D. & J. Ward (ONIR) 1996
Plant: 64 in. (163 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 18 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; moderately cupped, moderately twisted, moderately corrugated; broadly ovate with a cordate base.
Scape: 38 in. (96.5 cm.) high, ranging from 36-39 in. (91.4-99.1 cm.); green.
Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular; Columbus OH: 6/15 - 7/4 - 7/15 (2 - 2 - 2).
Seed: viable.
Clump History: the original seedling, 4 years old, growing in Columbus OH.
Notable Characteristics: large green mound and corrugated leaves.
[*H. 'Big John'* x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H. 'Gold Dorothy of Richland'** S. & V. Wade (O), 1995
H. & D. Benedict (R)
Plant: 36 in. (91.4 cm.) diameter, 15 in. (38.1 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 12 in. (30 cm.) long, 9 in. (23 cm.) wide. 11 pairs of moderately prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; moderately cupped; heavy substance; ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high, ranging from 36-38 in. (91.4-96.5 cm.).
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Mich: July.
Remarks: flowers sit high above the clump; 24-30 per Scape.
Seed: viable.
Clump History: 5 years old.
[*H. 'Dorothy Benedict'* hybrid]
- H. 'Gold Glory'** R. Lydell (OR) 1995
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, open, mound-like habit.
- Leaf: 9 in. (23.0 cm.) long, 6 in. (15.0 cm.) wide. 11-12 pairs of prominent veins. Yellow gold with slightly rippled margin. Slightly shiny on top, dull underneath; lightly cupped, lightly wavy, moderately corrugated; good substance; broadly ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 20-30 in. (50.8-76.2 cm.); dark green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; New York: mid-July to early August.
Remarks: some leaves turn near white toward the end of the season.
Seed: viable.
Clump History: 5 years old.
[*H. 'Paul's Glory'* hybrid]
- H. 'Gold Wares'** L. Powell (OR) 1995
Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 5 in. (13.0 cm.) long, 3.5 in. (8.9 cm.) wide. 5 pairs of prominent veins. Yellow gold with a slightly rippled margin. Slightly shiny on top and underneath; moderately rippled; heavy substance; elliptic with a cordate base.
Scape: 29 in. (73.6 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.); light green.
Flower: pale lavender, green striping, tubular; N. Carolina: July.
Seed: viable.
Clump History: 5 years old.
[*H. 'Sun Power'* x *H. 'Gold Cover'*]
- H. 'Golden Anniversary'** G. Holly (ONI), 1998
E. Fisher (I), P. Ruh (R)
Plant: 34 in. (86.4 cm.) diameter, 11 in. (27.9 cm.) high.
Leaf: 8.5 in. (21.6 cm.) long, 5.75 in. (14.6 cm.) wide. Upright with a moderate growth rate. 8 pairs of prominent veins. Golden yellow with a slightly rippled margin. Viridescent. Slightly shiny on top and underneath; twisted, lightly folded, moderately wavy, lightly corrugated, ovate with a flat base; petiole green on top, yellow underneath.
Scape: 26 in. (66 cm.) high.
Flower: 2 in. (5.1 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/23 - 7/5 - 7/18.
Seed: none set.
[parentage unknown]
- H. 'Golden Arrow'** R. Herman (ONIR) 1996
Plant: 16 in. (40.6 cm.) diameter, 9 in. (22.9 cm.) high. Semi-upright and slow growing.
Leaf: 5.5 in. (14 cm.) long, 1.75 in. (4.4 cm.) wide. 4 pairs of moderately prominent veins. Yellow gold. Dull on top, slightly shiny underneath; lance-shaped with a rounded base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); inflorescence leaves; yellow gold with heavy red spotting.
Flower: 2 in. (5.1 cm.) long, deep purple, tubular; Winsted CT: 7/19 - 8/1 - 8/15.
Seed: viable.
Clump History: 3 years old.
[*H. clausa* hybrid]

- H. 'Golden Ballerina'** H. Lantis (ON), 1998
K. Squires (I), P. Ruh (R)
Plant: 26 in. (66 cm.) diameter, 13 in. (33 cm.) high.
Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. Mound-like and fast growing. 9 pairs of prominent veins. Greenish yellow with a slightly rippled margin. Veins green. Intensely cupped, lightly twisted, moderately wavy, lightly corrugated, broadly ovate with a cordate base; long petiole.
Scape: 24 in. (61 cm.) high, ranging from 14-31 in. (35.6-78.7 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 6/28 - 7/9 - 7/22.
Seed: viable; pod is green.
[parentage unknown]
- H. 'Golden Circles'** F. Williams (ONI), P. Ruh (R) 1998
Plant: 27.5 in. (69.9 cm.) diameter, 19 in. (48.3 cm.) high.
Leaf: 10.5 in. (26.7 cm.) long, 9 in. (22.9 cm.) wide. Mound-like, with a moderate growth rate. 15 pairs prominent veins. Blue-green with a 1.5 in. (3.81 cm.) wide, flat, golden yellow margin. Dull on top and underneath; lightly wavy, lightly corrugated, nearly round with a cordate base; petiole with a yellow margin.
Scape: 27.5 in. (69.9 cm.) high.
Flower: 2 in. (5.1 cm.) long, near-white, striped, bell-shaped; Chesterland OH: 6/5 - 6/16 - 6/30.
Seed: viable; pod is green.
[H. 'Frances Williams' sport]
- H. 'Golden Delight'** B. Kuk (OR) 1994
Plant: 48 in. (121.9 cm.) diameter, 27 in. (68.6 cm.) high, with a compact, mound-like habit.
Leaf: 9 in. (22.9 cm.) wide, 10 in. (25.4 cm.) long; 12-14 pairs of prominent veins; medium gold; smooth margin; dull above, glaucous bloom underneath; moderately cupped, intensely corrugated; heavy substance; broadly ovate with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 20-24 in. (50.8-61 cm.); light gold.
Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; Ohio: mid-June to mid-July.
Seed: viable.
Clump History: 8 years old.
[H. 'Wayside Blue' hybrid]
- H. 'Golden Eagle'** R. Benedict (ONIR) 1998
Plant: 34 in. (86.4 cm.) diameter, 26 in. (66 cm.) high. Mound-like and slow growing.
Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide. 13-15 veins. Medium to intense blue-green with a 1.5 in. (3.81 cm.) wide, golden yellow margin. Variegation becomes more pronounced. Glaucous bloom on top and underneath; intensely wavy, nearly round with a cordate base.
Flower: pale lavender, tubular; Belleville OH: summer period.
Clump History: a first generation division of the original, 6 years old, growing in Belleville OH.
[H. 'Gold Regal' hybrid]
- H. 'Golden Gate'** O. Petryszyn (OR), B. Brincka (OR) 1994
Plant: 52 in. (132.1 cm.) diameter, 26 in. (66 cm.) high, with a moderately dense, mound-like habit.
Leaf: 8 in. (20.3 cm.) wide, 12 in. (30.5 cm.) long; 14 pairs of prominent veins; medium yellow gold changing to a richer gold; slightly rippled margin; very shiny above, dull underneath; lightly wavy, moderately corrugated; heavy substance; ovate with a cordate base.
Scape: 44 in. (111.8 cm.) high, ranging from 40-45 in. (101.6-114.3 cm.); medium green.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Indiana: July to Sept.
Seed: viable.
Clump History: 5 years old.
[H. "nigrescens seedling" x H. 'Blue Whirls']
- H. 'Golden Fountain'** J. Dishon (OR) 1993
Plant: 31 in. (78.7 cm.) wide, 14 in. (35.6 cm.) high.
Leaf: 14 in. (35.6 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of moderately prominent veins; yellow-gold changing to light green (gold in full sun); lance-shaped with a rounded base; margin heavily rippled; dull above and very shiny underneath; moderately twisted.
Scape: 36 in. (91.4 cm.) long; inflorescence leaves; light green.
Flower: deep reddish-purple, purple stripe inside; tubular; Michigan: early Sept.
Seed: viable.
[H. 'Beatrice' x H. 'Green Fountain']
- H. 'Golden Guernsey'** P. Ruh (OR) 1992
Plant: 21 in. (53.3 cm) diameter, 10 in. (25.4 cm) high.
Leaf: 7 in. (17.8 cm) long, 5.5 in. (14 cm) wide, 10 pairs of veins; medium yellow with green veins; cordate; leathery; slightly cupped; slightly folded; dull texture underneath.
Scape: 16.5 in. (42 cm) long; inflorescence leaves.
Flower: pale lavender, flaring, striped; Ohio: Sept.
[H. 'High Fat Cream' sport]
- H. 'Golden Jubilee'** R. Savory (O), 1995
Savory's Gardens, Inc. (R)
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of moderately prominent veins. Medium gold with a slightly rippled margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; ovate with a rounded base.
Scape: 16 in. (40.6 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.).
Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular; Minn: July.
Seed: viable.
Clump History: 10 years old.
[H. "nakaiana seedling" hybrid]
- H. 'Golden Picture'** H. & D. Benedict (OR) 1995
Plant: 35 in. (88.9 cm.) diameter, 20 in. (50.8 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 9.5 in. (24.0 cm.) long, 9.5 in. (24.0 cm.) wide. 10 pairs of prominent veins. Yellow gold with a smooth margin. Slightly shiny on top and underneath; lightly folded,

- lightly corrugated; good substance; nearly round with a cordate base.
 Scape: 26 in. (66.0 cm.) high, ranging from 24-28 in. (61-71.1 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, light lavender, tubular; Mich: July.
 Seed: viable.
 [*H.* 'Fortunei Albopicta' x *H.* 'Fortunei Albopicta']
- H. 'Golden Plum'** C. Lewis (O), 1997
 A. Summers (NI), P. Ruh (R)
 Plant: 32 in. (81.3 cm.) diameter, 13 in. (33 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 7.25 in. (18.4 cm.) long, 5.75 in. (14.6 cm.) wide. 9 pairs of insignificant veins. Yellow with a slightly rippled margin. Dull on top and underneath; wavy, broadly ovate with a cordate base.
 Scape: 25 in. (63.5 cm.) high, ranging from 24-26 in. (61-66 cm.); inflorescence leaves.
 Flower: 1.5 in. (3.8 cm.) long, light lavender with purple stripes, tubular; Chesterland OH: 7/30 - 8/12 - 8/23.
 [Parentage unknown]
- H. 'Goosebumps'** E. Elslager (ONIR) 1998
 Plant: 58 in. (147 cm.) diameter, 22 in. (55.9 cm.) high.
 Upright and fast growing.
 Leaf: 10.25 in. (26 cm.) long, 8.25 in. (21 cm.) wide. 13 pairs prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; deeply corrugated, nearly round with a cordate base; petiole thick with a white stripe underneath.
 Scape: 28 in. (71.1 cm.) high, ranging from 26-33 in. (66-83.8 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, near-white, purple striped, tubular; Ann Arbor MI: 7/7 - 7/23 - 7/31 (5 - 5 - 6).
 Seed: viability unknown; pod is green.
 Notable Characteristics: dark green and corrugated, with a white back and good substance.
 Clump History: the original sport, 7 years old, growing in Ann Arbor MI.
 [*H.* 'Fortunei Hyacinthina' sport]
- H. 'Grace McClure'** D. & J. Ward (ONIR) 1998
 Plant: 34 in. (86.4 cm.) diameter, 15 in. (38.1 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 11 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly cupped, ovate with a cordate base.
 Scape: 22 in. (55.9 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.).
 Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 7/15 - 7/25 - 8/2 (5 - 5 - 6).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 [*H.* 'Pin Stripe' hybrid]
- H. 'Granada'** W. Zumbar (OR) 1995
 Plant: 16 in. (40.6 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, compact, semi-upright habit.
 Leaf: 4.25 in. (11.0 cm.) long, 3.6 in. (9.0 cm.) wide. 7 pairs of veins. Streaked blue and green with a 0.6 in. (1.4 cm.) wide, slightly rippled, yellow gold, changing to creamy white, margin. Glaucous bloom on top and underneath; intensely wavy; good substance; ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 14-22 in. (35.6-55.9 cm.); green.
 Flower: 2 in. (5.1 cm.) long, dark lavender, tubular; Ohio: late June to late July.
 Seed: viable.
 Clump History: 3 years old.
 [*H.* 'Pearl Lake' sport]
- H. 'Grand Canyon'** O. Petryszyn (OR), B. Brincka (OR) 1995
 Plant: 36 in. (91.4 cm.) diameter, 26 in. (66.0 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 11 in. (28.0 cm.) long, 7 in. (18.0 cm.) wide. 14 pairs of prominent veins. Light green, changing to golden, with a heavily rippled margin. Slightly shiny on top, dull underneath; moderately twisted, moderately folded, moderately wavy, lightly rippled; heavy substance; ovate with a tapered base.
 Scape: 42 in. (106.7 cm.) high, ranging from 36-45 in. (91.4-114.3 cm.); light green, branched.
 Flower: 1.5 in. (3.8 cm.) long, pure white, tubular, iridescent in late summer; Ind: early July to early August.
 Seed: viable.
 Clump History: 8 years old.
 [*H.* 'Sum and Substance' x *H. montana macrophylla* (incorrect] as 'Praeflorens')]
- H. 'Grand Finale'** R. Benedict (O), J. & J. Wilkins (R) 1995
 Plant: 30 in. (76.2 cm.) diameter, 13 in. (33.0 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 7 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 9 pairs of moderately prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; moderately wavy; good substance; ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high, ranging from 16-19 in. (40.6-48.3 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Mich: mid-Sept. to mid-Oct.
 Seed: viable.
 Clump History: 5 years old.
 [*H.* 'Maruba Iwa' hybrid]
- H. 'Grand Prize'** Walters Gardens, Inc. (ONIR) 1998
 Plant: small.
 Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs veins. Medium green with a flat, pale yellow margin. The margin becomes creamy white. Dull on top and underneath; broadly ovate with a base.
 Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Zeeland MI: summer period.
 Clump History: the original tissue culture sport, 2 years old, growing in Zeeland MI.
 Notable Characteristics: heavy substance and a lighter margin than Grand Tiara.

- [*H.* 'Grand Tiara' sport]
- H. 'Gray Fox'** R. Lydell (ONIR) 1998
Plant: 48 in. (122 cm.) diameter, 26 in. (66.0 cm.) high.
Upright and slow growing.
Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 16 pairs of veins. Slightly blue-green with a flat margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, ovate with a cordate base.
Scape: ranging from 28-30 in. (71.1-76.2 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, pure white, bell-shaped; Dunkirk NY: 6/20 - 7/1 - 7/15 (2 - 3 - 4).
Seed: viable; pod is green.
Clump History: the original seedling, 11 years old, growing in Dunkirk NY.
Notable Characteristics: heavy substance.
[Parentage unknown]
- H. 'Great Plains'** O. Petryszyn (OR), B. Brincka (OR) 1994
Plant: 41 in. (104.1 cm.) diameter, 25 in. (63.5 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 12 in. (30.5 cm.) wide, 16 in. (40.6 cm.) long; 12-14 pairs of prominent veins; gray-blue changing to blue-green, then to dark green; smooth margin; slightly shiny above, pale dusty blue underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.
Scape: 41 in. (104.1 cm.) high, ranging from 39-42 in. (99.1-106.7 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Indiana: June to mid-August.
Seed: viable.
Clump History: 6 years old.
[*H.* 'Sagae' x *H.* 'Tokudama Flavocircularis']
- H. 'Green Gables'** Walters Gardens, Inc. (ONIR) 1997
Plant: 60 in. (152 cm.) diameter, 36 in. (91.4 cm.) high.
Mound-like and fast growing.
Leaf: 15 in. (38.1 cm.) long, 12 in. (30.5 cm.) wide. 17-19 pairs of prominent veins. Medium green with a flat margin. Slightly shiny on top, dull underneath; broadly ovate with a flat base.
Scape: 50 in. (127 cm.) high, ranging from 46-60 in. (116.8-152.4 cm.).
Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular; Zeeland MI: 7/6 - 7/15 - 8/15 (3 - 4 - 5).
Seed: viable; pod is green.
[*H.* 'Sum and Substance' sport]
- H. 'Green Lantern'** R. O'Harra (O), F. Riehl (R) 1993
Plant: 30 in. (76.2 cm.) wide, 20 in. (50.8 cm.) high.
Leaf: 12 in. (30.5 cm.) long, 7.5 in. (19.1 cm.) wide, 10-14 pairs of prominent veins; dark green with a 2.5 in. light green margin; broadly ovate with a cordate base; margin heavily rippled; slightly shiny above and underneath; wavy; corrugated.
Scape: 32 in. (81.3 cm.) long; green.
Flower: pale lavender with white striping; tubular; Iowa: late June.
Seed: rare seed set, viable.
[Parentage unknown]
- H. 'Green Platter'** E. Fisher (ONI), P. Ruh (R) 1997
Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 9.75 in. (24.8 cm.) long, 7.5 in. (19.1 cm.) wide. 11 pairs of prominent veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a rounded base; petiole thin.
Scape: 13 in. (33 cm.) high, ranging from 9-14 in. (22.9-35.6 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Chesterland OH: 7/1 - 7/12 - 7/23.
Seed: pod is light green
Clump History: a division of the original, 5 years old, growing in Chesterland OH.
[Parentage unknown]
- H. 'Green Spot'** E. Fisher (ONI), P. Ruh (R) 1998
Plant: 34 in. (86.4 cm.) diameter, 21 in. (53.3 cm.) high.
Upright and slow growing.
Leaf: 12 in. (30.5 cm.) long, 8 in. (20.3 cm.) wide. 13 pairs prominent veins. Medium green, mottled dark green and yellow. Margin heavily rippled. Very shiny on top and underneath; lightly twisted, intensely wavy, broadly ovate with a cordate base; petiole green and yellow.
Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.) in length.
Flower: 2 in. (5.1 cm.) long, light lavender, striped, tubular; Chesterland OH: 6/15 - 7/1 - 7/17.
Seed: viable; pod is green.
Clump History: obtained from the originator, 19 years old, growing in Chesterland OH.
[*H.* 'Starker Yellow Leaf' sport]
- H. 'Greenwood'** E. Fisher (ONI), P. Ruh (R) 1997
Plant: 24 in. (61 cm.) diameter, 19 in. (48.3 cm.) high.
Upright with a moderate growth rate.
Leaf: 4.75 in. (12.1 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, folded, ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); inflorescence leaves.
Flower: 2.5 in. (6.4 cm.) long, pale lavender, striped, tubular; Chesterland OH: 6/26 - 7/11 - 7/21 (1 - 1 - 1).
Seed: viable; pod is green.
Clump History: obtained from the originator, 12 years old, growing in Chesterland OH.
Notable Characteristics: twisted leaf tip; dwarf.
[Parentage unknown]
- H. 'Grey Poupon'** W. Zumbar (OR) 1995
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high.
Moderately growing, compact, mound-like habit.
Leaf: 2.1 in. (5.3 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of prominent veins. Gray-green with a 0.02 in. (.05 cm.) wide, slightly rippled, deep gold margin. Glaucous bloom on top and underneath; lightly wavy; heavy substance; broadly ovate with a flat base.
Scape: 20 in. (50.8 cm.) high, ranging from 16-22 in. (40.6-55.9 cm.); glaucous green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ohio: early June to early July.

Seed: viable.

Clump History: 4 years old.

[Parentage unknown]

H. 'Guacamole' R. Solberg (OR) 1994

Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with an open, semi-upright habit.

Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 5-6 pairs of moderately prominent veins; yellow gold with a 0.75 in. (1.9 cm.) wide, dark green, smooth margin; very shiny above and underneath; moderately folded; average substance; ovate with a rounded base.

Scape: 34 in. (86.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.).

Flower: 3.5 in. (8.9 cm.) long, near-white, tubular; fragrant; North Carolina: mid-July to mid-August.

Clump History: 2 years old.

[H. 'Fragrant Bouquet' sport]

H. 'Guardian Angel' C. & R. Thompson (OR) 1995

Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high. Moderately growing, moderately dense, mound-like habit.

Leaf: 16 in. (41.0 cm.) long, 10 in. (25.0 cm.) wide. 12 pairs of moderately prominent veins. Light green with a 1 in. (2.5 cm.) wide, intensely blue-green margin. Dull on top, glaucous bloom underneath; moderately rippled; heavy substance; broadly ovate with a cordate base.

Scape: 36 in. (91.4 cm.) high, ranging from 30-40 in. (76.2-101.6 cm.); blue-green.

Flower: 2.5 in. (6.4 cm.) long, near-white, tubular, Virginia: July.

Seed: viability unknown.

Clump History: 3 years old.

[H. 'Blue Angel' sport]

H

H. 'Hadspen Sapphire' E. Smith (O), 1997

A. Eason (NI), P. Ruh (R)

Plant: 34 in. (86.4 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.

Leaf: 7.5 in. (19.1 cm.) long, 2.75 in. (7 cm.) wide, 7 pairs of prominent veins. Yellow with a slightly rippled margin. Very shiny on top and underneath; twisted, wavy, lance-shaped with a rounded base.

Scape: 20 in. (50.8 cm.) high; inflorescence leaves.

Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 8/9 - 8/23 - 9/3 (4 - 5 - 6).

Seed: viable; pod is green.

Clump History: a division of the original, 12 years old, growing in Chesterland OH.

Notable Characteristics: a spring yellow.

[Parentage unknown]

H. 'Hampshire County' W. & E. Lachman (OR) 1993

Plant: 30 in. (76.2 cm.) wide, 24 in. (61 cm.) high.

Leaf: 9.25 in. (23.5 cm.) long, 6 in. (15.2 cm.) wide, 10 pairs of prominent veins; medium blue-green with a 1.5 in. creamy white margin; ovate with a cordate base; margin

smooth; dull above with glaucous bloom underneath; lightly wavy.

Scape: 28 in. (71.1 cm.) long; dark green.

Flower: near-white, tubular; Mass: June.

Seed: viable.

[(H. 'Banana Sundae' x H. 'Sea Drift') x H. 'Blue Shadows']

H. 'Handy Hatfield' D. & J. Ward (ONIR) 1996

Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.

Leaf: 10 in. (25.4 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs of prominent veins. Medium green with a 1.5 in. slightly rippled, medium gold margin. Slightly shiny on top, dull underneath; lightly cupped, lightly wavy, moderately corrugated; broadly ovate with a rounded base.

Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.).

Flower: 0.75 in. (1.9 cm.) long, lavender, tubular; Columbus OH: 6/15 - 6/30 - 7/15 (2 - 2 - 2).

Seed: viable; pod is brown

Clump History: the original sport, 5 years old, growing in Columbus OH.

[H. 'Sun Glow' sport]

H. 'Hannah Hanson' E. Brodeur (ONI), P. Ruh (R) 1997

Plant: 21 in. (53.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and fast growing.

Leaf: 5.5 in. (14.0 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of insignificant veins. Greenish yellow in the spring turning medium green by mid-summer. Margin slightly rippled. Slightly shiny on top and dull underneath; lightly cupped, wavy, ovate with a rounded base.

Scape: 11.5 in. (29.2 cm.) high, ranging from 9-11 in. (22.9-27.9 cm.); inflorescence leaves.

Flower: 1.5 in. (3.8 cm.) long, near white, bell-shaped; not Chesterland OH: 6/28 - 7/12 - 7/23 (1 - 1 - 2).

Seed: none set.

[Parentage unknown]

H. 'Happy Valley' W. & E. Lachman (OR) 1995

Plant: 48 in. (121.9 cm.) diameter, 27 in. (68.6 cm.) high. Moderately growing, compact, semi-upright habit.

Leaf: 10 in. (25.0 cm.) long, 6 in. (15.0 cm.) wide. 8-9 pairs of moderately prominent veins. Medium blue-green with a 1 in. (2.5 cm.) wide, slightly rippled, streaked, green and white margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy; good substance; ovate with a cordate base.

Scape: 32 in. (81.3 cm.) high, ranging from 26-36 in. (66-91.4 cm.); green.

Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Mass: mid-August to early Sept.

Seed: viable.

Clump History: 6 years old.

[H. *hypoleuca* hybrid]

H. 'Harvest Dandy' A. Summers (ONI), P. Ruh (R) 1997

Plant: 30 in. (76.2 cm.) diameter, 8.5 in. (21.6 cm.) high. Upright with a moderate growth rate.

Leaf: 8.5 in. (21.6 cm.) long, 3.5 in. (8.9 cm.) wide. 7 pairs of prominent veins. Dark green with a heavily rippled

- margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, lance-shaped with a tapered base; petiole spotted on the end.
Scape: 17 in. (43.2 cm.) high; inflorescence leaves.
Flower: 1.25 in. (3.2 cm.) long, lavender with violet stripes, tubular; Chesterland OH: 8/11 - 8/25 - 9/3 (5 - 5 - 6).
Seed: viable; pod is dark colored.
Clump History: a division of the original, 4 years old, growing in Chesterland OH.
Notable Characteristics: split veins at leaf tip; scape foliated near flowers.
[*H. longipes* hybrid]
- H. 'Harvest Dawn'** A. Summers (ONI), P. Ruh (R) 1997
Plant: 17 in. (43.2 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.
Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Dark green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly wavy, lance-shaped with a tapered base.
Scape: 14.5 in. (36.8 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.).
Flower: 1 in. (2.5 cm.) long, pale lavender with stripes, tubular; Chesterland OH: 8/31 - 9/13 - 9/23 (5 - 6 - 6).
Seed: viable; pod is greenish purple
Clump History: a division of the original, 4 years old, growing in Chesterland OH.
[*H. sieboldii* 'Paxton's Original' hybrid]
- H. 'Harvest Delight'** A. Summers (ONI), P. Ruh (R) 1997
Plant: 21 in. (53.3 cm.) diameter, 12.5 in. (31.8 cm.) high. Mound-like and slow growing.
Leaf: 7.75 in. (19.7 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top, very shiny underneath; twisted, moderately folded, lightly wavy, lance-shaped with a rounded base.
Scape: 19.5 in. (49.5 cm.) high, ranging from 17-19 in. (43.2-48.3 cm.).
Flower: 2 in. (5.1 cm.) long, medium lavender, striped, bell-shaped; Chesterland OH: 9/26 - 10/12 - 10/22 (8 - 8 - 9).
Seed: viable; pod is light green
Clump History: a division of the original, 4 years old, growing in Chesterland OH.
Notable Characteristics: late bloomer, good flower set.
[*H. kikutii* hybrid]
- H. 'Harvest Desire'** A. Summers (ONI), P. Ruh (R) 1997
Plant: 19.5 in. (49.5 cm.) diameter, 13.5 in. (34.3 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly cupped, twisted, moderately wavy, lightly corrugated, lance-shaped with a tapered base; petiole has a violet base.
Scape: 17 in. (43.2 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.).
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Chesterland OH: 9/13 - 9/26 - 10/7 (8 - 8 - 9).
Seed: viable; pod is mottled purple
- Clump History: a division of the original, 4 years old, growing in Chesterland OH.
[*H. longipes* x *H. kikutii*]
- H. 'Heart of Gold'** J. Dishon (ONIR) 1996
Plant: 38 in. (96.5 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 8 in. (20.3 cm.) long, 7.5 in. (19.1 cm.) wide. 9 pairs of insignificant veins. Light green changing to yellow gold. Margin flat. Slightly shiny on top, glaucous bloom underneath; lightly wavy; nearly round with a cordate base. Petiole has scattered purple spotting.
Scape: 29 in. (73.7 cm.) high; purple spotted.
Flower: 2 in. (5.1 cm.) long, pale purple, tubular, white striped; Jackson MI: 8/15 - 9/15 (6 - 7).
Seed: viable; pod is purplish green.
Clump History: the original seedling, 6 years old, growing in Jackson MI.
Notable Characteristics: white backed, gold topped leaf.
[*H. 'Sea Prize'* x *H. pycnophylla*]
- H. 'Heavenly Green'** J. Kulpa (ONIR) 1997
Plant: 24 in. (61 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like and fast growing.
Leaf: 8 in. (20.3 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of prominent veins. Slightly blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; rippled, moderately corrugated, broadly ovate with a cordate base.
Scape: 25 in. (63.5 cm.) high, ranging from 22-26 in. (55.9-66 cm.); inflorescence leaves.
Flower: 3 in. (7.6 cm.) long, near white, tubular, significant fragrance; Jackson MI: 7/25 - 8/15 - 8/25 (5 - 6 - 6).
Seed: viable; pod is green.
Notable Characteristics: large near white fragrant flowers.
[*H. 'Seventh Heaven'* sport]
- H. 'Heavenly Tiara'** Walters Gardens, Inc. (ONIR) 1998
Plant: small
Leaf: 3.75 in. (9.5 cm.) long, 3 in. (7.6 cm.) wide. 7-8 pairs of veins. Yellow with a flat, creamy white margin. Dull on top and underneath; broadly ovate with a rounded base.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Zeeland MI: average period.
Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.
Notable Characteristics: heavy substance and a very wide margin.
[*H. 'Grand Tiara'* sport]
- H. 'Heavy Metal'** L. Simperts (O), J. Stallcop (R) 1993
Plant: 20 in. (50.8 cm.) wide, 18 in. (45.7 cm.) high.
Leaf: 10 in. (25.4 cm.) long, 6.5 in. (16.5 cm.) wide, 12 pairs of prominent veins; medium blue-green; ovate with a cordate base; margin smooth; very shiny above and slightly shiny underneath; corrugated.
Scape: 24 in. (61 cm.) long.
Flower: near-white, tubular; Indiana: late July.
[Parentage unknown]

- H. 'Henry Payne'** U. Syre-Herz (ONIR) 1996
Plant: 32 in. (81.3 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like.
Leaf: 8.5 in. (21.6 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of prominent veins. Medium to dark green. Very shiny on top, glaucous bloom underneath; cupped, corrugated; broadly ovate with a cordate base.
Scape: 12 in. (30.5 cm.) high; inflorescence leaves.
Flower: white, funnel shaped; Myrtle Beach SC: 6/20 - 7/10.
Clump History: 12 years old.
[Parentage unknown]
- H. 'Herbert'** H. Zager (OI), P. Ruh (NR) 1996
Plant: 58 in. (147 cm.) diameter, 32 in. (81.3 cm.) high. Mound-like with a moderate growth rate.
Leaf: 14 in. (35.6 cm.) long, 10.5 in. (26.7 cm.) wide. 15 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top and underneath; wavy, corrugated; ovate with a rounded base.
Scape: 37 in. (94 cm.) high, ranging from 34-37 in. (86.4-94 cm.); inflorescence leaves; whitish green.
Flower: 1.5 in. (3.8 cm.) long, pure white, tubular; Chesterland OH: 7/2 - 7/13 - 7/22.
Seed: viable; pod is green.
Clump History: from Englerth Gardens, 11 years old, growing in Chesterland OH.
Notable Characteristics: large stature.
[*H. sieboldiana* hybrid]
- H. 'Herbie'** H. & D. Benedict (OR) 1995
Plant: 5 in. (12.7 cm.) diameter, 2 in. (5.1 cm.) high. Fast growing, open, habit.
Leaf: 2.5 in. (6.4 cm.) long, 0.75 in. (1.9 cm.) wide. 4 pairs of flat veins. Dark green with a 0.125 in. (0.32 cm.) wide, smooth, pure white margin. Very shiny on top and underneath; good substance; lance-shaped with a tapered base.
Scape: 12 in. (30.5 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.); light green, ridged.
Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mich: late July to mid-August.
Seed: viable.
Clump History: 6 years old.
[*H. venusta* hybrid]
- H. 'Hi Ho Silver'** Walters Gardens, Inc. (ONIR) 1997
Plant: 16 in. (40.6 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6-7 pairs of insignificant veins. Medium green with a 0.63 in. (1.59 cm.) wide, slightly rippled, pure white margin. Dull on top, slightly shiny underneath; lightly wavy, lightly corrugated, lance-shaped with a tapered base.
Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.).
Flower: 1.5 in. (3.8 cm.) long, deep purple with white stripes, tubular; Zeeland MI: 8/10 - 8/15 - 8/30 (4 - 5 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 5 years old, growing in Zeeland MI.
[*H. 'Ginko Craig'* sport]
- H. 'Hidden Cove'** G. Foster (O), A. Malloy (NIR) 1998
Plant: 10 in. (25.4 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of veins. Light green to yellow, with a 0.25 in. (0.64 cm.) wide, slightly rippled, green margin. Dull on top, slightly shiny underneath; lightly twisted, ovate with a rounded base; petiole light green.
Clump History: a second generation division of the original, 4 years old, growing in South Salem NY.
Notable Characteristics: a miniature with an evolving center and streaks.
[parentage unknown]
- H. 'High Wire'** R. Lydell (OR) 1995
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 6 in. (15.0 cm.) long, 2 in. (5.1 cm.) wide. 5-6 pairs of moderately prominent veins. Gray-green with a heavily rippled margin. Dull on top and underneath; moderately rippled, moderately wavy; good substance; lance-shaped with a rounded base.
Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); green.
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, New York: August.
Seed: viable.
Remarks: flower buds are near white with a bright purple tip.
Clump History: 7 years old.
[Parentage unknown]
- H. 'Hirao Elite'** S. Hirao (OI), P. Ruh (NR) 1997
Plant: 19 in. (48.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and slow growing.
Leaf: 4.25 in. (10.8 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of veins. Medium green with a slightly rippled margin. Very shiny on top, slightly shiny underneath; folded, lightly wavy, lance-shaped with a tapered base.
Scape: 17 in. (43.2 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); inflorescence leaves.
Flower: 1.25 in. (3.2 cm.) long, lavender with violet stripes, tubular, pod is greenish; Chesterland OH: 9/2 - 9/12 - 9/21 (5 - 6 - 7).
Seed: viable.
Remarks: this cultivar has previously been know under the names "Hirao Tetra", "Hirao Tet" and "Hirao Tet small".
[Parentage unknown]
- H. 'Hirao Grande'** S. Hirao (OI), R. Lydell (N), P. Ruh (NR) 1997
Plant: 33 in. (83.8 cm.) diameter, 14.5 in. (36.8 cm.) high. Upright and fast growing.
Leaf: 10 in. (25.4 cm.) long, 3.5 in. (8.9 cm.) wide. 10 pairs of prominent veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; deeply folded, wavy, lance-shaped with a rounded base.
Scape: 23 in. (58.4 cm.) high, ranging from 20-23 in. (50.8-58.4 cm.).

- Flower: 1.5 in. (3.8 cm.) long, pale lavender with faint striping, bell-shaped, pod is greenish purple; Chesterland OH: 9/13 - 7/29 - 10/8 (6 - 7 - 8).
Seed: viable.
Notable Characteristics: a quick multiplier.
Remarks: this cultivar has previously been known under the name "Davidson #135".
[*H. rectifolia* hybrid]
- H. 'Hirao Imperial'** S. Hirao (O), P. Ruh (ONIR) 1998
Plant: 15.5 in. (39.4 cm.) diameter, 9.5 in. (24.1 cm.) high. Mound-like and slow growing.
Leaf: 5.5 in. (14 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top and underneath; lightly folded, lightly wavy, lance-shaped with a tapered base; petiole red spotted at base.
Scape: 13 in. (33 cm.) high; inflorescence leaves.
Flower: 1 in. (2.5 cm.) long, pale lavender, violet striped, tubular; Chesterland OH: 9/5 - 9/16 - 9/27.
Seed: viable; pod is dark green.
Notable Characteristics: a compact leafy mound.
[parentage unknown]
- H. 'Hirao Majesty'** S. Hirao (OI), 1997
M. Zilis (N), P. Ruh (R)
Plant: 39 in. (99.1 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 6 in. (15.2 cm.) wide. 11 pairs of prominent veins. Dark green with a slightly rippled margin. Dull on top, very shiny underneath; lightly twisted, folded, wavy, elliptic with a flat base; petiole a two-toned light green.
Scape: 38 in. (96.5 cm.) high, ranging from 35-38 in. (88.9-96.5 cm.).
Flower: 2.5 in. (6.4 cm.) long, deep lavender, striped, tubular, pod is green; Chesterland OH: 8/19 - 8/3 - 8/15 (3 - 4 - 4).
Seed: viable.
Clump History: a tissue cultured plant, 4 years old, growing in Chesterland OH.
Notable Characteristics: long scapes.
Remarks: this cultivar has previously been known under the names "Rudolph #1" and "Hirao T66-01".
[Parentage unknown]
- H. 'Hirao Splendor'** S. Hirao (OI), 1997
M. Zilis (N), P. Ruh (R)
Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and slow growing.
Leaf: 5.75 in. (14.6 cm.) long, 2.13 in. (5.4 cm.) wide. 5-6 pairs of prominent veins. Light green. Very shiny on top, slightly shiny underneath; lightly wavy, lance-shaped with a tapered base; petiole red spotted at the base.
Scape: 21.5 in. (54.6 cm.) high, ranging from 17-21 in. (43.2-53.3 cm.).
Flower: 1.5 in. (3.8 cm.) long, medium lavender, violet striped, tubular; Chesterland OH: 9/26 - 10/12 - 10/21 (8 - 8 - 9).
Seed: none set.
- Clump History: a division of the original, 10 years old, growing in Chesterland OH.
Notable Characteristics: flowers.
Remarks: this cultivar has previously been known under the name "Hirao #59".
[Parentage unknown]
- H. 'Hirao Supreme'** S. Hirao (OI), 1997
M. Zilis (N), P. Ruh (R)
Plant: 38 in. (96.5 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 10.25 in. (26 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top, very shiny underneath; lightly cupped, twisted, folded, wavy, lightly corrugated, ovate with a flat base; petiole a two-toned green.
Scape: 33.5 in. (85.1 cm.) high, ranging from 28-34 in. (71.1-86.4 cm.); inflorescence leaves.
Flower: 2.5 in. (6.4 cm.) long, lavender, striped, tubular; Chesterland OH: 7/21 - 8/3 - 8/14 (3 - 4 - 4).
Seed: viable; pod is green.
Clump History: a tissue cultured plant, 4 years old, growing in Chesterland OH.
Notable Characteristics: vigorous, leaf color.
Remarks: this cultivar has previously been known under the name "Rudolph #2" and "Hirao T66-02".
[Parentage unknown]
- H. 'Hirao Zeus'** S. Hirao (O), P. Ruh (NIR) 1997
Plant: 47 in. (119 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.
Leaf: 12.5 in. (31.8 cm.) long, 9.75 in. (24.8 cm.) wide. 15 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; lightly wavy, corrugated, broadly ovate with a flat base.
Scape: 32 in. (81.3 cm.) high, ranging from 30-32 in. (76.2-81.3 cm.); inflorescence leaves.
Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Chesterland OH: 6/29 - 7/9 - 7/18.
Seed: viable; pod is pale blue-green.
Remarks: this cultivar has previously been known under the names "Tokudama Tetraploid" and "Hirao Tet large".
[Parentage unknown]
- H. 'Holly's Green and Gold'** G. Holly (ON), E. Fisher (I), 1997
F. Williams (OI), P. Ruh (R)
Plant: 41 in. (104 cm.) diameter, 24 in. (61 cm.) high. Mound-like and slow growing.
Leaf: 11.5 in. (29.2 cm.) long, 9 in. (22.9 cm.) wide. 15 pairs of prominent veins. Blue-green mottled with a lighter green. Margin 2.5 in. (6.35 cm.) wide, slightly rippled, yellow gold. Dull on top and underneath; lightly folded, lightly wavy, moderately corrugated, ovate with a cordate base; petiole long and heavy.
Scape: 23 in. (58.4 cm.) high, ranging from 20-25 in. (50.8-63.5 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, white, tubular; Chesterland OH: 6/30 - 7/16 - 7/28 (1 - 2 - 2).
Seed: viable; pod is light green.
Clump History: 17 years old, growing in Chesterland OH.
Notable Characteristics: wide margin; vigorous growth.

- [Parentage unknown]
- H. 'Holly's Velvet Piecrust'** H. & D. Benedict (OR) 1995
 Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, moderately dense, mound-like habit.
 Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 9-10 pairs of moderately prominent veins. Dark green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; intensely rippled; average substance; broadly ovate with a cordate base.
 Scape: 44 in. (111.8 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); dark green.
 Flower: 1.5 in. (3.8 cm.) long, deep purple, tubular, Mich: August.
 Seed: none set.
 Clump History: 5 years old.
 [H. 'Holly's Honey' selfed]
- H. 'Homestead'** M. Zilis (O), P. Ruh (NIR) 1997
 Plant: 27 in. (68.6 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.
 Leaf: 10 in. (25.4 cm.) long, 7 in. (17.8 cm.) wide. 14 pairs of prominent veins. Blue-green streaked with yellow and light green. Margin 0.5 in. (1.27 cm.) wide, medium blue-green. Slightly shiny on top, dull underneath; folded, wavy, lightly corrugated, ovate with a cordate base; petiole blue green.
 Scape: 17 in. (43.2 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Chesterland OH: 7/1 - 7/13 - 7/26 (1 - 2 - 2).
 Seed: viable; pod is light green.
 Clump History: the original tissue culture sport, 13 years old, growing in Chesterland OH.
 Notable Characteristics: streaky and mottled with a blue cast.
 [H. 'Elegans' sport]
- H. 'Honey Do'** Belle Gardens (OR) 1994
 Plant: 8 in. (20.3 cm.) diameter, 5.25 in. (13.3 cm.) high, with an upright habit.
 Leaf: 0.938 in. (2.4 cm.) wide, 2.5 in. (6.4 cm.) long; 3 pairs veins; yellow gold changing to cream, with a 0.25 in. (6.4 cm.) wide, medium green, smooth margin; slightly shiny above and underneath; moderately folded; average substance; lance-shaped with a rounded base.
 Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.); cream.
 Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: August.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Little Jim' x H. 'Little Jim']
- H. 'Hoosier Dome'** O. Petryszyn (ONIR) 1998
 Plant: 42 in. (107 cm.) diameter, 24 in. (61 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 28 in. (71.1 cm.) long, 24 in. (61 cm.) wide. 15 pairs veins. Medium green with a heavily rippled margin. Dull on top and underneath; domed (reverse cupped), moderately corrugated, nearly round with a cordate base.
 Scape: ranging from 36-40 in. (91.4-102 cm.) in length.
- Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Chesterton IN.; 6/15 - 6/20 - 7/15.
 Seed: viable; pod is green.
 Clump History: the original seedling, 6 years old, growing in Chesterton IN.
 Notable Characteristics: domed leaf and ruffled margin.
 [H. 'Niagara Falls' x (H. 'Silver Bowl' x 'Muriel Seaver Brown')]
- H. 'Hoosier Harmony'** Indianapolis Hosta Society (R) 1995
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, open, semi-upright habit.
 Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 6-8 pairs of moderately prominent veins. Yellow with a smooth, medium green margin. Very shiny on top and underneath; lightly wavy; average substance; ovate with a rounded base.
 Scape: 32 in. (81.3 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); green.
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; N. Carolina: August.
 Seed: rare seed set, viability unknown.
 Clump History: 2 years old.
 [H. 'Royal Standard' sport]
- H. 'Hot Diggity Dog'** E. Elslager (ONIR) 1998
 Plant: 18 in. (45.7 cm.) diameter, 15 in. (38.1 cm.) high. Upright and slow growing.
 Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 12 pairs prominent veins. Green to golden yellow with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Margin changes to golden yellow. Slightly shiny on top and underneath; moderately cupped, moderately corrugated, nearly round with a cordate base; petiole with creamy white margin.
 Scape: 19 in. (48.3 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.) in length; inflorescence leaves.
 Flower: 2.25 in. (5.7 cm.) long, pure white, tubular; Ann Arbor MI: 6/28 - 7/13 - 7/20 (5 - 5 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.
 Notable Characteristics: intensely cupped and corrugated, Gold with a white edge.
 [H. 'Sea Prize' hybrid]
- H. 'Hot Lips'** H. Gowen (R), F. Riehl (R), R. Benedict (R) 1993
 Plant: 18 in. (45.7 cm.) wide, 14 in. (35.6 cm.) high.
 Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide, 4-5 pairs of moderately prominent veins; creamy white with a 0.5 in. medium green margin; plum colored petioles; lance-shaped with a rounded base; margin slightly rippled; dull above and underneath; wavy.
 Scape: 35 in. (88.9 cm.) long; cream & grey streaked.
 Flower: deep purple, streaked with lavender and white, tubular; Sept.
 [Parentage unknown]
- H. 'Humdinger'** H. & D. Benedict (OR) 1995
 Plant: 8 in. (20.3 cm.) diameter, 3 in. (7.6 cm.) high. Slow growing, compact, habit.

- Leaf: 4 in. (10.0 cm.) long, 2.2 in. (5.7 cm.) wide, 7 pairs of moderately prominent veins. Yellow gold with a 0.38 in. (0.95 cm.) wide, smooth, dark green margin. very shiny on top and underneath; moderately twisted; average substance; ovate with a cordate base.
- Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); white.
- Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mich: early August.
- Seed: viability unknown.
- Clump History: 8 years old.
- [*H.* 'Yellow Splash' selfed]
- H. 'Humility'** R. Snyder (ONIR) 1997
Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Rhizomatous with a moderate growth rate.
- Leaf: 5.5 in. (14 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Dark green with a flat margin. Slightly shiny on top, very shiny underneath; lightly wavy, ovate with a tapered base; petiole wide.
- Scape: 24 in. (61 cm.) high, ranging from 16-28 in. (40.6-71.1 cm.); inflorescence leaves.
- Flower: medium lavender with white stripes, tubular; Willmar MN: 7/15 - 7/25 - 8/8 (3 - 4 - 5).
- Seed: viability unknown; pod is green.
- Clump History: the original tissue culture sport, 5 years old, growing in Willmar MN.
- [*H.* 'Hertha' sport]
- H. 'Hummingbird Wings'** K. Walek (ONIR) 1996
Plant: 18 in. (45.7 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like, compact and fast growing.
- Leaf: 5 in. (12.7 cm.) long, 1 in. (2.5 cm.) wide. 4-6 pairs of moderately prominent veins. Yellowish green changing to yellow gold, with a slightly rippled margin. Slightly shiny on top and underneath; twisted; lance-shaped with a rounded base.
- Scape: 25 in. (63.5 cm.) high, ranging from 24-30 in. (61-76.2 cm.); green.
- Flower: 1.75 in. (4.4 cm.) long, near-white to pale lavender, funnel shaped, lavender striped; Fairfax Station VA: late July - mid-August.
- Seed: viable.
- Clump History: 5 years old.
- [*H.* 'Rosanne' x *H.* 'Little White Lines']
- H. 'Humor'** L. Davidson (NI), P. Ruh (R) 1998
Plant: 9 in. (22.9 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and slow growing.
- Leaf: 2.25 in. (5.7 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of insignificant veins. Medium green with a slightly rippled margin. Slightly shiny on top, very shiny underneath; lightly twisted, moderately wavy, lance-shaped with a tapered base.
- Scape: 14.5 in. (36.8 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.) in length.
- Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/21 - 7/29 - 8/6.
- Seed: viable; pod is green.
- [*H.* 'Lancifolia' hybrid]
- H. 'Hutch'** R. Stephens (OR) 1995
Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.
- Leaf: 9.5 in. (24.0 cm.) long, 6 in. (15.0 cm.) wide. 15 pairs of prominent veins. Light green with a slightly rippled margin. Very shiny on top and underneath; moderately folded, lightly corrugated; heavy substance; ovate with a cordate base.
- Scape: 24 in. (61 cm.) high, ranging from 24-25 in. (61-63.5 cm.); pale green.
- Flower: 1 in. (2.5 cm.) long, near-white, tubular, Georgia: July.
- Seed: viable.
- Clump History: 4 years old.
- [*H.* "Wolcott seedling" x *H.* 'Piedmont Gold']
- H. 'Hydon Gleam'** A. George (ONI), P. Ruh (R) 1998
Plant: 16 in. (40.6 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 4 pairs of prominent veins. Yellow with a slightly rippled margin. Dull on top, very shiny underneath; lightly cupped, wavy, ovate with a rounded base.
- Scape: 17 in. (43.2 cm.) high, ranging from 13-17 in. (33-43.2 cm.) in length; inflorescence leaves.
- Flower: 1.5 in. (3.8 cm.) long, lavender, striped, tubular; Chesterland OH: 8/3 - 8/22 - 9/7 (3 - 4 - 5).
- Seed: viability unknown; pod is light green.
- [*H.* *sieboldii* 'Paxton's Original' x *H.* 'Ogon Koba']

I

- H. 'Ice Cream'** R. Rossing (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 9 in. (22.9 cm.) high. Rhizomatous with a moderate growth rate.
- Leaf: 3.25 in. (8.3 cm.) long, 3.25 in. (8.3 cm.) wide. 7 pairs of moderately prominent veins. Dark green with a slightly rippled, light green margin. Slightly shiny on top and underneath; cupped, broadly ovate with a cordate base.
- Scape: 16 in. (40.6 cm.) high.
- Flower: 1 in. (2.5 cm.) long, white, lavender striping, tubular; Chanhassen MN: 7/1 - 7/15 - 7/25.
- Seed: none set.
- [*H.* 'Vanilla Cream' sport]
- H. 'Incredible Hunk'** E. Elslager (ONIR) 1998
Plant: 57 in. (145 cm.) diameter, 65 in. (165 cm.) high. Upright with a moderate growth rate.
- Leaf: 16 in. (40.6 cm.) long, 14 in. (35.6 cm.) wide. 16 pairs prominent veins. Medium blue-green with a heavily rippled margin. Slightly shiny on top and underneath; deeply corrugated, nearly round with a cordate base; petiole thick and glaucous green.
- Scape: 38 in. (96.5 cm.) high, ranging from 34-36 in. (86.4-91.4 cm.) in length.
- Flower: 2 in. (5.1 cm.) long, near-white, lavender stripes, tubular; Ann Arbor MI: 6/18 - 7/10 - 7/22 (4 - 5 - 5).
- Seed: viable; pod is green.

- Notable Characteristics: white backed leaves and good substance.
Clump History: the original seedling, 7 years old, growing in Ann Arbor MI.
[parentage unknown]
- H. 'Independence Day'** V. Wade (ONIR) 1998
Plant: 72 in. (183 cm.) diameter, 48 in. (122 cm.) high.
Upright and fast growing.
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 15-16 veins. Medium green with a flat, golden yellow margin.
Petiole grooved.
Flower: medium lavender; Belleville OH: average period.
Seed: viable.
Clump History: first generation division of a tissue culture sport, 8 years old, growing in Belleville OH.
Notable Characteristics: strong scapes and good substance.
[H. 'Gold Regal' sport]
- H. 'Indian Feather'** C. Owens (OR) 1992
Plant: 36 in. (91.4 cm) wide, 20 in. (50.8 cm) high.
Leaf: 5 in. (12.7 cm) long, 2 in. (5.1 cm) wide, 6 pairs of veins; dark green often with a white center streaking to the margins; elliptic; glossy.
Scape: 27 in. (68.6 cm) long, inflorescence leaves.
Flower: lavender and white striped, tubular; Michigan: July.
Seed: viable.
[H. 'Yellow Splash' selfed]
- H. 'Indian Princess'** G. Harshbarger (O), 1998
L. Stratton (N), P. Ruh (IR)
Plant: 32 in. (81.3 cm.) diameter, 25 in. (63.5 cm.) high.
Upright and slow growing.
Leaf: 11 in. (27.9 cm.) long, 9.75 in. (24.8 cm.) wide. 17 pairs prominent veins. Blue-green with a slightly rippled margin. Dull on top and underneath; lightly folded, lightly wavy, moderately corrugated; broadly ovate with a cordate base; petiole heavy and broad.
Scape: 29 in. (73.7 cm.) high.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; Chesterland OH: 6/1 - 6/14 - 6/30.
Seed: viable; pod is blue-green.
[H. *sieboldiana* hybrid]
- H. 'Indiana Moonshine'** C. Harstad (ONIR) 1996
Plant: 30 in. (76.2 cm.) diameter, 24 in. (61 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 8-10 pairs of prominent veins. Medium gold with a 1 in. slightly rippled, light green margin appearing in summer. Slightly shiny on top and underneath; lightly corrugated; broadly ovate with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-24 in. (45.7-61 cm.); medium green
Flower: 2 in. (5.1 cm.) long, white to pale lavender, bell shaped; Indianapolis IN.; 7/1 - 7/30 - 8/10 (5 - 5 - 5).
Seed: viable; pod is medium green.
Clump History: a division of the original, 7 years old, growing in Indianapolis IN.
Notable Characteristics: spring all gold, then with margin intensifying all summer.
[H. 'August Moon' sport]
- H. 'Inland Sea'** H. Sugita (O), 1998
M. Zilis (N), P. Ruh (IR)
Plant: 45 in. (114 cm.) diameter, 17 in. (43.2 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 11.75 in. (29.8 cm.) long, 4.75 in. (12.1 cm.) wide. 10 pairs of prominent veins. Dark green with a flat margin. Very shiny on top and underneath; lightly twisted, moderately folded, lightly wavy, lance-shaped with a rounded base; petiole arching.
Scape: 23 in. (58.4 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, bell-shaped; Chesterland OH: 8/1 - 8/19 - 9/5 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
Notable Characteristics: spreading leaves; pendulant and abundant flowers.
[H. *kiyosumiensis* x H. *pycnophylla*]
- H. 'Inniswood'** Inniswood Metro Gardens (OR) 1993
Plant: 48 in. (121.9 cm.) wide, 24 in. (61 cm.) high.
Leaf: 8.5 in. (21.6 cm.) long, 6.5 in. (16.5 cm.) wide. 13 pairs of veins; greenish gold with a 0.5 in. dark green margin; rounded with a cordate base; lightly cupped; margin lightly rippled; lightly puckered.
Scape: 31 in. (78.7 cm.) long.
Flower: pale lavender, tubular; Ohio: early June.
Seed: viable.
[H. 'Sun Glow' sport]
- H. 'Innovation'** E. Nesmith (O), P. Ruh (R) 1996
Plant: 37 in. (94 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like and slow growing.
Leaf: 12.75 in. (32.4 cm.) long, 7.25 in. (18.4 cm.) wide. 12 pairs of prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; moderately corrugated; ovate with a rounded base.
Scape: 28.5 in. (72.4 cm.) high, ranging from 26-29 in. (66-73.7 cm.); inflorescence leaves.
Flower: 1 in. (2.5 cm.) long, white, bell shaped; Chesterland OH: 7/2 - 7/13 - 7/24.
Seed: pod is light green.
Clump History: a division of the original, 16 years old, growing in Chesterland OH.
Notable Characteristics: arched leaves and Flower Scapes.
[Parentage unknown]
- H. 'Irische See'** H. Klose (NI), P. Ruh (R) 1998
Plant: 22 in. (55.9 cm.) diameter, 11 in. (27.9 cm.) high.
Mound-like and slow growing.
Leaf: 6.25 in. (15.9 cm.) long, 4.25 in. (10.8 cm.) wide. 10 pairs prominent veins. Blue-green with a slightly rippled margin. Dull on top, glaucous bloom underneath; lightly cupped, lightly wavy, broadly ovate with a cordate base.
Scape: 19 in. (48.3 cm.) high.
Flower: 2 in. (5.1 cm.) long, white, striped, bell-shaped; Chesterland OH: 6/24 - 7/5 - 7/16.
Seed: viable; pod is blue-green.
[H. *tardiflora* (H. 'Tardiflora') x H. 'Elegans']

- H. 'Irish Hills'** K. & L. Anderson (ONIR) 1996
 Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 12 in. (30.5 cm.) long, 12 in. (30.5 cm.) wide. 12-14 insignificant veins. Dark green with a slightly rippled margin. Very shiny on top, slightly shiny underneath; lightly corrugated; nearly round with a cordate base.
 Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.).
 Flower: pale lavender, bell shaped, striped; Farwell MN: 7/10 - 8/1 - ?.
 Seed: viable; pod is dark green.
 Clump History: the original sport, 5 years old.
 [H. 'Sum and Substance' sport]
- H. 'Irish Mist'** R. Savory (OR) 1994
 Plant: 9 in. (22.9 cm.) diameter, 9 in. (22.9 cm.) high, with a moderately dense, mound-like habit.
 Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 8-9 pairs of moderately prominent veins; creamy white with a dark green, slightly rippled margin; dull above, slightly shiny underneath; lightly wavy; heavy substance; ovate with a rounded base.
 Scape: 15 in. (38.1 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.); green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Minn.: July.
 Clump History: 10 years old.
 [H. 'Lancifolia' hybrid]
- H. 'Irish Ribbons'** M. Kiehne (ON), K. Anderson (R) 1992
 Plant: 13.5 in. (34.3 cm) wide, 11 in. (27.9 cm) high.
 Leaf: 7 in. (17.8 cm) long, 1.25 in. (3.2 cm) wide, 4-5 pairs of veins; dark green with variable, green and white streaked margin; lance-shaped, cupped, rippled, puckered.
 Scape: 21 in. (53.3 cm) long, inflorescence leaves.
 Flower: lavender, tubular.
 [Parentage unknown]
- H. 'Island Charm'** G. Rasmussen (ONI), A. Malloy (R) 1997
 Plant: 12 in. (30.5 cm.) diameter, 8.5 in. (21.6 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. White with a 0.75 in. (1.91 cm.) wide, flat, green margin. Dull on top and underneath; ovate with a flat base; petiole pink.
 Scape: 17 in. (43.2 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, medium lavender with dark streaks, tubular; Farmingdale NY: 7/2 -? - 7/12 (3 - ? - 4).
 Seed: viable; pod is pink.
 Clump History: the original seedling, 7 years old, growing in Farmingdale NY.
 Notable Characteristics: flowers streaked, pods all pink.
 [H. 'Flamboyant' hybrid]
- H. 'Ivory Tower'** D. & J. Ward (ONIR) 1996
 Plant: 66 in. (168 cm.) diameter, 34 in. (86.4 cm.) high. Upright with a moderate growth rate.
 Leaf: 12 in. (30.5 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs of prominent veins. Yellow gold with a heavily rippled margin. Dull on top and underneath; moderately twisted, moderately corrugated; broadly ovate with a cordate base.
 Scape: 43 in. (109 cm.) high, ranging from 42-44 in. (106.7-111.8 cm.); green.
 Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/12 - 6/29 - 7/14 (2 - 3 - 3).
 Seed: viable.
 Clump History: the original seedling, 7 years old, growing in Columbus OH.
 [H. 'Sagae' hybrid]
- J**
- H. 'Jackpot'** D. & J. Ward (ONIR) 1996
 Plant: 50 in. (127 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 14 in. (35.6 cm.) long, 10 in. (25.4 cm.) wide. 16 pairs of prominent veins. Yellow gold with a slightly rippled margin. Dull on top and underneath; moderately wavy, lightly corrugated; broadly ovate with a cordate base.
 Scape: 37 in. (94 cm.) high, ranging from 35-38 in. (88.9-96.5 cm.); gold.
 Flower: near white, tubular; Columbus OH: 6/20 - 7/4 - 7/20 (3 - 3 - 3).
 Seed: viable; pod is greenish gold.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 Notable Characteristics: large, wavy, bright gold leaves.
 [H. 'White Vision' x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H. 'Janet Day'** M. Soules (ONIR) 1996
 Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high. Semi-upright and fast growing.
 Leaf: 6.5 in. (16.5 cm.) long, 5 in. (12.7 cm.) wide. 9 pairs of insignificant veins. Ivory with a 0.38 in. heavily rippled, dark green margin. Dull on top and underneath; lightly corrugated, rippled; broadly ovate with a cordate base.
 Scape: 21 in. (53.3 cm.) high, ranging from 16-21 in. (40.6-53.3 cm.).
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, bell shaped: 7/1 - 7/15 - 7/25.
 Clump History: 6 years old.
 [H. 'Janet' sport]
- H. 'Jay Jay'** J. J. Grullemann (O), P. Ruh (R) 1994
 Plant: 34 in. (86.4 cm.) diameter, 25 in. (63.5 cm.) high, with a moderately dense, mound-like habit.
 Leaf: 11.5 in. (29.2 cm.) wide, 13 in. (33 cm.) long; 16 pairs of prominent veins; intensely blue-green; slightly rippled margin; glaucous bloom above and underneath; moderately cupped, lightly wavy; good substance; broadly ovate with a cordate base.
 Scape: 35 in. (88.9 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.); blue-green.
 Flower: 1.5 in. (3.8 cm.) long, near-white, bell-shaped; Ohio: mid-June to mid-July.
 Seed: viable.
 Clump History: 10 years old.

[*H. sieboldiana* hybrid]

H. 'Jim Matthews' Mrs. J. W. Matthews (OI), 1998

Julian Matthews (N), B. Sligh (R)

Plant: 38 in. (96.5 cm.) diameter, 15.5 in. (39.4 cm.) high. Upright with a moderate growth rate.

Leaf: 10.75 in. (27.3 cm.) long, 7.75 in. (19.7 cm.) wide. 14 pairs prominent veins. White mottled with yellow and shades of white, with a 2 in. (5.08 cm.) wide, slightly rippled, blue-green margin. Dull on top and underneath; twisted, deeply folded, moderately wavy, moderately corrugated, broadly ovate with a cordate base; petiole blue-green and yellow underneath.

Scape: 17.5 in. (44.5 cm.) high, ranging from 15-18 in. (38.1-45.7 cm.) in length; inflorescence leaves.

Flower: 1.75 in. (4.4 cm.) long, white, tubular; Chesterland OH: 6/16 - 7/1 - 7/15.

Seed: viable; pod is green.

Clump History: 6 years old, growing in Chesterland OH.

Notable Characteristics: cream center transitioning to light green, then to a blue-green margin.

Note: this cultivar formerly known under the name "J. W. Matthews".

[*H. sieboldiana* x *H. sieboldiana*]

H. 'Judy's Surprise' K. Walek (ONIR) 1996

Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high. Semi-upright and slow growing.

Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 5-7 pairs of moderately prominent veins. Medium gold with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately twisted; broadly ovate with a cordate base.

Scape: 30 in. (76.2 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); inflorescence leaves; glaucous green.

Flower: 2.5 in. (6.4 cm.) long, pale lavender, funnel shaped, striping; Fairfax Station VA: early June - early July.

Clump History: 5 years old.

[*H. 'Rosanne'* x *H. 'Little White Lines'*]

H. 'Julia' P. White (OR) 1994

Plant: 32 in. (81.3 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.

Leaf: 4.25 in. (10.8 cm.) wide, 4.375 in. (11.1 cm.) long; 7-9 pairs of moderately prominent veins; dark green, with a 0.375 in. (0.95 cm.) wide, creamy white, smooth margin; slightly shiny above, glaucous bloom underneath; moderately corrugated; good substance; ovate with a rounded base.

Scape: 32.5 in. (82.6 cm.) high, ranging from 24-36 in. (61-91.4 cm.); dark green.

Flower: 2.13 in. (5.4 cm.) long, pale lavender, striped, tubular; Ohio: August.

Clump History: 3 years old.

[*H. 'Fortunei Hyacinthina'* sport]

H. 'Julia Gaede' S. & C. Gaede (OR) 1994

Plant: 35 in. (88.9 cm.) diameter, 24 in. (61 cm.) high, with a moderately dense, mound-like habit.

Leaf: 7 in. (17.8 cm.) wide, 10 in. (25.4 cm.) long; 9 pairs of moderately prominent veins; yellow green, streaked with gold, white and yellow; smooth margin; very shiny

above, dull underneath; lightly rippled; average substance; broadly ovate with a cordate base.

Scape: 30 in. (76.2 cm.) high.

Flower: 5 in. (12.7 cm.) long, pure white, tubular; fragrant; Indiana: August-Sept.

Seed: viable.

Clump History: 5 years old.

[*H. plantaginea* sport]

H. 'Julie Ann' P. Banyai (O), D. Bachik (R) 1995

Plant: 66 in. (167.6 cm.) diameter, 29 in. (73.7 cm.) high. Moderately growing, moderately dense, semi-upright habit.

Leaf: 16 in. (41.0 cm.) long, 12.5 in. (32.0 cm.) wide. 16 pairs of moderately prominent veins. Medium blue-green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.

Scape: 42 in. (106.7 cm.) high, ranging from 40-44 in. (101.6-111.8 cm.); green.

Flower: 3 in. (7.6 cm.) long, near-white, bell shaped; Mich: July.

Seed: viable.

Clump History: 8 years old.

[Parentage unknown]

H. 'Jumbo' A. Summers (NI), P. Ruh (R) 1997

Plant: 28 in. (71.1 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like with a moderate growth rate.

Leaf: 9 in. (22.9 cm.) long, 9.75 in. (24.8 cm.) wide. 12 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Dull on top and underneath; lightly corrugated, ovate with a cordate base; petiole heavy.

Scape: 22 in. (55.9 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.

Flower: 2 in. (5.1 cm.) long, white, tubular; Chesterland OH: 6/29 - 7/11 - 7/23 (1 - 1 - 2).

Seed: viable; pod is pale green.

Clump History: 4 years old, growing in Chesterland OH.

Notable Characteristics: intense blue color; a large habit.

[*H. sieboldiana* hybrid]

K

H. 'Kaitlyn' D. & J. Ward (ONIR) 1998

Plant: 27 in. (68.6 cm.) diameter, 12 in. (30.5 cm.) high. Upright with a moderate growth rate.

Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide. 12 pairs of prominent veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; ovate with a cordate base.

Scape: 22 in. (55.9 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.

Flower: 0.5 in. (1.3 cm.) long, pale lavender, bell-shaped; Columbus OH: 7/5 - 7/15 - 7/20 (4 - 4 - 5).

Seed: viable; pod is green.

Clump History: the original seedling, 5 years old, growing in Columbus OH.

- [*H.* 'Pinstripe Sister' hybrid]
- H. 'Kathy-O'** D. O'Donnell Sr. (OR) 1994
Plant: 32 in. (81.2 cm.) diameter, 18 in. (45.7 cm.) high, with a compact, mound-like habit.
Leaf: 5 in. (12.7 cm.) wide, 7 in. (17.8 cm.) long; 7 pairs of prominent veins; streaked creamy white and green; slightly rippled margin; dull above, glaucous bloom underneath; lightly folded; good substance; ovate with a rounded base.
Scape: 26 in. (66 cm.) high, ranging from 24-28 in. (61-71 cm.).
Flower: 3 in. (7.6 cm.) long, medium lavender, tubular; Minn: July.
Clump History: 7 years old.
[*H.* 'Undulata Erromena' sport]
- H. 'Katrina Jo'** F. Nyikos (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Upright and fast growing.
Leaf: 8 in. (20.3 cm.) long, 3 in. (7.6 cm.) wide. 5-6 pairs veins. Light greenish yellow with a slightly rippled margin. Slightly shiny on top, very shiny underneath; lightly wavy, lance-shaped with a tapered base; petiole red speckled.
Scape: ranging from 32-40 in. (81.3-102 cm.) in length.
Flower: 2.5 in. (6.4 cm.) long, deep purple, striped, tubular; Unionville IN.; 8/1 - 8/11 - 8/30.
Seed: viable; pod is burgundy red.
Notable Characteristics: a red petiole and scape.
Clump History: the original seedling, 5 years old, growing in Unionville IN.
[*H.* 'Spritzer' hybrid]
- H. 'Kelsey'** H. Kelsey (O), F. Williams (I), P. Ruh (R) 1996
Plant: 24 in. (61 cm.) diameter, 13 in. (33 cm.) high. Upright and fast growing.
Leaf: 5.75 in. (14.6 cm.) long, 2.25 in. (5.7 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; wavy; lance-shaped with a rounded base.
Scape: 23 in. (58.4 cm.) high; inflorescence leaves; green.
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, striped; Chesterland OH: 8/23 - 9/7 - 9/18.
Seed: few set; pod is green.
Clump History: a division of the original, 11 years old, growing in Chesterland OH.
[Parentage unknown]
- H. 'Kevin Kelley'** G. R. Goodwin (ONIR) 1996
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 8 pairs of prominent veins. Light greenish-yellow with a flat margin. Very shiny on top, slightly shiny underneath; moderately corrugated; broadly ovate with a cordate base.
Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); light green.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Indianapolis IN.; 7/25 - 8/15 - 8/30 (4 - 5 - 5).
Seed: viable; pod is light green.
- Clump History: the original seedling, 6 years old, growing in Indianapolis IN.
Notable Characteristics: lime yellow Leaf color.
[*H.* 'Sum and Substance' hybrid]
- H. 'King James'** G. Krossa (O), 1992
A. Summers (N), P. Ruh (R)
Plant: 59 in. (150 cm) diameter, 27 in. (68.6 cm) high.
Leaf: 16.25 in. (41.3 cm) long, 11.25 in. (28.6 cm) wide, 17 pairs of veins; medium grey-green; cordate; folded; rippled; slightly puckered; heavily veined; leathery; dull texture; satin sheen underneath.
Scape: 32 in. (81.3 cm) long.
Flower: pale lavender, flaring; Ohio: mid-June
[*H. montana* hybrid]
- H. 'King Michael'** G. Krossa (O), 1992
A. Summers (N), P. Ruh (R)
Plant: 47 in. (119.4 cm) wide, 33 in. (83.8 cm) high.
Leaf: 13 in. (33 cm) long, 8.75 in. (22.2 cm) wide, 15-18 pairs of veins; medium green; cordate; heavily veined; leathery; satin sheen; glossy underneath.
Scape: 74 in. (119.4 cm) long.
Flower: white, flaring; Ohio: late-July.
[*H. montana* form]
- H. 'Kingwood Center'** Kingwood Center (OR) 1993
Plant: 33 in. (83.8 cm.) wide, 12 in. (30.5 cm.) high.
Leaf: 8.5 in. (21.6 cm.) long, 7.25 in. (18.4 cm.) wide, 10-11 pairs of prominent veins; yellow-gold with 1.25 in. dark green margin; broadly ovate with cordate base; margin slightly rippled; dull above with glaucous bloom underneath; lightly cupped; moderately wavy; moderately corrugated.
Scape: 17 in. (43.2 cm.) long; medium green.
Flower: pure white, tubular; Ohio: July.
[*H.* "Frances Williams seedling" sport]
- H. 'Kissing Cousin'** E. Elslager (ONIR) 1998
Plant: 32 in. (81.3 cm.) diameter, 16 in. (40.6 cm.) high. Upright with a moderate growth rate.
Leaf: 6.25 in. (15.9 cm.) long, 4.25 in. (10.8 cm.) wide. 8 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and waxy underneath; moderately wavy, ovate with a cordate base; petiole glaucous green with a white margin.
Scape: 21 in. (53.3 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, purple stripes, tubular; Ann Arbor MI: 7/21 - 8/10 - 8/27 (5 - 6 - 6).
Seed: viability unknown; pod is green.
Notable Characteristics: dark green with a creamy white margin, good substance.
Clump History: the original sport, 5 years old, growing in Ann Arbor MI.
[*H.* 'Wide Brim' sport]
- H. 'Kit Kat'** D. Smetana & A & D Nursery (OR) 1994
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high, with a compact, mound-like habit.

Leaf: 6.88 in. (17.5 cm.) wide, 7.13 in. (18.1 cm.) long; 12 pairs of prominent veins; light green, with a wide, unevenly streaked, blue and green margin; cupped, corrugated; heavy substance; broadly ovate with a rounded base.

Scape: 16 in. (40.6 cm.) high.

Flower: pale lavender, striped, tubular; Wash: June to July.

Seed: viable.

Clump History: 4 years old.

[*H.* 'Love Pat' sport]

***H.* 'Krossa Cream Edge'** G. Krossa (ONI), P. Ruh (R) 1997

Plant: 17 in. (43.2 cm.) diameter, 11 in. (27.9 cm.) high.
Mound-like and slow growing.

Leaf: 5.25 in. (13.3 cm.) long, 2.38 in. (6 cm.) wide. 5 pairs of insignificant veins. Light green with a 0.25 in. (0.64 cm.) wide, flat, creamy yellow margin. Dull on top, slightly shiny underneath; lightly corrugated, lance-shaped with a tapered base; petiole with a white margin to the base.

Scape: 25.5 in. (64.8 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.).

Flower: 1 in. (2.5 cm.) long, near white with violet markings, tubular; pod is green; Chesterland OH: 8/1 - 8/23 - 8/31 (4 - 5 - 6).

Clump History: a division of the original, 17 years old, growing in Chesterland OH.

[Parentage unknown]

L

***H.* 'Lacy Belle'** W. & E. Lachman (OR) 1992

Plant: 21 in. (53.3 cm) wide, 12 in. (30.5 cm) high.

Leaf: 6.75 in. (17.2 cm) long, 3.75 in. (9.5 cm) wide. 7-8 pairs of veins. Medium blue-green with a creamy white margin changing to white. Margin 0.5-1 in. (1.3-2.5 cm) wide and slightly rippled. Ovate with a flat base; moderately twisted; heavy substance; very shiny; dull texture underneath.

Scape: 25 in. (63.5 cm) long, dark green.

Flower: medium lavender, flaring; Massachusetts: late-July

[*H.* "Neat Splash seedling" x *H.* 'Halcyon']

***H.* 'Lady Helen'** G. Holly (ONI), P. Ruh (R) 1998

Plant: 36 in. (91.4 cm.) diameter, 19 in. (48.3 cm.) high.
Upright with a moderate growth rate.

Leaf: 7 in. (17.8 cm.) long, 5.75 in. (14.6 cm.) wide. 11 pairs veins. Greenish yellow with a slightly rippled margin. Viridescent. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base.

Scape: 33 in. (83.8 cm.) high, ranging from 31-35 in. (78.7-88.9 cm.) in length; inflorescence leaves.

Flower: 2.5 in. (6.4 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH: 6/18 - 6/30 - 7/15.

Seed: none set.

[parentage unknown]

***H.* 'Lady Isobel Barnett'** D. Grenfell (ONIR) 1996

Plant: 60 in. (152 cm.) diameter, 30 in. (76.2 cm.) high.
Mound-like with a moderate growth rate.

Leaf: 18 in. (45.7 cm.) long, 10 in. (25.4 cm.) wide. 7-8 pairs of insignificant veins. Medium green with a 0.25 in. flat, cream to yellow margin. Slightly shiny on top, waxy underneath; lightly wavy; broadly ovate with a cordate base.

Scape: 38 in. (96.5 cm.) high, ranging from 35-40 in. (88.9-101.6 cm.); petiole red streaked toward the base.

Flower: 1 in. (2.5 cm.) long, pale lavender to near white, bell shaped; Lymington Hants UK: July to Sept. (4 - 5 - 8).

Seed: viable; pod is grayish-brown.

Clump History: the original sport, 5 years old, growing in Lymington Hants UK.

Notable Characteristics: cream margin. Performs equally well in sun or shade.

Remarks: named after a famous British hosta grower.

[*H.* 'Sum and Substance' sport]

***H.* 'Ladybug'** D. & J. Ward (ONIR) 1996

Plant: 23 in. (58.4 cm.) diameter, 10 in. (25.4 cm.) high.
Mound-like with a moderate growth rate.

Leaf: 3 in. (7.6 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of insignificant veins. Medium gold with a slightly rippled margin. Dull on top and underneath; intensely twisted; nearly round with a cordate base.

Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.); green.

Flower: 1.25 in. (3.2 cm.) long, medium lavender, tubular; Columbus OH: 6/4 - 7/4 - 7/24 (4 - 4 - 4).

Seed: none set.

Clump History: the original seedling, 5 years old, growing in Columbus OH.

Notable Characteristics: clump of twisted leaves and lavender Flowers.

[*H.* 'Vanilla Cream' hybrid]

***H.* 'Lake Chautauqua'** H. Sugita (O), P. Ruh (ONIR) 1998

Plant: 46 in. (117 cm.) diameter, 26.5 in. (67.3 cm.) high.
Upright with a moderate growth rate.

Leaf: 11 in. (27.9 cm.) long, 8.5 in. (21.6 cm.) wide. 14 pairs prominent veins. Medium blue-green with a heavily rippled margin. Dull on top and underneath; lightly twisted, deeply wavy, lightly corrugated, broadly ovate with a cordate base; long petiole.

Scape: 35.5 in. (90.2 cm.) high, ranging from 32-35 in. (81.3-88.9 cm.) in length; inflorescence leaves.

Flower: 2.75 in. (7 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 6/6 - 6/26 - 7/12.

Seed: viable; pod is green.

Clump History: the original seedling, 6 years old, growing in Chesterland OH.

Notable Characteristics: upright habit and good texture.

[parentage unknown]

***H.* 'Lake Erie'** P. Ruh (ONIR) 1998

Plant: 62 in. (157 cm.) diameter, 30.5 in. (77.5 cm.) high.
Mound-like with a moderate growth rate.

Leaf: 14.5 in. (36.8 cm.) long, 10.5 in. (26.7 cm.) wide. 16 pairs prominent veins. Dark green with a slightly rippled margin. Slightly shiny on top, dull underneath; wavy, lightly corrugated, broadly ovate with a cordate base; heavy petiole.

- Scape: 24 in. (61 cm.) high, ranging from 23-24 in. (58.4-61 cm.) in length; inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; Chesterland OH: 6/8 - 6/18 - 7/1.
 Clump History: the original seedling, 9 years old, growing in Chesterland OH.
 [H. 'Perry's True Blue' selfed]
- H. 'Lake Ontario'** R. Lydell (ONIR) 1998
 Plant: 24 in. (61.0 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and slow growing.
 Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 12 pairs of veins. Medium green with a flat margin. Slightly shiny on top, dull underneath; lightly cupped, broadly ovate with a cordate base.
 Scape: ranging from 18-20 in. (45.7-50.8 cm.) high.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/20 - 7/1 - 7/15 (3 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 10 years old, growing in Dunkirk NY.
 Notable Characteristics: impressed veins, heavy substance and low profile.
 [Parentage unknown]
- H. 'Lakeside April Snow'** M. Chastain (OR) 1994
 Plant: 36 in. (91.4 cm.) diameter, 26 in. (66 cm.) high, with a compact, mound-like habit.
 Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 11 pairs of moderately prominent veins; yellow to lime, with a 1 in. (2.5 cm.) wide, irregular, cream to white, smooth margin; dull above and underneath; lightly corrugated; good substance; broadly ovate with a cordate base.
 Scape: 27 in. (68.6 cm.) high, ranging from 24-29 in. (61-73.7 cm.); green.
 Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: June.
 Clump History: 5 years old.
 [H. 'Fascination' x H. 'Lakeside Symphony']
- H. 'Lakeside Baby Face'** M. Chastain (ONIR) 1997
 Plant: 8 in. (20.3 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and fast growing.
 Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of insignificant veins. Dark green with a 0.38 in. (0.95 cm.) wide, flat, deep gold margin. Slightly shiny on top and underneath; lightly wavy, nearly round with a rounded base.
 Scape: 8 in. (20.3 cm.) high, ranging from 6-10 in. (15.2-25.4 cm.).
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ooltewah TN: 7/4 - 7/10 - 7/20 (4 - 4 - 4).
 Seed: viable; pod is green.
 Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
 Notable Characteristics: small leaf size and clump size.
 [H. "Lakeside seedling" x H. 'Lakeside Little Gem']
- H. 'Lakeside Black Satin'** M. Chastain (OR) 1993
 Plant: 22 in. (55.9 cm.) wide, 9 in. (22.9 cm.) high.
 Leaf: 7 in. (17.8 cm.) long, 7 in. (17.8 cm.) wide, 7 pairs of prominent veins; very dark green; broadly ovate with a cordate base; margin slightly rippled; slightly shiny above and dull underneath.
 Scape: 26 in. (66 cm.) long.
 Flower: deep purple with white stripes; bell-shaped; Tenn: late June - early July.
 [H. *ventricosa* hybrid]
- H. 'Lakeside Blue Confusion'** M. Chastain (ONIR) 1998
 Plant: 30 in. (76.2 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 6 in. (15.2 cm.) wide. 16 pairs of veins. Intensely blue-green with a margin. Dull on top, glaucous bloom underneath; deeply cupped, deeply corrugated, nearly round with a cordate base.
 Scape: ranging from 14-16 in. (35.6-40.6 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; Ooltewah TN: very early period.
 Clump History: a first generation division of the original, 4 years old, growing in Ooltewah TN.
 [H. 'Lakeside Sapphire Pleats' x H. "blue seedling"]
- H. 'Lakeside Blue Jeans'** M. Chastain (OR) 1995
 Plant: 64 in. (162.6 cm.) diameter, 24 in. (61 cm.) high. Moderately growing, compact, semi-upright habit.
 Leaf: 13 in. (33.0 cm.) long, 9 in. (23.0 cm.) wide. 17 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Dull on top and underneath; lightly folded; heavy substance; ovate with a cordate base.
 Scape: 43 in. (109.2 cm.) high, ranging from 32-46 in. (81.3-116.8 cm.); blue-green.
 Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Tenn: late May to late June.
 Seed: viable.
 Clump History: 4 years old.
 [Parentage unknown]
- H. 'Lakeside Blushing Gold'** M. Chastain (ONIR) 1996
 Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 8 in. (20.3 cm.) long, 6.5 in. (16.5 cm.) wide. 9-11 pairs of prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; intensely corrugated; ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 14-22 in. (35.6-55.9 cm.); light green.
 Flower: 1.75 in. (4.4 cm.) long, white, tubular; Ooltewah TN: 7/15 - 7/25 - 8/7 (4 - 4 - 5).
 Seed: viable; pod is light green.
 Clump History: the original seedling, 5 years old, growing in Ooltewah TN.
 Notable Characteristics: deep gold color with a pink blush.
 [H. "Lakeside seedling" x H. "Lakeside seedling"]
- H. 'Lakeside Cha Cha'** M. Chastain (OR) 1994
 Plant: 27 in. (68.6 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 6 in. (15.2 cm.) wide, 8 in. (20.3 cm.) long; 10 pairs of moderately prominent veins; light green, with a 0.25 in. (0.64 cm.) wide, creamy white, slightly rippled margin; slightly shiny above, glaucous bloom underneath; moderately wavy, lightly corrugated; good substance; ovate with a cordate base.

- Scape: 28 in. (71.1 cm.) high, ranging from 26-29 in. (66-73.7 cm.); gold.
Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular; Tenn: mid-June through July.
Clump History: 5 years old.
[*H.* 'Fascination' x *H. montana*]
- H. 'Lakeside Charm'** M. Chastain (OR) 1994
Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, mound-like habit.
Leaf: 7 in. (17.8 cm.) wide, 7 in. (17.8 cm.) long; 12 pairs of moderately prominent veins; lime green; smooth margin; slightly shiny above and underneath; deeply cupped; good substance; nearly round with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); lime green.
Flower: 0.88 in. (2.2 cm.) long, pure white, tubular; Tenn: late May to mid-June.
Seed: viable.
Clump History: 5 years old.
[Parentage unknown]
- H. 'Lakeside Chatterbox'** M. Chastain (ONIR) 1998
Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. A mound-like habit.
Leaf: 5 in. (12.7 cm.) long, 4 in. (10.2 cm.) wide. 9 pairs of veins. Yellow with a heavily rippled margin. Dull on top, very shiny underneath; ovate with a cordate base.
Scape: ranging from 10-13 in. (25.4-33 cm.) high.
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Ooltewah TN: 5/20 - ? - 7/10 (1 - ? - 5).
Seed: none set.
Clump History: a second generation division of the original, 7 years old, growing in Ooltewah TN.
Notable Characteristics: heavy substance and a small rippled leaf.
[*H.* "seedling" x *H.* 'Lakeside Little Gem']
- H. 'Lakeside Coal Miner'** M. Chastain (ONIR) 1998
Plant: 24 in. (61.0 cm.) diameter, 17 in. (43.2 cm.) high. and fast growing.
Leaf: 10 in. (25.4 cm.) long, 5.5 in. (14.0 cm.) wide. 8 pairs of veins. Dark green with a slightly rippled margin. Very shiny on top, dull underneath; wavy, ovate with a rounded base.
Scape: ranging from 22-28 in. (55.9-71.1 cm.) high.
Flower: 2.25 in. (5.7 cm.) long, deep purple, tubular; Ooltewah TN: 6/10 - ? - 7/20 (3 - ? - 5).
Clump History: a first generation division of the original, 3 years old, growing in Ooltewah TN.
Notable Characteristics: very dark green.
[*H.* "seedling 10" x *H.* "seedling 10"]
- H. 'Lakeside Cogwheel'** M. Chastain (OR) 1995
Plant: 20 in. (50.8 cm.) diameter, 4 in. (10.2 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 6 in. (15.0 cm.) long, 4 in. (10.0 cm.) wide. 10 pairs of moderately prominent veins. Slightly blue-green with a 0.75 in. (1.9 cm.) wide, slightly rippled, yellow gold, changing to cream, margin. Dull on top and underneath; heavy substance; broadly ovate with a cordate base.
- Scape: 10 in. (25.4 cm.) high, ranging from 8-13 in. (20.3-33 cm.); green.
Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: June.
Seed: viable.
Clump History: 1 year old.
[Parentage unknown]
- H. 'Lakeside Contender'** M. Chastain (ONIR) 1998
Plant: 50 in. (127 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.
Leaf: 14 in. (35.6 cm.) long, 8 in. (20.3 cm.) wide. 11 pairs of veins. Yellow with a flat margin. Very shiny on top, glaucous bloom underneath; broadly ovate with a cordate base.
Scape: ranging from 18-24 in. (45.7-61 cm.) high.
Flower: 2.75 in. (7.0 cm.) long, near-white, tubular; Ooltewah TN: 6/6 - ? - 7/8 (1 - ? - 4).
Seed: viable; pod is light green.
Clump History: first generation division of the original, 5 years old, growing in Ooltewah TN.
[*H.* 'Newberry Gold' x *H.* 'Sun Glow']
- H. 'Lakeside Cup Up'** M. Chastain (OR) 1993
Plant: 28 in. (71.1 cm.) wide, 19 in. (48.3 cm.) high.
Leaf: 7 in. (17.8 cm.) long, 7 in. (17.8 cm.) wide, 10 pairs of moderately prominent veins; dark green; nearly round with a cordate base; margin smooth; dull above and underneath; cupped; corrugated.
Scape: 26 in. (66 cm.) long; dark green.
Flower: pure white, tubular; Tenn: June.
Seed: viable.
[*H.* "seedling" x *H.* 'Black Beauty']
- H. 'Lakeside Cupcake'** M. Chastain (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high, with a moderate growth rate.
Leaf: 4 in. (10.2 cm.) long, 4 in. (10.2 cm.) wide. 11 pairs of veins. Creamy white with a 1.5 in. (3.81 cm.) wide, flat, blue-green margin. Dull on top, glaucous bloom underneath; deeply cupped, nearly round with a cordate base.
Scape: ranging from 9-12 in. (22.9-30.5 cm.) high.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ooltewah TN: summer period.
Seed: viability unknown.
Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
Notable Characteristics: small stature with deep cupping.
[*H.* "streaked seedling" x *H.* "blue seedling"]
- H. 'Lakeside Cupid's Cup'** M. Chastain (ONIR) 1998
Plant: 42 in. (107 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.
Leaf: 6 in. (15.2 cm.) long, 6 in. (15.2 cm.) wide. 13 pairs of veins. Slightly blue-green with a 1.5 in. (3.81 cm.) wide, flat, creamy white margin. Slightly shiny on top and underneath; lightly cupped, nearly round with a cordate base.
Flower: pale lavender; Ooltewah TN: summer period.
Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.

- [*H.* "Lakeside seedling" x *H.* 'Lakeside Roy El']
- H.* 'Lakeside Delight'** M. Chastain (OR) 1994
Plant: 36 in. (91.4 cm.) diameter, 16 in. (40.6 cm.) high, with a compact, semi-upright habit.
Leaf: 9 in. (22.9 cm.) wide, 13 in. (33 cm.) long; 13 pairs of moderately prominent veins; yellow gold; slightly rippled margin; dull above and underneath; lightly wavy; heavy substance; ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 22-27 in. (55.9-68.6 cm.); yellow.
Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Tenn: mid-May to mid-June.
Seed: viable.
Clump History: 5 years old.
[Parentage unknown]
- H.* 'Lakeside Doodad'** M. Chastain (OR) 1995
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 5 in. (13.0 cm.) long, 1.5 in. (3.8 cm.) wide, 3 pairs of flat veins. Pure white with a 0.5 in. (1.3 cm.) wide, smooth, dark green margin. Slightly shiny on top, dull underneath; average substance; lance-shaped with a rounded base.
Scape: 9 in. (22.860 cm.) high, ranging from 8-10 in. (20.3-25.4 cm.); red.
Flower: 1.9 in. (4.8 cm.) long, pale purple, tubular; Tenn: mid-July to early August.
Seed: viable.
Clump History: 2 years old.
[Parentage unknown]
- H.* 'Lakeside Dragonfly'** M. Chastain (ONIR) 1997
Plant: 30 in. (76.2 cm.) diameter. Mound-like and fast growing.
Leaf: 7 in. (17.8 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs of insignificant veins. Medium blue-green with a 1 in. (2.54 cm.) wide, flat, white margin. Slightly shiny on top, dull underneath; lightly folded, lance-shaped with a tapered base.
Scape: 28 in. (71.1 cm.) high, ranging from 24-36 in. (61-91.4 cm.).
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 7/28 - 8/2 - 8/14 (5 - 5 - 6).
Seed: viable; pod is green.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
Notable Characteristics: wide margin on this leaf shape.
[Parentage unknown]
- H.* 'Lakeside Emerald Lights'** M. Chastain (OR) 1993
Plant: 20 in. (50.8 cm.) wide, 4 in. (10.2 cm.) high.
Leaf: 7.5 in. (19.1 cm.) long, 5 in. (12.7 cm.) wide, 8 pairs of prominent veins; dark green; ovate with a flat base; margin heavily rippled; very shiny above and slightly shiny underneath; moderately wavy.
Scape: 14 in. (35.6 cm.) long; green.
Flower: pale purple, bell-shaped; Tenn: late June.
[*H. ventricosa* x *H.* 'Invincible']
- H.* 'Lakeside Explosion'** M. Chastain (OR) 1995
Plant: 11 in. (27.9 cm.) diameter, 4.5 in. (11.4 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 4.5 in. (11.0 cm.) long, 1 in. (2.5 cm.) wide, 5 pairs of flat veins. Medium green with a 0.38 in. (1 cm.) wide, slightly rippled, pure white margin. Slightly shiny on top, dull underneath; average substance; lance-shaped with a rounded base.
Scape: 12 in. (30.5 cm.) high, ranging from 9-14 in. (22.9-35.6 cm.); green.
Flower: 1.25 in. (3.2 cm.) long, deep purple, tubular; Tenn: early July to early August.
Seed: viable.
Clump History: 2 years old.
[Parentage unknown]
- H.* 'Lakeside Feather Light'** M. Chastain (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 15 in. (38.1 cm.) high. A mound-like habit.
Leaf: 7.5 in. (19.1 cm.) long, 3 in. (7.6 cm.) wide, 6 pairs of veins. Medium green with a 1 in. (2.54 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; lightly wavy, ovate with a rounded base.
Scape: ranging from 20-24 in. (50.8-61 cm.) high.
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Ooltewah TN: summer period.
Seed: viable; pod is green.
Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
[*H.* "streaked seedling" x *H.* "seedling"]
- H.* 'Lakeside Frosted Mint'** M. Chastain (ONIR) 1996
Plant: 48 in. (122 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 12-14 prominent veins. Light green with a slightly rippled margin. Glaucous bloom on top and underneath; lightly wavy; broadly ovate with a cordate base.
Scape: 26 in. (66 cm.) high, ranging from 24-28 in. (61-71.1 cm.); light green.
Flower: 1.75 in. (4.4 cm.) long, pure white, bell shaped; Ooltewah TN: 6/10 - 6/20 - 6/29 (2 - 2 - 3).
Seed: viable; pod is light green.
Clump History: the original seedling, 6 years old, growing in Ooltewah TN.
Notable Characteristics: frosted appearance.
Remarks: will lose frosting in heat.
[Parentage unknown]
- H.* 'Lakeside Gold Point'** M. Chastain (OR) 1995
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Fast growing, moderately dense, semi-upright habit.
Leaf: 6 in. (15.0 cm.) long, 2.1 in. (5.2 cm.) wide, 4 pairs of moderately prominent veins. Deep gold with a slightly rippled margin. Dull on top and underneath; moderately wavy; heavy substance; ovate with a rounded base.
Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); green.
Flower: 1.9 in. (4.8 cm.) long, lavender, tubular; Tenn: early July to early August.
Seed: viable.

- Clump History: 2 years old.
[Parentage unknown]
- H. 'Lakeside Grandee'** M. Chastain (OR) 1994
Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high, with a moderately dense, mound-like habit.
Leaf: 8 in. (20.3 cm.) wide, 13 in. (33 cm.) long; 14 pairs of prominent veins; dark green; heavily rippled margin; slightly shiny above, dull underneath; deeply rippled; heavy substance; ovate with a cordate base.
Scape: 26 in. (66 cm.) high, ranging from 23-30 in. (58.4-68.6 cm.); dark green.
Flower: 1.63 in. (4.1 cm.) long, pure white, tubular; Tenn: June.
Seed: viable.
Clump History: 4 years old.
[Parentage unknown]
- H. 'Lakeside Happy Talk'** M. Chastain (ONIR) 1998
Plant: 16 in. (40.6 cm.) diameter, 5.5 in. (14.0 cm.) high. Mound-like with a moderate growth rate.
Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Creamy white with a 0.75 in. (1.91 cm.) wide, flat, medium green margin. Slightly shiny on top and underneath; lightly folded, ovate with a rounded base.
Flower: pale lavender; Ooltewah TN: summer period.
Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
[H. "seedling" x H. "seedling"]
- H. 'Lakeside Kaleidoscope'** M. Chastain (OR) 1994
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high, with a compact, mound-like habit.
Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 7 pairs of moderately prominent veins; streaked blue-green, with a 1 in. (2.5 cm.) wide, uneven (runs into the Leaf), creamy white, smooth margin; slightly shiny above and underneath; lightly wavy; good substance; ovate with a flat base.
Scape: 24 in. (61 cm.) high, ranging from 22-27 in. (55.9-68.6 cm.); streaked blue-green and cream.
Flower: 1.75 in. (4.5 cm.) long, near-white, tubular; Tenn: mid-July to mid-August.
Seed: viable.
Clump History: 5 years old.
[Parentage unknown]
- H. 'Lakeside Knickknack'** M. Chastain (OR) 1994
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high, with a compact, mound-like habit.
Leaf: 2.5 in. (6.4 cm.) wide, 3.5 in. (8.9 cm.) long; 6 pairs flat veins; streaked medium green, light green and cream; margin varies from none to very wide, smooth; slightly shiny above, dull underneath; flat; average substance; ovate with a rounded base.
Scape: 17 in. (43.2 cm.) high, ranging from 15-19 in. (38.1-48.3 cm.); streaked as leaf.
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Tenn: late June.
Seed: viable.
Clump History: 5 years old.
[H. "seedling" x H. 'Hydon Sunset']
- H. 'Lakeside Ladyfinger'** M. Chastain (ONIR) 1997
Plant: 16 in. (40.6 cm.) diameter, 3.5 in. (8.9 cm.) high. Mound-like and fast growing.
Leaf: 4.5 in. (11.4 cm.) long, 1.5 in. (3.8 cm.) wide. 3 pairs of insignificant veins. Light green with a 0.5 in. (1.27 cm.) wide, heavily rippled, creamy white margin. Slightly shiny on top and underneath; lance-shaped with a tapered base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-23 in. (45.7-58.4 cm.).
Flower: 2.13 in. (5.4 cm.) long, deep purple, bell-shaped; Ooltewah TN: 7/28 - 8/1 - 8/10 (5 - 5 - 5).
Seed: viable; pod is reddish purple.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
Notable Characteristics: ruffled green leaves with red scapes and purple flowers.
[H. "Lakeside seedling" x H. "Lakeside seedling"]
- H. 'Lakeside Lagoon'** M. Chastain (ONIR) 1998
Plant: 49 in. (124 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like and fast growing.
Leaf: 16 in. (40.6 cm.) long, 9 in. (22.9 cm.) wide. 13 pairs of veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, broadly ovate with a cordate base.
Scape: ranging from 24-26 in. (61-66 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, near-white, bell-shaped; Ooltewah TN: 7/10 - ? - 8/12 (5 - ? - 6).
Seed: viable; pod is green.
Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.
[H. *hypoleuca* x H. "blue seedling"]
- H. 'Lakeside Lime Time'** M. Chastain (ONIR) 1998
Plant: 18 in. (45.7 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like and fast growing.
Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Light green with a slightly rippled margin. Dull on top and underneath; lightly wavy, ovate with a flat base.
Scape: ranging from 14-22 in. (35.6-55.9 cm.) high.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 5/18 - ? - 6/15 (1 - ? - 2).
Seed: viable; pod is light green.
Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
[H. 'Lakeside Ninita' sport]
- H. 'Lakeside Little Gem'** M. Chastain (OR) 1993
Plant: 8 in. (20.3 cm.) wide, 5 in. (12.7 cm.) high.
Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide, 5 pairs of moderately prominent veins; medium green; ovate with a rounded base; margin slightly rippled; slightly shiny above and dull underneath; wavy.
Scape: 18 in. (45.7 cm.) long.
Flower: medium lavender, tubular; Tenn: June - early July.
Seed: viable.
[Parentage unknown]

- H. 'Lakeside Little Tuft'** M. Chastain (ONIR) 1997
Plant: 10 in. (25.4 cm.) diameter, 4.5 in. (11.4 cm.) high.
Upright with a moderate growth rate.
Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of insignificant veins. Yellow gold with a 0.75 in. (1.91 cm.) wide, slightly rippled, green margin. Very shiny on top and underneath; lightly folded, lance-shaped with a tapered base; petiole is very short.
Scape: 8 in. (20.3 cm.) high, ranging from 7-9 in. (17.8-22.9 cm.).
Flower: 1.75 in. (4.4 cm.) long, deep purple, tubular; Ooltewah TN: 7/1 - 7/15 - 7/28 (5 - 5 - 5).
Seed: viability unknown; pod is green.
Clump History: a division of the original, 2 years old, growing in Ooltewah TN.
[H. "Lakeside seedling" x H. "Lakeside seedling"]
- H. 'Lakeside Lollipop'** M. Chastain (OR) 1993
Plant: 16 in. (40.6 cm.) wide, 8 in. (20.3 cm.) high.
Leaf: 3.25 in. (8.3 cm.) long, 3 in. (7.6 cm.) wide, 9 pairs of moderately prominent veins; dark green; nearly round with a rounded base; margin smooth; slightly shiny above and underneath; cupped.
Scape: 16 in. (40.6 cm.) long; inflorescence leaves; dark green.
Flower: pure white, tubular; Tenn: early July.
Seed: viable.
[Parentage unknown]
- H. 'Lakeside Looking Glass'** M. Chastain (ONIR) 1997
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high.
Mound-like and fast growing.
Leaf: 8 in. (20.3 cm.) long, 5.5 in. (14 cm.) wide. 5 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; moderately wavy, elliptic with a rounded base; petiole blue-black.
Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.).
Flower: 1.5 in. (3.8 cm.) long, medium lavender, spider-shaped; Ooltewah TN: 8/6 - 8/15 - 8/30 (6 - 6 - 6).
Seed: viable; pod is green.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
Notable Characteristics: a blue-black sheen on the petiole with a lighter shade of green going into the leaf veins.
[H. *yingeri* hybrid]
- H. 'Lakeside Love Affaire'** M. Chastain (ONIR) 1997
Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high.
Upright with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 10-11 of insignificant veins. White with a 2 in. (5.08 cm.) wide, flat, dark green margin. A lighter green transition present between the margin and the center. Slightly shiny on top, dull underneath; ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high, ranging from 18-30 in. (45.7-76.2 cm.).
Flower: near white, tubular; Ooltewah TN: 6/10 - 7/4 - 8/10 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
- Notable Characteristics: tri-colored leaf, dark green margin color.
[H. "Lakeside seedling" x H. "Lakeside seedling"]
- H. 'Lakeside Maestro'** M. Chastain (OR) 1995
Plant: 55 in. (139.7 cm.) diameter, 24 in. (61 cm.) high. Fast growing, compact, semi-upright habit.
Leaf: 15 in. (38.0 cm.) long, 11 in. (28.0 cm.) wide. 15 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, dull underneath; intensely rippled; good substance; ovate with a cordate base.
Scape: 44 in. (111.8 cm.) high, ranging from 40-47 in. (101.6-119.4 cm.); green.
Flower: 1.9 in. (4.8 cm.) long, pure white, tubular; Tenn: early June to late July.
Seed: viable.
Clump History: 3 years old.
[H. 'Lakeside Ripples' x H. 'Mikado']
- H. 'Lakeside Masterpiece'** M. Chastain (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high. A moderate growth rate.
Leaf: 12 in. (30.5 cm.) long, 8.5 in. (21.6 cm.) wide. Intensely blue-green with a 1.75 in. (4.45 cm.) wide, creamy white margin. Dull on top, slightly shiny underneath; lightly wavy, broadly ovate with a cordate base.
Scape: ranging from 14-18 in. (35.6-45.7 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, pure-white, tubular; Ooltewah TN: 6/15 - ? - 7/20 (2 - ? - 5).
Seed: viable; pod is green.
Clump History: a fourth generation division of the original, 6 years old, growing in Ooltewah TN.
[H. "BSR 3-21-2" x H. 'Big Daddy']
- H. 'Lakeside Meter Maid'** M. Chastain (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing.
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of veins. Pure white with a 2 in. (5.08 cm.) wide, slightly rippled, dark green margin. Slightly shiny on top and underneath; lightly wavy, broadly ovate with a cordate base.
Scape: ranging from 22-26 in. (55.9-66 cm.) high.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/20 - ? - 7/25 (3 - ? - 4).
Seed: viability unknown; pod is near white.
Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
Notable Characteristics: tends to be larger than summer music.
[H. 'Summer Music' sport]
- H. 'Lakeside Miss Muffett'** M. Chastain (ONIR) 1998
Plant: 21 in. (53.3 cm.) diameter, 6 in. (15.2 cm.) high. A mound-like habit.
Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 6 pairs of veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, white margin. Slightly shiny on top and underneath; lightly wavy, ovate with a cordate base.
Scape: ranging from 15-22 in. (38.1-55.9 cm.) high.

- Flower: 2 in. (5.1 cm.) long, pale lavender; Ooltewah TN: 5/2 - 6/7 - 6/20 (1 - 1 - 1).
Seed: viable; pod is green.
Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
[*H.* 'Lakeside Knickknack' sport]
- H. 'Lakeside Ninita'** M. Chastain (OR) 1993
Plant: 12 in. (30.5 cm.) wide, 4 in. (10.2 cm.) high.
Leaf: 3 in. (7.6 cm.) long, 2.5 in. (6.4 cm.) wide, 7 pairs of moderately prominent veins; light green (lime yellow) with a 0.5 in. creamy white margin; ovate with a flat base; margin slightly rippled; slightly shiny above and dull underneath.
Scape: 15 in. (38.1 cm.) long; light green.
Flower: medium lavender, tubular; Tenn: late June.
Seed: viable.
[*H.* "seedling" x *H.* 'Hydon Sunset']
- H. 'Lakeside Paddywack'** M. Chastain (ONIR) 1996
Plant: 7 in. (17.8 cm.) diameter, 5.5 in. (14 cm.) high. Mound-like and fast growing.
Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of insignificant veins. Pure white with a 0.5 in. flat, dark green margin. Slightly shiny on top, dull underneath; ovate with a cordate base. Petiole white.
Scape: 10 in. (25.4 cm.) high, ranging from 9-12 in. (22.9-30.5 cm.); inflorescence leaves.
Flower: 1.75 in. (4.4 cm.) long, pale lavender, tubular, striped; Ooltewah TN: 6/2 - 7/24 - 8/20 (1 - 5 - 6), repeats twice.
Seed: viable; pod is light green.
Clump History: a division of the original, 1 years old, growing in Ooltewah TN.
Notable Characteristics: clean color separation with no melting.
[*H.* 'Lakeside Knickknack' sport (stable form)]
- H. 'Lakeside Party Dress'** M. Chastain (ONIR) 1997
Plant: 30 in. (76.2 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like and fast growing.
Leaf: 8 in. (20.3 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of prominent veins. Light green, changing to gold and back again, with a 0.5 in. (1.27 cm.) wide, heavily rippled, creamy white margin. Veins are the same color as the margin. Slightly shiny on top and underneath; deeply wavy, lance-shaped with a tapered base; petiole with a red base.
Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.).
Flower: 2.75 in. (7 cm.) long, medium lavender, tubular; Ooltewah TN: 8/7 - 8/15 - 8/30 (6 - 6 - 6).
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
Notable Characteristics: vein color matches margin; red petioles.
[*H.* "Lakeside seedling" x *H.* 'Spritzer']
- H. 'Lakeside Pebbles'** M. Chastain (OR) 1995
Plant: 26 in. (66.0 cm.) diameter, 13 in. (33.0 cm.) high. Moderately growing, compact, mound-like habit.
- Leaf: 7 in. (18.0 cm.) long, 7 in. (18.0 cm.) wide, 14 pairs of moderately prominent veins. Dark green with a smooth margin. Slightly shiny on top, dull underneath; moderately cupped, intensely corrugated; heavy substance; nearly round with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); dark green.
Flower: 1.75 in. (4.5 cm.) long, pure white, tubular; Tenn: late May to late June.
Seed: viable.
Clump History: 4 years old.
[Parentage unknown]
- H. 'Lakeside Penny Pincher'** M. Chastain (ONIR) 1998
Plant: 16 in. (40.6 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like and fast growing.
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of veins. Dark green with a 0.38 in. (0.95 cm.) wide, slightly rippled, golden yellow margin. Very shiny on top and underneath; lightly wavy, ovate with a rounded base.
Scape: ranging from 10-14 in. (25.4-35.6 cm.) high.
Flower: 2 in. (5.1 cm.) long, tubular; Ooltewah TN: 7/20 - ? - 8/6 (5 - ? - 6).
Seed: viability unknown; pod is green.
Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
[Parentage unknown]
- H. 'Lakeside Premier'** M. Chastain (OR) 1994
Plant: 28 in. (71.1 cm.) diameter, 17 in. (43.2 cm.) high, with a moderately dense, mound-like habit.
Leaf: 8.5 in. (21.6 cm.) wide, 10 in. (25.4 cm.) long; 11 pairs of moderately prominent veins; dark green with a 1.5 in. (3.8 cm.) wide, creamy white (lighter towards then end of the season), slightly rippled margin; slightly shiny above, dull underneath; lightly wavy; heavy substance; broadly ovate with a cordate base.
Scape: 32 in. (81.3 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); green.
Flower: 1 in. (2.5 cm.) long, near-white, tubular; Tenn: mid-June to mid-July.
Seed: viable.
Clump History: 5 years old.
[Parentage unknown]
- H. 'Lakeside Prissy Miss'** M. Chastain (ONIR) 1997
Plant: 27 in. (68.6 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and fast growing.
Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs veins. Yellow gold with a 0.75 in. (1.91 cm.) wide, heavily rippled, creamy white margin. Slightly shiny on top and dull underneath; moderately wavy, ovate with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.).
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Ooltewah TN: 6/18 - 7/10 - 7/25 (3 - 4 - 4).
Seed: viable; pod is green.
Clump History: a division of the original, 2 years old, growing in Ooltewah TN.
Notable Characteristics: a ruffled margin.

- [*H.* "Lakeside seedling" x *H.* 'Lakeside Little Gem']
- H.* 'Lakeside Rhapsody'** M. Chastain (OR) 1995
 Plant: 34 in. (86.4 cm.) diameter, 14 in. (35.6 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 8 in. (20.0 cm.) long, 7 in. (18.0 cm.) wide. 12 pairs of moderately prominent veins. Medium blue-green with a 2 in. (5.1 cm.) wide, smooth, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy; good substance; broadly ovate with a cordate base.
 Scape: 27 in. (68.6 cm.) high, ranging from 22-29 in. (55.9-73.7 cm.); green.
 Flower: 1.38 in. (3.5 cm.) long, near-white, tubular; Tenn: June through early July.
 Seed: viable.
 Clump History: 2 years old.
 Remarks: leaf center gets greener, margin loses some yellow.
 [Parentage unknown]
- H.* 'Lakeside Ring Master'** M. Chastain (ONIR) 1998
 Plant: 27 in. (68.6 cm.) diameter, 36 in. (91.4 cm.) high. A moderate growth rate.
 Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 13 pairs of veins. Medium green with a 1.5 in. (3.81 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; lightly wavy, broadly ovate with a cordate base; petiole is strong and upright.
 Scape: ranging from 40-44 in. (101.6-111.8 cm.) high.
 Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ooltewah TN: 7/6 - ? - 8/4 (5 - ? - 6).
 Seed: none set.
 Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
 [*H.* "Lakeside Roy El streaked form" x *H.* 'Lakeside Ripples']
- H.* 'Lakeside Roy El'** M. Chastain (OR) 1994
 Plant: 34 in. (86.4 cm.) diameter, 24 in. (61 cm.) high, with a compact, semi-upright habit.
 Leaf: 9 in. (22.9 cm.) wide, 10.5 in. (26.7 cm.) long; 12 pairs of prominent veins; medium green with a 1.5 in. (3.8 cm.) wide, medium gold, smooth margin; slightly shiny above, glaucous bloom underneath; deeply corrugated; good substance; broadly ovate with a cordate base.
 Scape: 46 in. (116.8 cm.) high, ranging from 42-48 in. (106.7-121.9 cm.); green.
 Flower: 1.38 in. (3.5 cm.) long, medium lavender, tubular; Tenn: mid-June to mid-July.
 Seed: viable.
 Clump History: 5 years old.
 [Parentage unknown]
- H.* 'Lakeside San Kao'** M. Chastain (OR) 1995
 Plant: 46 in. (116.8 cm.) diameter, 8.5 in. (21.59 cm.) high.
 Moderately growing, moderately dense, mound-like habit.
 Leaf: 11.5 in. (29.0 cm.) long, 8.5 in. (22.0 cm.) wide. 15 pairs of prominent, dark green veins. Greenish white with a slightly rippled margin. Slightly shiny on top and underneath; moderately folded, lightly rippled; heavy substance; broadly ovate with a cordate base.
 Scape: 17.5 in. (44.5 cm.) high, ranging from 15-19 in. (38.1-48.3 cm.); green.
 Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Tenn: June.
 Seed: viable.
 Clump History: 3 years old.
 [*H.* "Lakeside seedling" x *H.* 'Piedmont Gold']
- H.* 'Lakeside Sapphire Pleats'** M. Chastain (ONIR) 1996
 Plant: 27 in. (68.6 cm.) diameter, 12 in. (30.5 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with flat margin. Dull on top and underneath; moderately cupped, intensely corrugated; broadly ovate with a cordate base.
 Scape: 17 in. (43.2 cm.) high, ranging from 17-18 in. (43.2-45.7 cm.).
 Flower: 1.5 in. (3.8 cm.) long, near white, bell shaped; Ooltewah TN: 6/4 - 6/15 - 6/23 (2 - 2 - 3).
 Seed: viable; pod is blue-green.
 Clump History: the original seedling, 7 years old, growing in Ooltewah TN.
 Notable Characteristics: very wide light blue petiole which extends into a pleated leaf.
 [Parentage unknown]
- H.* 'Lakeside Shore Master'** M. Chastain (ONIR) 1998
 Plant: 26 in. (66.0 cm.) diameter, 12 in. (30.5 cm.) high.
 Mound-like and fast growing.
 Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 12 pairs of veins. Light green with a 2.5 in. (6.35 cm.) wide, flat, intensely blue-green margin. Dull on top, slightly shiny underneath; lightly cupped, broadly ovate with a cordate base.
 Scape: ranging from 18-22 in. (45.7-55.9 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/9 - ? - 7/15 (2 - ? - 4).
 Seed: viable; pod is dark green.
 Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
 Notable Characteristics: heavy substance.
 [Parentage unknown]
- H.* 'Lakeside Small Fry'** M. Chastain (ONIR) 1998
 Plant: 10 in. (25.4 cm.) diameter, 3 in. (7.6 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 3 in. (7.6 cm.) long, 1.5 in. (3.8 cm.) wide. 6 pairs of veins. Medium green with a 0.25 in. (0.64 cm.) wide, slightly rippled, white margin. Dull on top, glaucous bloom underneath; ovate with a rounded base.
 Scape: ranging from 8-12 in. (20.3-30.5 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 8/2 - ? - 8/28 (5 - ? - 6).
 Seed: viable; pod is green.
 Clump History: a first generation division of the original, 5 years old, growing in Ooltewah TN.
 [*H.* "seedling" x *H.* "seedling"]
- H.* 'Lakeside Sophistication'** M. Chastain (OR) 1995
 Plant: 20 in. (50.8 cm.) diameter, 8 in. (20.3 cm.) high.
 Moderately growing, compact, mound-like habit.

- Leaf: 7 in. (18.0 cm.) long, 4 in. (10.0 cm.) wide. 6 pairs of flat veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, medium green margin. Dull on top and underneath; lightly cupped; average substance; ovate with a rounded base.
Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Tenn: late June through July.
Seed: viability unknown.
Clump History: 1 years old.
[Parentage unknown]
- H. 'Lakeside Sparkle Plenty'** M. Chastain (OR) 1995
Plant: 25 in. (63.5 cm.) diameter, 19 in. (48.3 cm.) high. Fast growing, compact, semi-upright habit.
Leaf: 5.5 in. (14 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of moderately prominent veins. Emerging green, turning yellow gold, with a 0.13 in. (0.32 cm.) wide, slightly rippled, medium green margin. Very shiny on top, slightly shiny underneath; lightly twisted; good substance; ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.
Flower: 1.75 in. (4.5 cm.) long, pale purple, tubular; Tenn: July.
Seed: viable.
Clump History: 2 years old.
[Parentage unknown]
- H. 'Lakeside Spellbinder'** M. Chastain (ONIR) 1997
Plant: 30 in. (76.2 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like and fast growing.
Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs of insignificant veins. Creamy white with a 2 in. (5.08 cm.) wide, flat, dark green margin. Dull on top and underneath; broadly ovate with a cordate base.
Scape: 60 in. (152 cm.) high, ranging from 50-66 in. (127-167.6 cm.).
Flower: 1.86 in. (4.7 cm.) long, near white, tubular; Ooltewah TN: 7/10 - 7/30 - 8/11 (4 - 5 - 5).
Seed: viable; pod is white.
Clump History: a division of the original, 1 year old, growing in Ooltewah TN.
Notable Characteristics: leaf coloration.
[Parentage unknown]
- H. 'Lakeside Spruce Goose'** M. Chastain (ONIR) 1998
Plant: 24 in. (61.0 cm.) diameter, 10 in. (25.4 cm.) high. A mound-like habit.
Leaf: 6.5 in. (16.5 cm.) long, 4 in. (10.2 cm.) wide. 6-7 pairs of veins. Dark green with a 0.75 in. (1.91 cm.) wide, flat, white margin. Very shiny on top, slightly shiny underneath; ovate with a rounded base.
Scape: ranging from 11-15 in. (27.9-38.1 cm.) high.
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Ooltewah TN 7/6 - ? - 7/30 (4 - ? - 5).
Seed: viability unknown.
Clump History: a second generation division of the original, 2 years old, growing in Ooltewah TN.
[Parentage unknown]
- H. 'Lakeside Surf Rider'** M. Chastain (ONIR) 1997
Plant: 72 in. (183 cm.) diameter, 38 in. (96.5 cm.) high. Upright and fast growing.
Leaf: 13 in. (33 cm.) long, 11.5 in. (29.2 cm.) wide. 15 pairs of prominent veins. Slightly blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately wavy, nearly round with a cordate base; petiole strong and straight.
Scape: 54 in. (137 cm.) high, ranging from 48-60 in. (121.9-152.4 cm.).
Flower: 2.25 in. (5.7 cm.) long, near white, tubular; Ooltewah TN: 6/20 - 6/30 - 7/18 (2 - 2 - 3).
Seed: viable; pod is green.
Clump History: the original seedling, 7 years old, growing in Ooltewah TN.
[H. 'Lakeside Ripples' x H. 'Sagae']
- H. 'Lakeside Twiddle Dee'** M. Chastain (ONIR) 1996
Plant: 11 in. (27.9 cm.) diameter, 8 in. (20.3 cm.) high. Upright and fast growing.
Leaf: 4.5 in. (11.4 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, slightly shiny underneath; twisted; lance-shaped with a tapered base.
Scape: 18 in. (45.7 cm.) high, ranging from 15-24 in. (38.1-61 cm.); bright green.
Flower: 2 in. (5.1 cm.) long, purple, tubular; Ooltewah TN: 7/20 - 8/1 - 8/6 (5 - 5 - 5).
Seed: viable; pod is bright green.
Clump History: a division of the original, 2 years old, growing in Ooltewah TN.
[H. 'Kabitan' x H. "seedling 9-14-7"]
- H. 'Lakeside Waterfall'** M. Chastain (ONIR) 1998
Plant: 42 in. (107 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like and fast growing.
Leaf: 5.5 in. (14.0 cm.) long, 3.5 in. (8.9 cm.) wide. 8 pairs of veins. Golden yellow with a flat margin. Slightly shiny on top and underneath; ovate with a rounded base; a long petiole.
Scape: ranging from 16-21 in. (40.6-53.3 cm.) high.
Flower: 2.25 in. (5.7 cm.) long, medium lavender, tubular; Ooltewah TN: 7/15 - ? - 8/18 (5 - ? - 7).
Seed: viable; pod is light green.
Clump History: a first generation division of the original, 6 years old, growing in Ooltewah TN.
Notable Characteristics: tall scapes.
[Parentage unknown]
- H. 'Lakeside Zinger'** M. Chastain (ONIR) 1998
Plant: 9 in. (22.9 cm.) diameter, 6.5 in. (16.5 cm.) high. Mound-like and fast growing.
Leaf: 3 in. (7.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of veins. Medium green with a 0.38 in. (0.95 cm.) wide, flat, white margin. Slightly shiny on top and underneath; ovate with a rounded base.
Scape: ranging from 11-18 in. (27.9-45.7 cm.) high.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Ooltewah TN: 6/5 - ? - 7/14 (3 - ? - 5).
Seed: viable; pod is green.
Clump History: a first generation division of the original, growing in Ooltewah TN.

- Notable Characteristics: green dots in the leaf margin.
[Parentage unknown]
- H. 'Laura and Darrell'** H. Hatfield (ONI), 1997
D. & J. Ward (R)
Plant: 30 in. (76.2 cm.) diameter, 16 in. (40.6 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 14-15 pairs of prominent veins. Medium green with a 1 in. (2.54 cm.) wide, yellow gold margin. Slightly shiny on top, dull underneath; cupped, broadly ovate with a cordate base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-21 in. (45.7-53.3 cm.).
Flower: 0.75 in. (1.9 cm.) long, tubular; 7/15 - 7/20 - 7/25 (4 - 4 - 4).
Seed: viable; pod is green.
[H. 'Zounds' sport]
- H. 'Lavender Doll'** H. Sugita (O), P. Ruh (ONIR) 1998
Plant: 40 in. (102 cm.) diameter, 22 in. (55.9 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 5.5 in. (14 cm.) wide. 11 pairs prominent veins. Light green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly twisted, moderately wavy, ovate with a rounded base; petiole has a lavender base.
Scape: 30.5 in. (77.5 cm.) high, ranging from 28-30 in. (71.1-76.2 cm.) in length; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, lavender, striped, bell-shaped; Chesterland OH; 8/2 - 8/14 - 8/26.
Seed: viable; pod is dark green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
Notable Characteristics: white back.
[H. *kiyosumiensis* x *H. pycnophylla*]
- H. 'Lavender Stocking'** H. Sugita (O), P. Ruh (ONIR) 1998
Plant: 43 in. (109 cm.) diameter, 20 in. (50.8 cm.) high.
Leaf: 13 in. (33 cm.) long, 7.5 in. (19.1 cm.) wide. 13 pairs prominent veins. Medium green with a slightly rippled margin. Very shiny on top, glaucous bloom underneath; moderately twisted, lightly folded, lightly wavy, broadly ovate with a rounded base.
Scape: 31 in. (78.7 cm.) high; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, pale lavender, striped, bell-shaped; Chesterland OH; 8/4 - 8/16 - 8/27.
Seed: viable; pod is dark green.
Clump History: the original seedling, 12 years old, growing in Chesterland OH.
[H. *kiyosumiensis* x *H. pycnophylla*]
- H. 'Leading Lady'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
Plant: 40 in. (101.6 cm.) diameter, 23 in. (58.4 cm.) high.
Moderately growing, moderately dense, semi-upright habit.
Leaf: 14 in. (36.0 cm.) long, 10 in. (25.0 cm.) wide. 12-13 pairs of prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, gold, changing to creamy white, margin. Slightly shiny on top and underneath; moderately wavy; heavy substance; ovate with a cordate base.
- Scape: 39 in. (99.1 cm.) high, glaucous green.
Flower: 2.5 in. (6.4 cm.) long, light lavender, tubular; Mich: mid-July to early August.
Seed: viability unknown.
Clump History: 7 years old.
[H. "William Lachman seedling" sport]
- H. 'Leather Coat'** R. Snyder (OR) 1995
Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Slow growing, moderately dense, mound-like habit.
Leaf: 7 in. (18 cm.) long, 6 in. (15 cm.) wide. 13 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Glaucous bloom on top and underneath; deeply folded, moderately cupped, lightly rippled; heavy substance; broadly ovate with a rounded base.
Scape: 15 in. (38.1 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.
Flower: 1.25 in. (3.2 cm.) long, white, tubular; Minn: late June to late July.
Seed: none set.
Clump History: 5 years old.
[H. 'Ryan's Big One' sport]
- H. 'Leatherneck'** F. Nyikos (ONIR) 1998
Plant: 48 in. (122 cm.) diameter, 40 in. (102 cm.) high.
Upright with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 6.5 in. (16.5 cm.) wide. 10 pairs veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; ovate with a cordate base.
Scape: ranging from 30-36 in. (76.2-91.4 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Unionville IN; 7/1 - 7/20 - 7/30.
Seed: pod is green.
Clump History: the original seedling, 7 years old, growing in Unionville IN.
[H. 'Yellow Splash Rim' x *H. 'Blue Dimples'*]
- H. 'Leon'** L. Simperts (O), P. Ruh (NR) 1995
Plant: 18 in. (45.7 cm.) diameter, 11 in. (27.9 cm.) high. A compact, mound-like habit. 7 year old division.
Leaf: 5.25 in. (13.0 cm.) long, 3.25 in. (8.3 cm.) wide. 7 pairs of moderately prominent veins. Medium green, Slightly shiny on top, very shiny underneath; moderately wavy; ovate with a rounded base.
Scape: 19 in. (48.3 cm.) high.
Flower: medium lavender, tubular; Ohio: late July to early August.
Seed: viable.
[Parentage unknown]
- H. 'Little Black Scape'** T. Avent (OR) 1995
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high.
Moderately growing, compact, mound-like habit.
Leaf: 5 in. (13 cm.) long, 4 in. (10.0 cm.) wide. 6 pairs of moderately prominent veins. Emerges green, turning to medium gold, with a smooth margin. Dull on top and underneath; lightly corrugated, good substance; ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high; near black.

- Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; N. Carolina: July.
Seed: viable.
Clump History: 6 years old.
[*H.* 'Sum and Substance' hybrid]
- H.* 'Little Cyn'** R. Duback (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 22 in. (55.9 cm.) high.
Mound-like and slow growing.
Leaf: 12 in. (30.5 cm.) long, 8.5 in. (21.6 cm.) wide. 14 pairs veins. Mottled with light green, medium green, medium blue-green, greenish yellow, pale yellow and yellow. Margin heavily rippled. Glaucous bloom on top and underneath; moderately wavy, moderately corrugated, broadly ovate with a cordate base.
Flower: pale lavender, bell-shaped.
Seed: viable; pod is green.
Clump History: 10 years old, growing in Vancouver WA.
Notable Characteristics: leaf variegation and heavy substance. [parentage unknown]
- H.* 'Little Darling'** C. Owens (OR) 1994
Plant: 13 in. (33 cm.) diameter, 8 in. (20.3 cm.) high, with a moderately dense, mound-like habit.
Leaf: 3.5 in. (8.9 cm.) wide, 4.5 in. (11.4 cm.) long; 6 pairs of prominent veins; dark green with a 0.75 in. (1.9 cm.) wide, creamy white, smooth margin; very shiny above and underneath; lightly corrugated; good substance; broadly ovate with a flat base.
Scape: 10 in. (25.4 cm.) high.
Flower: 1.25 in. (3.2 cm.) long, medium lavender, tubular; Mich: July.
Seed: viable.
Clump History: 8+ years old.
Remarks: the stable form of *H.* 'Betty Darling'.
[Parentage unknown]
- H.* 'Little Dart'** E. Fisher (O), 1995
R. Lydell (N), P. Ruh (R)
Plant: 13.5 in. (34.3 cm.) diameter, 8 in. (20.32 cm.) high. A loose, spreading habit, a 15 year old division.
Leaf: 4.5 in. (11.0 cm.) long, 1.6 in. (4.1 cm.) wide. 4 pairs of moderately prominent veins. Dark green with a smooth margin. Dull on top, slightly shiny underneath; lightly rippled; good substance; lance-shaped with a tapered base.
Scape: 20.5 in. (52.1 cm.) high.
Flower: purple, tubular; Ohio: August.
Seed: viable.
Clump History: 15 years old.
[*H.* 'Lancifolia' sport]
- H.* 'Little Lites'** J. Kulpa (O), P. Banyai (N), N. Krul (R) 1993
Plant: 12 in. (30.1 cm.) wide, 6 in. (15.2 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide, 7 pairs of moderately prominent veins; creamy white with 0.5 in. medium-dark green (3 colored) margin; ovate with a rounded base; margin smooth; slightly shiny above and dull underneath; lightly wavy.
Scape: 10 in. (25.4 cm.) long; small inflorescence leaves; creamy white.
Flower: pale lavender, tubular; Michigan: early July.
- [*H.* 'Northern Lights' sport]
- H.* 'Little Sunspot'** Briggs Nursery (ONIR) 1996
Plant: 12 in. (30.5 cm.) diameter, 5 in. (12.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 13-15 insignificant veins. Medium gold with a 0.5 in. flat, medium green margin. Dull on top, waxy underneath; lightly cupped; ovate with a rounded base.
Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); medium green.
Flower: 1.5 in. (3.8 cm.) long, white, tubular, lavender striped; pod is brown. Olympia WA: 8/1 - 8/10 - 9/1 (5 - 5 - 5).
Clump History: a division of the original, 5 years old, growing in Olympia WA.
[*H.* 'Little Aurora' sport]
- H.* 'Livonia'** G. Krossa (O), P. Ruh (NIR) 1997
Plant: 20 in. (50.8 cm.) diameter, 17 in. (43.2 cm.) high.
Upright and fast growing.
Leaf: 9.75 in. (24.8 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Light green with a slightly rippled margin. Dull on top and underneath; wavy, lance-shaped with a tapered base; petiole pink.
Scape: 25.5 in. (64.8 cm.) high, ranging from 23-26 in. (58.4-66 cm.).
Flower: 2.25 in. (5.7 cm.) long, deep purple, tubular; Chesterland OH: 7/6 - 7/21 - 8/1 (1 - 2 - 2).
Seed: viable; pod is purplish.
Notable Characteristics: pink petiole extends into leaf.
[Parentage unknown]
- H.* 'Locomotion'** Belle Gardens (OR) 1993
Plant: 25 in. (63.5 cm.) wide, 13 in. (33 cm.) high.
Leaf: 6.5 in. (16.5 cm.) long, 3 in. (7.6 cm.) wide, 6 pairs of moderately prominent veins; intensely blue-green; ovate with a rounded base; margin smooth; glaucous bloom above and underneath; moderately folded; moderately rippled.
Scape: 31 in. (78.7 cm.) long; inflorescence leaves; glaucous burgundy.
Flower: medium lavender, tubular.
Seed: viable.
[*H.* 'Crested Surf' x *H.* 'Bold Ruffles']
- H.* 'Lollapalooza'** E. Elslager (ONIR) 1998
Plant: 32 in. (81.3 cm.) diameter, 21 in. (53.3 cm.) high.
Upright and slow growing.
Leaf: 8.5 in. (21.6 cm.) long, 7.5 in. (19.1 cm.) wide. 13 pairs prominent veins. Dark green streaked yellow, with a 1.25 in. (3.18 cm.) wide, slightly rippled, creamy white margin. Very shiny on top, slightly shiny underneath; lightly corrugated, nearly round with a cordate base; petiole with a cream margin and streaks.
Scape: 31 in. (78.7 cm.) high, ranging from 29-34 in. (73.7-86.4 cm.) in length; inflorescence leaves.
Flower: 2.25 in. (5.7 cm.) long, near-white, lavender stripes, tubular; Ann Arbor MI: 7/2 - 7/18 - 7/30 (4 - 5 - 6).
Seed: viable; pod is green.
Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.

[*H.* 'Galaxy' hybrid]

***H.* 'Lonesome Pine'** W. & E. Lachman (OR) 1995

Plant: 50 in. (127.0 cm.) diameter, 26 in. (66.0 cm.) high.
Moderately growing, moderately dense, semi-upright habit.

Leaf: 11 in. (28.0 cm.) long, 8.25 in. (21 cm.) wide. 10 pairs of flat veins. Medium green with a 1 in. (2.5 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy; good substance; ovate with a cordate base.

Scape: 36 in. (91.4 cm.) high, green.

Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular; Mass: July.

Seed: viable.

Remarks: leaf has a "milky overlay".

Clump History: 4 years old.

[Parentage unknown]

***H.* 'Louie'** Missouri Botanical Garden (O) 1996

K. Squires (NI), P. Ruh (R)

Plant: 8 in. (20.3 cm.) diameter, 3.5 in. (8.9 cm.) high.
Mound-like and slow growing.

Leaf: 1.75 in. (4.4 cm.) long, 0.5 in. (1.3 cm.) wide. 2 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top, slightly shiny underneath; wavy; lance-shaped with a flat base.

Scape: 8 in. (20.3 cm.) high.

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chesterland OH: 8/26 - 9/9 - 9/21.

Seed: viable; pod is light green.

Clump History: a division of the original, 5 years old, growing in Chesterland OH.

[Parentage unknown]

***H.* 'Louise Ryan'** Walters Gardens, Inc. (O), C. Falstad (R) 1993

Plant: 32 in. (81.3 cm.) wide, 26 in. (66 cm.) high.

Leaf: 12 in. (30.1 cm.) long, 7.75 in. (19.7 cm.) wide, 15-17 pairs of moderately prominent veins; intensely blue green with a 2 in. medium green margin; broadly ovate with a cordate base; margin smooth; glaucous bloom above and underneath; moderately corrugated.

Scape: 26 in. (66 cm.) long.

Flower: near-white, tubular; Michigan: late June - early July.

[*H.* 'Ryan's Big One' sport]

***H.* 'Love Burst'** D. & D. Ballantyne (OR) 1994

Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high, with an open, semi-upright habit.

Leaf: 8 in. (20.3 cm.) wide, 8 in. (20.3 cm.) long; 13 pairs of moderately prominent veins; medium yellow with a 2 in. (5.1 cm.) wide, dark blue margin; cupped; corrugated; nearly round with a cordate base.

Scape: 26 in. (66 cm.) high.

Flower: white, tubular; Oregon: June to July.

Seed: viable.

Clump History: 4 years old.

[*H.* 'Love Pat' sport]

***H.* 'Love of Life'** N. Krul (O), E. Elslager (NIR) 1998

Plant: 54 in. (137 cm.) diameter, 25 in. (63.5 cm.) high.
Upright and fast growing.

Leaf: 9.75 in. (24.8 cm.) long, 8.5 in. (21.6 cm.) wide. 11 pairs prominent veins. Dark green with a 0.75 in. (1.91 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top, dull underneath; moderately corrugated, broadly ovate with a cordate base; petiole with creamy white margin.

Scape: 35 in. (88.9 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.) in length; inflorescence leaves.

Flower: 2.25 in. (5.7 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 7/13 - 7/24 - 8/11 (5 - 6 - 6).

Seed: viable; pod is green.

Clump History: the original seedling, 6 years old, growing in Ann Arbor MI.

[*H.* 'Whoopée' hybrid]

***H.* 'Lovelight'** W & E. Lachman (OR) 1992

Plant: 27 in. (68.6 cm) wide, 14 in. (35.6 cm) high.

Leaf: 9 in. (22.9 cm) long, 7 in. (17.8 cm) wide, 11 pairs of veins; light green with a light yellow-gold streaked, 1.5 inch (3.8 cm) margin; margin slightly rippled; ovate with a cordate based; wavy; glaucous bloom; dull texture underneath.

Scape: 36 in. (91.4 cm) long, inflorescence leaves; light green.

Flower: pure white, flaring; Massachusetts: June.

Seed: viable.

[*H.* 'Flamboyant' x *H.* 'Banana Sundae']

***H.* 'Lovely Lauren'** E. Elslager (ONIR) 1998

Plant: 28 in. (71.1 cm.) diameter, 15 in. (38.1 cm.) high.
Upright with a moderate growth rate.

Leaf: 7 in. (17.8 cm.) long, 4.75 in. (12.1 cm.) wide. 8 pairs of prominent veins. Medium green with a 0.38 in. (0.97 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; ovate with a cordate base; petiole with creamy white margin.

Scape: 37 in. (94 cm.) high, ranging from 33-38 in. (83.8-96.5 cm.) in length; inflorescence leaves.

Flower: 2.25 in. (5.7 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 7/8 - 7/22 - 8/10 (5 - 5 - 6).

Seed: viable; pod is reddish green.

Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.

Notable Characteristics: good sun tolerance, tall scapes and good substance.

[*H.* 'Sophistication' hybrid]

***H.* 'Lover's Leap'** H. & D. Benedict (OR) 1995

Plant: 20 in. (50.8 cm.) diameter, 24 in. (61 cm.) high. Slow growing, moderately dense, mound-like habit.

Leaf: 10 in. (25.0 cm.) long, 8 in. (20.0 cm.) wide. 12 pairs of prominent veins. Creamy white with a 1 in. (2.5 cm.) wide, smooth, dark green margin. glaucous bloom on top; moderately corrugated; heavy substance; ovate with a cordate base.

Scape: 36 in. (91.4 cm.) high, ranging from 30-38 in. (76.2-96.5 cm.).

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Mich: July.

Seed: viable.

Clump History: 7 years old.

[*H.* 'Dorothy Benedict' x *H.* 'Nooner']

- H. 'Loyalist'** G. Van Eijk-Bos (ONI), C. Falstad (R) 1998
Plant: medium sized.
Leaf: 6.5 in. (16.5 cm.) long, 3.75 in. (9.5 cm.) wide. Creamy white with a, dark green margin.
Flower: pale lavender, tubular; average period.
Clump History: tissue cultured plant from the originator, 2 years old, growing in Zeeland MI.
Notable Characteristics: heavy substance, clean center and wide margin.
[*H.* 'Patriot' sport]
- H. 'Lunar Magic'** R. Lydell (OR) 1994
Plant: 36 in. (91.4 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, mound-like habit.
Leaf: 8 in. (20.3 cm.) wide, 8 in. (20.3 cm.) long; 10 pairs of prominent veins; medium green changing to deep gold, with a 2.5 in. (6.4 cm.) wide, dark green, slightly rippled margin; slightly shiny above, dull underneath; lightly wavy, moderately corrugated; good substance; broadly ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 20-26 in. (50.8-66 cm.); green.
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; New York: August.
Seed: viable.
Clump History: 4 years old.
[*H.* 'Lunar Orbit' sport]
- H. 'Lunar Night'** R. Lydell (ONIR) 1998
Plant: 32 in. (81.3 cm.) diameter, 24 in. (61.0 cm.) high. A moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 9-10 pairs of veins. Dark green with a flat margin. Dull on top and underneath; moderately wavy, lightly corrugated, broadly ovate with a cordate base.
Scape: ranging from 28-30 in. (71.1-76.2 cm.) high.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dunkirk NY: 6/15 - 7/1 - 7/15 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 8 years old, growing in Dunkirk NY.
Notable Characteristics: vigorous with heavy substance.
[*H.* 'Lunar Magic' sport]
- M**
- H. 'Mack the Knife'** J. Dishon (ONIR) 1996
Plant: 15 in. (38.1 cm.) diameter, 5 in. (12.7 cm.) high. Mound-like and slow growing.
Leaf: 5 in. (12.7 cm.) long, 2.75 in. (7 cm.) wide. 7 pairs of insignificant veins. Dark green with a 0.5 in. slightly rippled, deep gold margin. Margin color fades to yellow gold. Slightly shiny on top, dull underneath; lightly twisted, moderately wavy; lance-shaped with a tapered base. Petiole very wide.
Scape: 13 in. (33 cm.) high; green.
Flower: 1.63 in. (4.1 cm.) long, pale lavender (white inside), tubular, lavender striped inside; Jackson MI: 7/15 - 7/30 (4 - 5).
Seed: viability unknown; pod is green.
- Clump History: the original seedling, 7 years old, growing in Jackson MI.
Notable Characteristics: unusual "orange" margin color and heavy substance.
[*H.* 'Galaxy' x *H.* 'Hadspen Heron']
- H. 'Magic Carpet'** R. Duback (ONIR) 1998
Plant: 14 in. (35.6 cm.) diameter, 8 in. (20.3 cm.) high. Upright.
Leaf: 3.5 in. (8.9 cm.) long, 1 in. (2.5 cm.) wide. Fast growing, 3 pairs of veins. Dark green with a 0.25 in. (0.64 cm.) wide, slightly rippled, golden yellow margin. Dull on top and underneath; lightly wavy, lance-shaped with a tapered base.
Flower: pale purple; Vancouver WA: summer period.
Seed: viability unknown.
Clump History: 4 years old, growing in Vancouver WA.
[*H.* 'Emerald Carpet' sport]
- H. 'Manhattan'** O. Petryszyn (OR), B. Brincka (OR) 1994
Plant: 32 in. (81.3 cm.) diameter, 14 in. (35.6 cm.) high, with a compact, mound-like habit.
Leaf: 8 in. (20.3 cm.) wide, 11 in. (27.9 cm.) long; 12 pairs of prominent veins; light green turning darker green with blue hues; heavily rippled margin; slightly shiny above, dull underneath; intensely wavy, intensely rippled, deeply corrugated; heavy substance; broadly ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.); blue-green to purple.
Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Indiana: July to Oct.
Seed: viable.
Clump History: 5 years old.
[*H.* 'Sea Frolic' hybrid]
- H. 'Marge'** L. Simperts (I), M. Soules (R) 1996
Plant: 37 in. (94 cm.) diameter, 16 in. (40.6 cm.) high. Stolonerous with a moderate growth rate.
Leaf: 10.25 in. (26 cm.) long, 8 in. (20.3 cm.) wide. 13 pairs of prominent veins. Medium green with a slightly rippled, translucent margin. Slightly shiny on top, dull underneath; lightly wavy, corrugated; ovate with a rounded base.
Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.).
Flower: 1.5 in. (3.8 cm.) long, near-white, funnel shaped; Indianapolis IN.; 7/17 - 7/12 - 7/25.
Seed: none set.
Clump History: 6 years old.
[*H.* *sieboldiana* hybrid]
- H. 'Margey'** P. Banyai (ON), C. Helsley (IR) 1998
Plant: 5 in. (12.7 cm.) diameter, 3 in. (7.6 cm.) high. Rhizomatous with a moderate growth rate.
Leaf: 1.5 in. (3.8 cm.) long, 0.75 in. (1.9 cm.) wide. 2 pairs of insignificant veins. Medium green with a flat margin. Dull on top, slightly shiny underneath; lightly wavy, ovate with a rounded base; petiole short.
Scape: 8 in. (20.3 cm.) high, ranging from 6-10 in. (15.2-25.4 cm.).

- Flower: 1 in. (2.5 cm.) long, pale purple, tubular; Mansfield MO: 6/25 - 7/4 - 7/15 (3 - 3 - 3).
Seed: viable; pod is dark green.
Clump History: a division of the original, 3 years old, growing in Mansfield MO.
Notable Characteristics: a plant of very small stature.
[Parentage unknown]
- H. 'Margin of Error'** B. Kuk (OR) 1995
Plant: 15 in. (38.1 cm.) diameter, 14 in. (35.6 cm.) high. Moderately growing, open, semi-upright habit.
Leaf: 5.5 in. (14.0 cm.) long, 3.25 in. (8.3 cm.) wide. 6 pairs of flat veins. Medium green with a 0.25 in. (.64 cm.) wide (variable), smooth, creamy white margin. Glaucous bloom on top and underneath; good substance; lance-shaped with a rounded base.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, striped inside, tubular; Ohio: August.
Seed: viable.
Clump History: 3 years old.
[H. 'Artist's Palette' sport]
- H. 'Marion Bachman'** L. Bachman (OR) 1992
Plant: 28 in. (20.3 cm) wide, 18 in. (45.7 cm) high.
Leaf: 8 in. (20.3 cm) long, 5 in. (12.7 cm) wide, 9-10 pairs of veins; light yellow-green with a variable, streaked dark green margin; ovate with a rounded base; margin slightly rippled; moderately corrugated; prominent veins; heavy substance; slightly shiny; dull texture underneath.
Scape: 24 in. (61 cm) long, inflorescence leaves.
Flower: lavender, tubular; Minnesota: late-July-early August.
[H. 'Fortunei' sport]
- H. 'Maya'** Meissner (ON), A. Summers (I), P. Ruh (R) 1996
Plant: 11.5 in. (29.2 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like and fast growing.
Leaf: 5.75 in. (14.6 cm.) long, 3 in. (7.6 cm.) wide. 7 pairs of prominent veins. Yellow center changing to green, with a 0.5 in. (1.27 cm.), green, slightly rippled margin. Dull on top and underneath; twisted, moderately wavy; lance-shaped with a rounded base.
Scape: 21 in. (53.3 cm.) high; inflorescence leaves; bluish-green.
Flower: 0.88 in. (2.2 cm.) long, lavender, bell shaped; Chesterland OH: 7/1 - 7/11 - 7/22.
Clump History: a division of the original, 15 years old, growing in Chesterland OH.
Notable Characteristics: dwarf stature and vigor.
[H. 'Fortunei Albopicta' sport]
- H. 'Mean Mama'** H. & D. Benedict (OR) 1995
Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Slow growing, moderately dense, mound-like habit.
Leaf: 10 in. (25.0 cm.) long, 7 in. (18.0 cm.) wide. 13 pairs of moderately prominent veins. Yellow gold with a 1.5 in. (3.8 cm.) wide, slightly rippled, dark green margin. Glaucous bloom on top and underneath; moderately cupped; heavy substance; ovate with a cordate base.
Scape: 16 in. (40.6 cm.) high, ranging from 15-22 in. (38.1-55.9 cm.).
- Flower: 1.5 in. (3.8 cm.) long, nearly-white, tubular; Mich: late June to mid-July.
Seed: viable.
Clump History: 4 years old.
[H. 'Dorothy Benedict' sport]
- H. 'Medusa'** R. Herold (OR) 1993
Plant: 12 in. (30.5 cm.) wide, 6 in. (15.2 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 1 in. (2.5 cm.) wide, 4 pairs of moderately prominent veins; creamy white with a 0.25 in. medium green margin; lance shaped with a tapered base; margin slightly rippled; slightly shiny above and very shiny underneath; moderately wavy; moderately rippled.
Scape: 15 in. (38.1 cm.) long; small inflorescence leaves.
Flower: pale purple, tubular; Mass: August.
Seed: viable.
[H. 'Neat Splash' x *H. gracillima*]
- H. 'Merry Sunshine'** E. Elslager (ONIR) 1998
Plant: 22 in. (55.9 cm.) diameter, 13 in. (33 cm.) high. Upright and slow growing.
Leaf: 8 in. (20.3 cm.) long, 6.5 in. (16.5 cm.) wide. 11 pairs prominent veins. Medium green with a 1.75 in. (4.45 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and waxy underneath; corrugated, broadly ovate with a cordate base; petiole with a creamy white edge and streaks.
Scape: 20 in. (50.8 cm.) high, ranging from 17-25 in. (43.2-63.5 cm.) in length; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 6/23 - 7/5 - 7/22 (5 - 5 - 5).
Seed: viability unknown; pod is green.
Notable Characteristics: large with a white back and creamy white margins.
Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.
[H. 'Fascination' x *H. hypoleuca*]
- H. 'Midnight Express'** D. & J. Ward (ONIR) 1996
Plant: 72 in. (183 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 10 in. (25.4 cm.) wide. 14 pairs of prominent veins. Slightly blue-green, changing to medium green, with a slightly rippled margin. Dull on top and underneath; moderately cupped; nearly round with a cordate base.
Scape: 45 in. (114 cm.) high, ranging from 43-46 in. (109.2-116.8 cm.); green.
Flower: 1.75 in. (4.4 cm.) long, near white, tubular; Columbus OH: 6/13 - 6/30 - 7/15 (3 - 3 - 3).
Seed: viable; pod is brown.
Clump History: the original seedling, 7 years old, growing in Columbus OH.
Notable Characteristics: upright habit, cupped and corrugated leaves, and changing color.
[H. 'Sagae' hybrid]
- H. 'Midnight Sun'** D. & J. Ward (ONIR) 1996
Plant: 60 in. (152 cm.) diameter, 28 in. (71.1 cm.) high. Upright with a moderate growth rate.
Leaf: 16 in. (40.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Yellow gold with a slightly rippled

- margin. Dull on top and underneath; moderately wavy; ovate with a cordate base.
 Scape: 38 in. (96.5 cm.) high, ranging from 36-39 in. (91.4-99.1 cm.); light green.
 Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 6/5 - 6/20 - 7/6 (2 - 2 - 2).
 Seed: viable; pod is light green.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 Notable Characteristics: bright color comes early, holds well.
 [*H. 'High Noon'* x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H. 'Mikawa-no-Yuki'** H. Sugita (ONI), P. Ruh (R) 1997
 Plant: 30 in. (76.2 cm.) diameter, 14 in. (35.6 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 8.5 in. (21.6 cm.) long, 3 in. (7.6 cm.) wide. 9-10 pairs of prominent veins. Medium green with a slightly rippled margin. Dull on top, white underneath; wavy, lance-shaped with a tapered base; petiole red spotted at the base.
 Scape: 14 in. (35.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.).
 Flower: 0.75 in. (1.9 cm.) long, pale lavender with faint striping, bell-shaped; Chesterland OH: 9/1 - 9/16 - 9/29 (7 - 8 - 8).
 Seed: viable; pod is green.
 Clump History: two clumps described, growing in Chesterland OH and Dunkirk NY.
 Notable Characteristics: white back of leaf.
 Remarks: formerly known as *H. 'Okazaki Special'*. The name was changed at the request of the originator.
 [*H. 'kikutii white back'* x *H. 'longipes white back'*]
- H. 'Millennium'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 54 in. (137.2 cm.) diameter, 36 in. (91.4 cm.) high.
 Slow growing, moderately dense, semi-upright habit.
 Leaf: 17 in. (43.0 cm.) long, 14 in. (36.0 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; intensely corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 50 in. (127.0 cm.) high, ranging from 45-50 in. (114.3-127 cm.); green.
 Flower: 1.75 in. (4.5 cm.) long, pure white, tubular; Mich: July.
 Seed: viable.
 Clump History: 5 years old.
 [*H. 'Herb Benedict'* x *H. 'Sagae'*]
- H. 'Minimoon'** W. & E. Lachman (OR) 1992
 Plant: 5 in. (12.7 cm) wide, 4.5 in. (11.4 cm) high.
 Leaf: 2.25 in. (5.7 cm) long, 1.75 in. (4.5 cm) wide, 11 pairs of veins; medium blue-green; ovate with a rounded base; moderately cupped; heavy substance; very shiny; dull texture underneath.
 Scape: 4 in. (10.1 cm) long, green.
 Flower: near-white, tubular; Massachusetts: early August.
 Seed: viable.
 [*H. 'Blue Moon'* selfed]
- H. 'Minna Blue'** J. Ruh (ONIR) 1997
 Plant: 26 in. (66 cm.) diameter, 11.5 in. (29.2 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 5.75 in. (14.6 cm.) long, 1.75 in. (4.4 cm.) wide. 5 pairs of prominent veins. Medium blue-green with a slightly rippled margin. Dull on top and underneath; wavy, lance-shaped with a tapered base; petiole with a deep green margin.
 Scape: 21.5 in. (54.6 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).
 Flower: 1 in. (2.5 cm.) long, pale lavender, striped, tubular; Chesterland OH: 8/3 - 8/15 - 8/23 (3 - 4 - 4).
 Seed: none set.
 Clump History: the original seedling, 5 years old, growing in Chesterland OH.
 Notable Characteristics: compact, vigorous.
 [Parentage unknown]
- H. 'Minnesota Nice'** R. Snyder (ONIR) 1997
 Plant: 20 in. (50.8 cm.) diameter, 14 in. (35.6 cm.) high.
 Mound-like and fast growing.
 Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 6 pairs of prominent veins. Three flushes of different coloration. First flush is yellow and green with a dark green margin, and later turns all dark green. The second flush is green with white streaks. The third flush is yellow and green with a dark green margin, and later turns dark green and is stippled. Slightly shiny on top, very shiny underneath; wavy, ovate with a rounded base. The margin is slightly rippled.
 Scape: 30 in. (76.2 cm.) high, ranging from 24-32 in. (61-81.3 cm.).
 Flower: 2.5 in. (6.4 cm.) long, medium lavender with a white edge and dark purple stripes, bell-shaped; Willmar MN: 7/5 - 7/15 - 7/28 (3 - 4 - 5).
 Seed: viability unknown; pos is light green.
 Clump History: the original sport, 5 years old, growing in Willmar MN.
 Notable Characteristics: Three different colored leaf flushes.
 [*H. ventricosa* 'Aureomaculata' sport]
- H. 'Minuteman'** J. Machen Jr. (OR) 1994
 Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high, with a moderately dense, mound-like habit.
 Leaf: 4 in. (10.2 cm.) wide, 6 in. (15.2 cm.) long; 8-10 pairs of moderately prominent veins; dark green with a 0.75 in. (1.9 cm.) wide, creamy white, smooth margin; slightly shiny above, dull underneath; lightly wavy, lightly rippled; good substance; broadly ovate with a rounded base.
 Scape: 24 in. (61 cm.) high, ranging from 18-30 in. (45.7-76.2 cm.); green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, striped, tubular; Virginia: mid-June to mid-July.
 Clump History: 3 years old.
 [*H. 'Francee'* sport]
- H. 'Mischief'** R. Duback (ONIR) 1998
 Plant: 48 in. (122 cm.) diameter, 34 in. (86.4 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs veins. Intensely blue-green with a flat margin. Glaucous

- bloom on top and underneath; lightly cupped, moderately corrugated, broadly ovate with a cordate base.
Flower: near-white; Vancouver WA: average period.
Seed: viable.
Clump History: 8 years old, growing in Vancouver WA.
[parentage unknown]
- H. 'Missie Mouse'** K. Squires (ONI), P. Ruh (R) 1996
Plant: 10 in. (25.4 cm.) diameter, 5 in. (12.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 3.5 in. (8.9 cm.) long, 1.38 in. (3.5 cm.) wide. 3 pairs of insignificant veins. Medium green with a slightly rippled margin. Dull on top, slightly underneath; lance-shaped with a tapered base. Petiole winged.
Scape: 20 in. (50.8 cm.) high, ranging from 19-20 in. (48.3-50.8 cm.); branched; inflorescence leaves; greenish purple.
Flower: 1.5 in. (3.8 cm.) long, light lavender, bell-shaped, striped; Chesterland OH: 8/2 - 8/14 - 8/27.
Seed: viable.
Clump History: 5 years old, growing in Chesterland OH.
Notable Characteristics: compact growth, branched greenish purple scape.
[Parentage unknown]
- H. 'Mississippi Delta'** O. Petryszyn (ONIR) 1998
Plant: 56 in. (142 cm.) diameter, 32 in. (81.3 cm.) high.
Upright with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 12 in. (30.5 cm.) wide. 16-18 veins. Intensely blue-green with a slightly rippled margin. Glauous bloom underneath; lightly wavy, lightly corrugated, nearly round with a cordate base.
Scape: ranging from 40-42 in. (102-107 cm.) in length; inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Chesterton IN.; 7/1 - 7/10 - 7/25.
Seed: viable; pod is green.
Notable Characteristics: good substance.
Clump History: the original seedling, 7 years old, growing in Chesterton IN.
[H. 'Sea Gold' x H. 'Golden Torch']
- H. 'Missy'** D. Heinz (OR) 1992
Plant: 18 in. (45.7 cm) wide, 8 in. (20.3 cm) high.
Leaf: 2.5 in. (6.4 cm) long, 0.63 in. (1.6 cm) long, 2 pairs of veins; medium yellow; lance-shaped; twisted; rippled; glossy underneath.
Scape: 15 in. (38.1 cm) long, inflorescence leaves.
Flower: lavender, tubular, striped; Michigan: July-August.
Seed: viable.
[H. 'Saishu Jima' hybrid]
- H. 'Mister Gee'** M. Olson (OR) 1995
Plant: 8 in. (20.3 cm.) diameter, 7 in. (17.8 cm.) high. Slow growing, compact, semi-upright habit.
Leaf: 3.5 in. (8.9 cm.) long, 1.5 in. (3.8 cm.) wide. 5 pairs of moderately prominent veins. Streaked green, blue and white, with a 0.75 in. (1.9 cm.) wide (variable), smooth, slightly blue-green margin. Glauous bloom on top, dull underneath; moderately folded; good substance; ovate with a rounded base.
Scape: 10 in. (25.4 cm.) high, green and white striped.
Flower: 1 in. (2.5 cm.) long, medium lavender, tubular.
Clump History: 2 years old.
[H. 'Crepe Suzette' x H. 'Blue Moon']
- H. 'Mistress Mabel'** W. & E. Lachman (OR) 1995
Plant: 27 in. (68.6 cm.) diameter, 17 in. (43.2 cm.) high.
Moderately growing, compact, mound-like habit.
Leaf: 8.5 in. (22.0 cm.) long, 5.75 in. (15.0 cm.) wide. 8-9 pairs of moderately prominent veins. Medium green with a smooth, creamy white margin. Slightly shiny on top, very shiny underneath; average substance: ovate with a cordate base.
Scape: 23 in. (58.4 cm.) high, ranging from 22-24 in. (55.9-61 cm.); green on brown and slightly curved.
Flower: 2.75 in. (7 cm.) long, pale lavender, tubular, fragrant;
Mass: August, repeating in early Sept.
Seed: viable.
Clump History: 2 years old.
[(H. "Beatrice F6" x H. 'Blue Moon') x H. *plantaginea*]
- H. 'Misty Gold'** J. Dishon (ONIR) 1996
Plant: 36 in. (91.4 cm.) diameter, 14 in. (35.6 cm.) high.
Upright with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 6 in. (15.2 cm.) wide. 10 pairs of prominent veins. Green speckling on light gold (changing to cream) with a heavily rippled margin. Variegation is not stable. Slightly shiny on top and underneath; moderately twisted, intensely corrugated; ovate with a cordate base.
Scape: 30 in. (76.2 cm.) high; green.
Flower: 2.25 in. (5.7 cm.) long, medium lavender, tubular, white striped inside; Jackson MI: 7/20 - 8/15 (5 - 6).
Seed: viability unknown; pod is green.
Clump History: the original seedling, 5 years old, growing in Jackson MI.
Notable Characteristics: green spotting on the leaf.
[H. 'Gala' hybrid]
- H. 'Misty Regal'** J. & E. Stratton (ONIR) 1996
Plant: 41 in. (104 cm.) diameter, 21 in. (53.3 cm.) high. Semi-upright with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 7.25 in. (18.4 cm.) wide. 16 pairs of moderately prominent veins. Yellow gold with a 2 in., heavily rippled, dark green margin. Glauous bloom on top and underneath; moderately corrugated; ovate with a rounded base.
Scape: 39 in. (99.1 cm.) high, ranging from 33-44 in. (83.8-111.8 cm.); inflorescence leaves; glauous green.
Flower: 2.5 in. (6.4 cm.) long, medium lavender, tubular, dark stripes inside; Iowa City IA: 6/25 - 7/12 - 7/25.
Seed: viable.
Clump History: 2-5 years old.
[H. 'Gold Regal' sport]
- H. 'Mohegan'** S. Megos (O), A. Malloy (NIR) 1998
Plant: 42 in. (107 cm.) diameter, 21 in. (53.3 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs veins. Medium blue-green. Dull on top and underneath; deeply cupped, deeply corrugated, nearly round with a cordate base; petiole twisted.

- Flower: 2 in. (5.1 cm.) long, pure white, tubular; Eastford CT: 7/4 - 7/15 - 7/25 (2 - 2 - 3).
Seed: viability unknown; pod is green.
Clump History: seventh generation division, 5 years old, growing in Eastford CT.
Notable Characteristics: round leaf, cupped and corrugated. [parentage unknown]
- H. 'Monopoly'** A. Malloy (ONIR) 1998
Plant: 12 in. (30.5 cm.) diameter, 6.5 in. (16.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of veins. Medium green streaked light green and creamy white. Margin slightly rippled. Slightly shiny on top and underneath; lightly wavy, broadly ovate with a rounded base; petiole streaked green and white.
Scape: ranging from 19-24 in. (48.3-61 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; South Salem NY : 7/5 - 7/16 - 8/2 (3 - 3 - 4).
Seed: viable; pod is streaked green and cream.
Clump History: the original sport, 3 years old, growing in South Salem NY.
[H. 'Pilgrim' sport]
- H. 'Monument Circle'** C. Crockett (OR) 1995
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit.
Leaf: 11 in. (28.0 cm.) long, 9 in. (23.0 cm.) wide. 10-11 pairs of moderately prominent veins. Center emerges cream, changing to light green and finally blue-green. The margin is 0.5 in. (1.3 cm.) wide, and light green; disappearing as the Leaf turns blue-green. Slightly shiny on top, dull underneath; moderately twisted, intensely rippled; good substance; broadly ovate with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 12-24 in. (30.5-61 cm.); green.
Flower: 2.25 in. (5.7 cm.) long, near-white, tubular; Indiana: mid-June to early July.
Seed: viability unknown.
Clump History: 4 years old.
[H. "sieboldiana seedling" sport]
- H. 'Mood Indigo'** D. & J. Ward (ONIR) 1996
Plant: 48 in. (122 cm.) diameter, 23 in. (58.4 cm.) high. Mound-like and slow growing.
Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs of prominent veins. Intensely blue-green with slightly rippled margin. Glaucous bloom on top and underneath; moderately cupped, intensely corrugated; nearly round with a cordate base; petiole intensely blue-green.
Scape: 28 in. (71.1 cm.) high, ranging from 26-30 in. (66-76.2 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, near white, tubular; Columbus OH: 6/10 - 6/30 - 7/10 (2 - 2 - 2).
Seed: viable; pod is green.
Clump History: the original seedling, 7 years old, growing in Columbus OH.
Notable Characteristics: intense blue color and profuse Flowers.
[H. 'Tokudama Flavocircularis' hybrid]
- H. 'Moon Lily'** G. Harshbarger (O), J. Trott (R) 1993
Plant: 40 in. (101.6 cm.) wide, 14 in. (35.6 cm.) high.
Leaf: 6 in. (15.2 cm.) long, 5.5 in. (14 cm.) wide, 13 pairs of moderately prominent veins; yellow-gold; broadly ovate with a cordate base; margin smooth; dull above with glaucous bloom underneath; moderately cupped; moderately corrugated.
Scape: 20 in. (50.8 cm.) long; dark yellow-gold.
Flower: pale lavender, bell-shaped; Iowa: early July.
[Parentage unknown]
- H. 'Moon Waves'** M. Plater-Zyberk (O), R. Solberg (R) 1994
Plant: 24 in. (61 cm.) diameter, 16 in. (40.6 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 5 in. (12.7 cm.) wide, 10 in. (25.4 cm.) long; 9-11 pairs of prominent veins; medium gold; heavily rippled margin; dull above and underneath; moderately wavy, intensely rippled; good substance; lance-shaped with a rounded base.
Scape: 30 in. (76.2 cm.) high; gold.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; North Carolina: mid-July to mid-August.
[H. 'August Moon' sport]
- H. 'Moongate Flying Saucer'** C. Issacs (NI), R. Solberg (ONIR) 1996
Plant: 22 in. (55.9 cm.) diameter, 11 in. (27.9 cm.) high. Mound-like with a moderate growth rate.
Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 10-11 moderately prominent veins. Medium blue-green. Slightly shiny on top and underneath; lightly cupped; ovate with a flat base.
Scape: 22 in. (55.9 cm.) high, ranging from 18-24 in. (45.7-61 cm.); blue-green.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; 6/10 - 6/20 - 6/30.
Seed: viable.
Clump History: 3 years old.
[H. 'Serendipity' x H. 'Blue Blazes']
- H. 'Moongate Little Dipper'** C. Issacs (NI), R. Solberg (ONIR) 1996
Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 8-9 pairs of prominent veins. Medium green. Slightly shiny on top and underneath; moderately cupped, moderately corrugated; broadly ovate with a cordate base.
Scape: 15 in. (35.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; 6/10 - 6/20 - 6/30.
Seed: viable.
Clump History: 3 years old.
[H. 'Serendipity' x H. 'Blue Blazes']
- H. 'Mount Everest'** J. Dishon (ONIR) 1996
Plant: 35 in. (88.9 cm.) diameter, 13 in. (33 cm.) high. Mound-like with a moderate growth rate.
Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 14 pairs of insignificant veins. Dark green with a 1.5 in. slightly rippled, pure white margin. Dull on top, glaucous

- bloom underneath; lightly wavy; broadly ovate with a cordate base.
 Scape: 32 in. (81.3 cm.) high; green.
 Flower: 2 in. (5.1 cm.) long, near white, tubular; Jackson MI: 7/1 - 8/1 (4 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 6 years old, growing in Jackson MI.
 [*H.* 'Sea Prize' × *H. montana*]
- H. 'Mount Hope'** Janet Starnes Nursery (OR) 1992
 Plant: 30 in. (76.2 cm) wide, 18 in. (45.72 cm) high.
 Leaf: 8 in. (20.3 cm) long, 6 in. (15.2 cm) wide, 11 pairs of veins; medium green with a medium yellow, 2 inch (5.1 cm), streaked margin; occasionally streaked down the center; cordate; lightly cupped; lightly puckered; heavily veined; heavy glaucous bloom underneath.
 Scape: 30 in. (76.2 cm) long; inflorescence leaves.
 Flower: pale lavender, striped, flaring; Oregon: July.
 Seed: viable.
 [Parentage unknown]
- H. 'Mount Tom'** W. & E. Lachman (OR) 1995
 Plant: 28 in. (71.1 cm.) diameter, 19 in. (48.3 cm.) high. Moderately growing, moderately dense, semi-upright habit.
 Leaf: 10 in. (25.0 cm.) long, 10 in. (25.0 cm.) wide. 11 pairs of moderately prominent veins. Medium green with a 1.5 in. (3.8 cm.) wide, smooth creamy white margin. Dull on top, glaucous bloom underneath; moderately corrugated; heavy substance; nearly round with a rounded base.
 Scape: 23 in. (58.4 cm.) high, ranging from 21-25 in. (53.3-63.5 cm.); green.
 Flower: 1.15 in. (2.9 cm.) long, nearly-white, tubular; Mass: July.
 Seed: viable.
 Clump History: 3 years old.
 [*H.* 'Flamboyant' × *H.* 'Christmas Tree']
- H. 'Mrs. Minky'** P. Hall (OR) 1993
 Plant: 22 in. (55.9 cm.) wide, 9 in. (22.9 cm.) high.
 Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide, 7 pairs of veins; medium yellow; ovate with a round base; margin heavily rippled; lightly twisted.
 Scape: 28 in. (71.1 cm.) long; inflorescence leaves.
 Flower: pale lavender, tubular; Hampshire, England: early June.
 [*H. minor* × *H.* 'Piedmont Gold']
- H. 'Muffie'** G. R. Goodwin (ONIR) 1996
 Plant: 12 in. (30.5 cm.) diameter, 10 in. (25.4 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 2.5 in. (6.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs veins. Medium green with a 0.25 in. slightly rippled, cream to white margin. Slightly shiny on top and underneath; lightly folded, moderately wavy; ovate with a tapered base.
 Scape: 15 in. (38.1 cm.) high, ranging from 12-24 in. (30.5-61 cm.); medium green.
 Flower: 1.75 in. (4.4 cm.) long, white to lavender, tubular; Indianapolis IN.; 7/15 - 8/1 - 8/20 (5 - 5 - 5+).
 Seed: viable; pod is medium green.
- Clump History: the original seedling, 7 years old, growing in Indianapolis IN.
 [*H.* 'Bravo' hybrid]
- H. 'Muted Moon'** P. Ruh (OR) 1995
 Plant: 23 in. (58.4 cm.) diameter, 16 in. (40.6 cm.) high. A moderately dense, semi-upright habit.
 Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 10 pairs of prominent veins. Dark green with a 1 in. (2.5 cm.) wide, smooth, light green margin. Slightly shiny on top, dull underneath; slightly rippled; good substance; broadly ovate with a rounded base.
 Scape: 24 in. (61 cm.) high.
 Flower: pale lavender, tubular; Ohio; early August.
 Seed: viable.
 Clump History: 10 years old.
 Remarks: differs from *H.* 'Abiqua Moonbeam' in having a deeper green Leaf center.
 [*H.* 'August Moon' sport]
- H. 'My Blue Heaven'** P. Banyai (O), E. Elslager (NIR) 1997
 Plant: 46 in. (117 cm.) diameter, 21 in. (53.3 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 5 in. (12.7 cm.) wide. 10 pairs of prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; moderately cupped, broadly ovate with a cordate base.
 Scape: 27 in. (68.6 cm.) high, ranging from 21-28 in. (53.3-71.1 cm.); branched; inflorescence leaves.
 Flower: 1.5 in. (3.8 cm.) long, pale purple with purple stripes, tubular; Ann Arbor MI: 7/10 - 7/29 - 8/10 (4 - 4 - 4).
 Seed: none set.
 Clump History: the original seedling, 6 years old, growing in Ann Arbor MI.
 Notable Characteristics: large numbers of scapes.
 [Parentage unknown]
- H. 'My Child Insook'** H. & D. Benedict (OR) 1995
 Plant: 30 in. (76.2 cm.) diameter, 28 in. (71.1 cm.) high. Fast growing, compact, semi-upright habit.
 Leaf: 10 in. (25.0 cm.) long, 8 in. (20.0 cm.) wide. 11 pairs of prominent veins. Pure white with a 2 in. (5.1 cm.) wide, smooth, dark green margin. Slightly shiny on top and underneath; lightly folded, lightly corrugated; heavy substance; nearly round with a cordate base.
 Scape: 40 in. (101.6 cm.) high, ranging from 36-44 in. (91.4-111.8 cm.); light green.
 Flower: 2 in. (5.1 cm.) long, light lavender, tubular; Mich: late July to mid-August.
 Seed: none set.
 Remarks: petiole has a narrow green edge.
 Clump History: 5 years old.
 [*H.* 'Outrageous' sport]
- H. 'My Fair Katie'** E. Elslager (ONIR) 1998
 Plant: 33 in. (83.8 cm.) diameter, 19 in. (48.3 cm.) high. Upright with a moderate growth rate.
 Leaf: 7.5 in. (19.1 cm.) long, 5.25 in. (13.3 cm.) wide. 10 pairs prominent veins. Greenish yellow with a slightly rippled margin. Slightly shiny on top, very shiny underneath; ovate with a cordate base; petiole green.

- Scape: 42 in. (107 cm.) high, ranging from 36-45 in. (91.4-114 cm.) in length; inflorescence leaves.
 Flower: 2.25 in. (5.7 cm.) long, pale lavender, striped, tubular; Ann Arbor MI: 7/7 - 7/24 - 8/11 (5 - 5 - 6).
 Seed: viable; pod is reddish green.
 Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.
 Notable Characteristics: the color holds; good substance and a tall scape.
 [H. 'Sophistication' hybrid]
- H. 'My Love Dorothy'** H. & D. Benedict (OR) 1995
 Plant: 26 in. (66.0 cm.) diameter, 10 in. (25.4 cm.) high. Slow growing, open, semi-upright habit.
 Leaf: 7.5 in. (19 cm.) long, 6 in. (15 cm.) wide. 11-12 pairs of moderately prominent veins. Pure white with a 1 in. (2.5 cm.) wide, smooth, medium blue-green margin. Slightly shiny on top and underneath; lightly folded, moderately corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 16 in. (40.6 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); white.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Mich: July.
 Seed: viability unknown.
 Clump History: 6 years old.
 [H. 'Dorothy Benedict' selfed]
- N**
- H. 'Nesmith's Giant'** E. Nesmith (O), P. Ruh (R) 1994
 Plant: 32 in. (81.3 cm.) diameter, 26 in. (66 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 9.25 in. (23.5 cm.) wide, 11.25 in. (28.6 cm.) long; 13 pairs of prominent veins; dark green, smooth margin; dull above and underneath; wavy; good substance; broadly ovate with a cordate base.
 Scape: 41.5 in. (105.4 cm.) high, ranging from 40-42 in. (101.6-106.7 cm.); deep green.
 Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Ohio: July.
 Seed: viable.
 Clump History: 10+ year old.
 [H. *sieboldiana* x H. 'Elegans']
- H. 'New Moon'** R. Lydell (OR) 1995
 Plant: 40 in. (101.6 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, moderately dense, mound-like habit.
 Leaf: 8 in. (20.0 cm.) long, 6 in. (15.0 cm.) wide. 8-10 pairs of moderately prominent veins. Yellow gold with a 3 in. (7.6 cm.) wide, smooth, dark green margin. Slightly shiny on top, glaucous bloom underneath; moderately corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); green with occasional yellow streaks.
 Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; New York: late July to mid-August.
 Clump History: 4 years old.
 [H. 'August Clouds' x H. 'Fortunei Hyacinthina']
- H. 'Newberry Gold'** Carter & Holmes (O), N. Plemmons (R) 1996
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 14-16 moderately prominent veins. Yellow gold. Dull on top and underneath; intensely corrugated; nearly round with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 19-21 in. (48.3-53.3 cm.); light green.
 Flower: 1.25 in. (3.2 cm.) long, near white, tubular; Spartanburg SC: 5/30 - 6/15 - 6/22.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Tokudama Aureonebulosa' hybrid]
- H. 'Nicholas James'** P. Banyai (O), E. Elslager (NIR) 1996
 Plant: 15 in. (38.1 cm.) diameter, 7 in. (17.8 cm.) high. Stoloniiferous and slow growing.
 Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Yellow gold with a heavily rippled margin. Very shiny on top and underneath; moderately rippled; ovate with a tapered base.
 Scape: 11 in. (27.9 cm.) high, ranging from 10-12 in. (25.4-30.5 cm.); inflorescence leaves; medium green.
 Flower: 2.25 in. (5.7 cm.) long, pure white, tubular; Ann Arbor MI: 7/2 - 7/17 - 7/23.
 Seed: viability unknown.
 Clump History: received as a seedling from the originator, 5 years old, growing in Ann Arbor MI.
 [Parentage unknown]
- H. 'Nick Balash'** C. Owens (OR) 1994
 Plant: 35 in. (88.9 cm.) diameter, 22 in. (55.9 cm.) high, with a compact, mound-like habit.
 Leaf: 4.5 in. (11.4 cm.) wide, 7.5 in. (19.1 cm.) long; 8 pairs of moderately prominent veins; dark green; smooth margin; very shiny above and underneath; deeply corrugated; heavy substance; ovate with a cordate base.
 Scape: 28 in. (71.2 cm.) high, ranging from 28-30 in. (71.2-76.2 cm.); green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mich: late July.
 Seed: viable.
 Clump History: 6 years old.
 [Parentage unknown]
- H. 'Nickelodeon'** T. Schmid (ONIR) 1998
 Plant: medium sized.
 Leaf: 14 in. (35.6 cm.) long, 6.5 in. (16.5 cm.) wide. 10 pairs veins. Medium green with a 2 in. (5.08 cm.) wide, slightly rippled, greenish yellow margin. Slightly shiny on top, dull underneath; cupped, nearly round with a cordate base.
 Scape: ranging from 24-30 in. (61-76.2 cm.) in length.
 Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; Jackson MI: late June-July (4 - 4 - 4).
 Clump History: the original sport, 5 years old, growing in Jackson MI.
 Notable Characteristics: bright color.
 [H. 'Summer Music' sport]

- H. 'Night before Christmas'** J. Machen Jr. (OR) 1994
Plant: 30 in. (88.9 cm.) diameter, 18 in. (45.7 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 3 in. (7.6 cm.) wide, 8 in. (20.3 cm.) long; 6-8 pairs of moderately prominent veins; creamy white changing to pure white (some greening in late summer), with a 0.75 in. (1.9 cm.) wide, medium green, smooth margin; slightly shiny above, dull underneath; moderately twisted; average substance; lance-shaped with a rounded base.
Scape: 30 in. (88.9 cm.) high, ranging from 29-36 in. (73.7-91.4 cm.); creamy white.
Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Virginia: mid-June to mid-July.
Clump History: 3 years old.
[H. 'White Christmas' sport]
- H. 'Noah's Rainbow'** R. Snyder (ONIR) 1997
Plant: 19 in. (48.3 cm.) diameter, 9 in. (22.9 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 3.5 in. (8.9 cm.) wide. 8 pairs of insignificant veins. Streaked creamy white and green with a 0.13 in. (0.32 cm.) wide, slightly rippled, creamy white margin. Dull on top and underneath; moderately folded, ovate with a rounded base; petiole striped with green and white.
Scape: 20 in. (50.8 cm.) high, ranging from 16-24 in. (40.6-61 cm.); inflorescence leaves.
Flower: 2.5 in. (6.4 cm.) long, pale lavender with white stripes, tubular; Willmar MN: 7/25 - 8/1 - 8/12 (4 - 5 - 6).
Seed: viability unknown; pod is green.
Clump History: the original sport, 7 years old, growing in Willmar MN.
Notable Characteristics: streaked with a cream edge.
Remarks: the variegation is not stable.
[H. 'Green Gold' sport]
- H. 'Nonsuch'** D. Grenfell (ONIR) 1996
Plant: 60 in. (152 cm.) diameter, 31 in. (78.7 cm.) high. Upright with a moderate growth rate.
Leaf: 20 in. (50.8 cm.) long, 8 in. (20.3 cm.) wide. 10-12 prominent veins. Medium blue-green with flat margin. waxy on top and underneath; moderately corrugated; elliptic with a cordate base. Petiole grayish white.
Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); inflorescence leaves; grayish white.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Lymington Hants UK: June - July (2 - 5 - 6).
Seed: viable; pod is grayish brown.
Clump History: the original seedling from Wisley Garden, 5 years old, growing in Lymington Hants UK.
Notable Characteristics: long Leaf blade and "drooping" Scape.
[Parentage unknown]
- H. 'Nordatlantik'** E. Smith (O), 1997
H. Klose (NI), P. Ruh (R)
Plant: 30.5 in. (77.5 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like and slow growing.
Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 16 pairs of prominent veins. Intensely blue-green with a flat margin. Dull on top and underneath; lightly cupped, lightly folded, lightly corrugated, broadly ovate with a cordate base; petiole short and heavy.
Scape: 8 in. (20.3 cm.) high, ranging from 7-8 in. (17.8-20.3 cm.); inflorescence leaves.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Chesterland OH: 7/10 - 7/24 - 8/5 (2 - 2 - 2).
Seed: none set.
Remarks: this cultivar is commonly listed H. 'North Atlantic'.
[H. 'Dorset Charm' x H. 'Dorset Flair']
- H. 'North Point'** R. Lydell (ONIR) 1998
Plant: 24 in. (61.0 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs of veins. Deeply blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; deeply cupped, lightly twisted, lightly folded, moderately wavy, moderately corrugated, broadly ovate with a cordate base.
Scape: ranging from 24-26 in. (61-66 cm.) high.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Dunkirk NY: 6/20 - 6/30 - 7/10 (4 - 5 - 5).
Seed: none set; pod is blue-green.
Clump History: 10 years old, growing in Dunkirk NY.
Notable Characteristics: unique leaf shape and heavy substance.
[Parentage unknown]
- H. 'Northern Exposure'** Walters Gardens, Inc. (ONIR) 1997
Plant: 66 in. (168 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like with a moderate growth rate.
Leaf: 13 in. (33 cm.) long, 11 in. (27.9 cm.) wide. 17-19 pairs of prominent veins. Medium blue-green with a 2 in. (5.08 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; intensely corrugated, broadly ovate with a cordate base.
Scape: 32 in. (81.3 cm.) high, ranging from 28-36 in. (71.1-91.4 cm.).
Flower: 2.5 in. (6.4 cm.) long, near white, tubular; Zeeland MI: 6/25 - 6/30 - 7/18 (1 - 2 - 2).
Seed: viable; pod is green to blue-green.
Clump History: the original sport, 6 years old, growing in Zeeland MI.
[H. 'Elegans' sport]
- H. 'Northern Star'** Walters Gardens (O), C. Falstad (R) 1993
Plant: 46 in. (116.8 cm.) wide, 30 in. (76.2 cm.) high.
Leaf: 11 in. (27.9 cm.) long, 10 in. (25.4 cm.) wide, 17-19 pairs of moderately prominent veins; medium blue-green with a chartreuse-gold margin; broadly ovate with a cordate base; margin smooth; glaucous bloom above and underneath; moderately corrugated.
Scape: 30 in. (76.2 cm.) long; grey-green.
Flower: near-white, tubular; Michigan: late June - early July.
Seed: viable.
[H. 'Elegans' sport]
- H. 'Norwalk Chartreuse'** N. Stark (OR) 1995
Plant: 15 in. (38.1 cm.) diameter, 15 in. (38.1 cm.) high. Moderately growing, open, mound-like habit.
Leaf: 6 in. (15.0 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Greenish yellow. Very shiny on top,

slightly shiny underneath; lightly folded, moderately corrugated; ovate with a rounded base.

Scape: 15 in. (38.1 cm.) high, ranging from 14-16 in. (35.6-40.6 cm.); green.

Flower: purple, tubular; Iowa; July.

Seed: viable.

Clump History: 9 years old.

[Parentage unknown]

O

H. 'Obsession' T. Avent (ONIR) 1998

Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.

Leaf: 4 in. (10.2 cm.) long, 2 in. (5.1 cm.) wide. Medium green with a 0.5 in. (1.27 cm.) wide, flat, very dark green ("black") margin. "Black" streaking. Slightly shiny on top, dull underneath; moderately wavy, elliptical with a rounded base.

Scape: 18 in. (45.7 cm.) high.

Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; mid-July.

Seed: none set.

[*H. 'Sparkling Burgundy'* sport]

H. 'Odd Ball' H. & D. Benedict (OR) 1995

Plant: 11 in. (27.9 cm.) diameter, 11 in. (27.9 cm.) high. Slow growing, compact, mound-like habit.

Leaf: 4 in. (10 cm.) long, 2.5 in. (6.4 cm.) wide. 11-12 pairs of prominent veins. Slightly blue-green with a smooth margin. Glaucous bloom on top and underneath; moderately corrugated, moderately cupped; heavy substance; broadly ovate with a cordate base.

Scape: 18 in. (45.7 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); green.

Flower: 1 in. (2.5 cm.) long, near white, bell shaped; Mich: early July.

Seed: none set.

Clump History: 10 years old.

[*H. 'Northern Mist'* hybrid]

H. 'Old Cadillac' J. & B. Diesen (ONIR) 1998

Plant: 42 in. (107 cm.) diameter, 28 in. (71.1 cm.) high. Mound-like with a moderate growth rate.

Leaf: 12 in. (30.5 cm.) long, 9.5 in. (24.1 cm.) wide. 14 pairs of veins. Slightly blue-green. Very shiny on top, glaucous bloom underneath; moderately corrugated, nearly round with a cordate base.

Scape: ranging from 32-36 in. (81.3-91.4 cm.) high.

Flower: pure white with lavender striping, tubular; Plattsouth NE: June (3 - 3 - 3).

Seed: pod is green.

Clump History: the original seedling, 7 years old, growing in Plattsouth NE.

Notable Characteristics: metallic green with heavy substance.

[Parentage unknown]

H. 'Olive Oil' J. Dishon (ONIR) 1996

Plant: 40 in. (102 cm.) diameter, 23 in. (58.4 cm.) high. Upright with a moderate growth rate.

Leaf: 11 in. (27.9 cm.) long, 7 in. (17.8 cm.) wide. 10 pairs of prominent veins. Emerging light green changing to deep gold. A slightly rippled margin. Very shiny on top and underneath; moderately wavy; ovate with a rounded base.

Scape: 36 in. (91.4 cm.) high; brown.

Flower: 2 in. (5.1 cm.) long, pale lavender, tubular, white striped inside; Jackson MI: 7/1 - 8/1 (4 - 5).

Seed: viable; pod is green.

Clump History: the original seedling, 7 years old, growing in Jackson MI.

Notable Characteristics: shiny olive gold color.

[*H. 'Yellow Splash'* x *H. hypoleuca*]

H. 'Outhouse Delight' T. Avent (ONIR) 1998

Plant: 18 in. (45.7 cm.) diameter, 6 in. (15.2 cm.) high. Rhizomatous and fast growing. 4-5 pairs moderately prominent veins.

Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. White, speckled green, with a slightly rippled margin. Dull on top and underneath; moderately twisted, moderately wavy, intensely rippled, lance-shaped with a rounded base.

Scape: 18 in. (45.7 cm.) high.

Flower: 1 in. (2.5 cm.) long, medium lavender; July.

Seed: viable.

[*H. 'Undulata'* hybrid]

H. 'Owen Online' R. Snyder (ONIR) 1998

Plant: 20 in. (50.8 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.

Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of veins. Golden yellow with a 1.75 in. (4.45 cm.) wide, slightly rippled, dark green margin. Slightly shiny on top, glaucous bloom underneath; corrugated, ovate with a rounded base; petiole green.

Scape: ranging from 26-30 in. (66-76.2 cm.) in length; inflorescence leaves.

Flower: 1.75 in. (4.4 cm.) long, pale lavender, striped, tubular; Willmar MN: 7/1 - 7/14 - 7/30 (3 - 4 - 5).

Clump History: the original sport, 4 years old, growing in Willmar MN.

Notable Characteristics: a narrow gold center.

[*H. 'Fortunei Aureomarginata'* sport]

P

H. 'Pacific Sunlight' R. Duback (ONIR) 1998

Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like.

Leaf: 9 in. (22.9 cm.) long, 7 in. (17.8 cm.) wide. 12 pairs veins. Yellow with a flat margin. Glaucous bloom on top and underneath; moderately corrugated, broadly ovate with a cordate base.

Flower: pure white.

Seed: viable.

Clump History: 6 years old, growing in Vancouver WA.

[parentage unknown]

- H. 'Pale Gold'** E. Fisher (ONI), P. Ruh (R) 1997
Plant: 31 in. (78.7 cm.) diameter, 20 in. (50.8 cm.) high.
Upright with a moderate growth rate.
Leaf: 10.5 in. (26.7 cm.) long, 8.75 in. (22.2 cm.) wide. 13 pairs of prominent veins. Pale yellow with a slightly rippled margin. Dull on top and underneath; cupped, wavy, corrugated, ovate with a cordate base.
Scape: 23 in. (58.4 cm.) high, ranging from 21-23 in. (53.3-58.4 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, near-white, tubular; Chesterland OH: 6/27 - 7/13 - 7/25 (1 - 1 - 2).
Seed: none set.
Notable Characteristics: spring yellow.
[H. 'Golden Anniversary' hybrid]
- H. 'Pandora's Box'** H. Hansen & Shady Oaks Nursery (OR) 1996
Plant: 5.5 in. (14 cm.) diameter, 1.75 in. (4.4 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Creamy white with a 0.75 in., slightly blue-green margin. Dull on top and underneath; folded; ovate with a flat base.
Scape: 7.5 in. (19.1 cm.) high, ranging from 6-8 in. (15.2-20.3 cm.); white.
Flower: 0.75 in. (1.9 cm.) long, purple with a white base, bell shaped; Waseca MN: mid-June - early July.
Seed: viability unknown.
Clump History: 2 years old.
Notable Characteristics: green streaking appears between the bluish margin and white center.
[H. 'Baby Bunting' sport]
- H. 'Parhelion'** Walters Gardens, Inc. (ONIR) 1997
Plant: 60 in. (152 cm.) diameter, 36 in. (91.4 cm.) high.
Mound-like and fast growing.
Leaf: 15 in. (38.1 cm.) long, 12 in. (30.5 cm.) wide. 13 pairs of veins. Light green with a 0.25 in. (0.64 cm.) wide, flat, creamy white margin. Slightly shiny on top, dull underneath; broadly ovate with a flat base.
Scape: 50 in. (127 cm.) high, ranging from 46-60 in. (116.8-152.4 cm.).
Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, bell-shaped; Zeeland MI: 7/6 - 7/15 - 8/10 (3 - 4 - 5).
Seed: viable; pod is light green.
Clump History: original tissue culture sport, 4 years old, growing in Zeeland MI.
Notable Characteristics: cream edge.
[H. 'Sum and Substance' sport]
- H. 'Party Time'** H. & D. Benedict (OR) 1995
Plant: 18 in. (45.7 cm.) diameter, 14 in. (35.6 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 5 in. (13.0 cm.) long, 4 in. (10.0 cm.) wide. 7 pairs of moderately prominent veins. Dark green with a heavily rippled margin. Very shiny on top and underneath; moderately folded, intensely rippled; heavy substance; broadly ovate with a rounded base.
Scape: 16 in. (40.6 cm.) high, ranging from 15-16 in. (38.1-40.6 cm.); red.
Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: late July to mid-August.
Seed: not viable.
Clump History: 4 years old.
[H. 'Nooner' x H. 'Sparkling Burgundy']
- H. 'Pastures New'** A. Summers (OI), E. Smith (NI), P. Ruh (R) 1997
Plant: 13 in. (33 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 3.75 in. (9.5 cm.) long, 2.75 in. (7 cm.) wide. 8 pairs of insignificant veins. Medium green with a flat margin. Dull on top and underneath; lightly corrugated, ovate with a flat base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.); inflorescence leaves.
Flower: 1.5 in. (3.8 cm.) long, pale lavender with faint stripes, tubular; Chesterland OH: 7/2 - 7/17 - 7/29 (1 - 1 - 2).
Seed: none set.
Clump History: a division of the original, 4 years old, growing in Chesterland OH.
[H. *nakaiana* hybrid]
- H. 'Patriot's Fire'** A. Summers (ON), K. Walek (ONIR) 1996
Plant: 32 in. (81.3 cm.) diameter, 18 in. (45.7 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 7.5 in. (19.1 cm.) long, 3.75 in. (9.5 cm.) wide. 7-9 pairs of moderately prominent veins. Greenish-yellow changing to gold, with a 0.13 in. pure white margin. Blue-green areas between the center and margin. Slightly shiny on top and underneath; ovate with a rounded base.
Scape: 33 in. (83.8 cm.) high, ranging from 30-36 in. (76.2-91.4 cm.); light green to yellow.
Flower: 2 in. (5.1 cm.) long, medium lavender, funnel shaped; Fairfax Station VA: 6/1 - 6/15 - 6/30.
Clump History: 4 years old.
[H. 'Patriot' sport]
- H. 'Peedee Apollo'** U. Syre-Herz (ONIR) 1996
Plant: 28 in. (71.1 cm.) diameter, 13 in. (33 cm.) high.
Mound-like.
Leaf: 6 in. (15.2 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Gold with a slightly rippled margin. Slightly shiny on top and underneath; lance-shaped with a tapered base.
Scape: 45 in. (114 cm.) high, ranging from 40-50 in. (101.6-127 cm.); inflorescence leaves.
Flower: purple, tubular, striped; Myrtle Beach SC: 8/10 - 8/31 - 9/10.
Seed: viable.
Clump History: 8 years old.
[H. 'Peedee Gold Flash' x H. 'Krossa Regal']
- H. 'Peedee Dew Catcher'** U. Syre-Herz (OR) 1992
Plant: 40 in. (101.6 cm) wide, 20 in. (50.8 cm) high.
Leaf: 10 in. (25.4 cm) long, 8.5 in. (21.6 cm) long, 11-14 pairs of veins; light green turning yellow; round with acuminate tips; leathery; cupped; deeply corrugated; rippled margin; dull texture; glaucous bloom underneath.
Scape: 24 in. (61 cm) long.
Flower: white, flaring; S. Carolina: May.
Seed: viable.

- [*H.* 'City Lights' x *H.* 'Bold Ruffles']
- H. 'Peedee Granny Smith'** U. Syre-Herz (OR) 1992
Plant: 38 in. (96.5 cm) wide, 21 in. (53.3 cm) high.
Leaf: 9 in. (22.9 cm) long, 7 in. (17.8 cm) wide, 13-14 pairs of veins; light blue changing to green; cordate; wavy; puckered; leathery; waxy; dull texture; glaucous bloom above and underneath.
Scape: 24 in. (61 cm) long.
Flower: white, flaring; S. Carolina: May.
Seed: viable.
[*H.* 'Shade Fanfare' x *H.* 'Bold Ruffles']
- H. 'Peedee Laughing River'** U. Syre-Herz (OR) 1992
Plant: 24 in. (61 cm) wide, 8 in. (20.3 cm) high.
Leaf: 7 in. (17.8 cm) long, 3 in. (7.6 cm) wide, 6-7 pairs of veins; medium grey-green with pure white, streaked, .25-.5 inch (.64-1.3 cm) margin; margin rippled; twisted; deeply veined.
Scape: 30 in. (76.2 cm) long, inflorescence leaves.
Flower: violet, flaring; S. Carolina: late-July.
Seed: viable.
[*H.* 'Neat Splash' x *H.* 'Iron Gate Glamour']
- H. 'Peedee Picotee'** U. Syre-Herz (OR) 1992
Plant: 23 in. (58.4 cm) wide, 10 in. (25.4 cm) high.
Leaf: 5.5 in. (14 cm) long, 3.25 in. (8.3 cm) wide, 6-7 pairs of veins; yellow green turning yellow; cordate; margins wavy; tips twisted; leathery; dull texture; glaucous bloom underneath.
Scape: inflorescence leaves
Flower: lavender with white stripes, flaring; South Carolina: May.
[*H. ventricosa* hybrid]
- H. 'People's Choice'** G. Kamp (ONIR) 1998
Plant: 48 in. (122 cm.) diameter, 30 in. (76.2 cm.) high.
Upright and fast growing.
Leaf: 14.5 in. (36.8 cm.) long, 13 in. (33 cm.) wide. 15 pairs prominent veins. Blue-green. Glaucous bloom on top, dull underneath; lightly wavy, moderately corrugated, nearly round with a cordate base.
Scape: 34 in. (86.4 cm.) high.
Flower: near-white, bell-shaped; Indianapolis IN.; 6/15 - 6/18 - 6/23 (3 - 3 - 4).
Seed: viable; pod is green.
Notable Characteristics: large blue-green leaves.
Clump History: the original seedling, 5 years old, growing in Indianapolis IN.
Note: formerly known under the name "Magna Cum Laude".
[*H.* 'Placemat' hybrid]
- H. 'Peppermint Ice'** Belle Gardens (OR) 1994
Plant: 22 in. (55.9 cm.) diameter, 8 in. (20.3 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 3.38 in. (8.6 cm.) wide, 6 in. (15.2 cm.) long; 7 pairs of moderately prominent veins; creamy white changing to pure white, with a 1.5 in. (3.8 cm.) wide, irregular, slightly rippled margin of various shades of green; very shiny above, slightly shiny underneath; lightly folded; good substance; ovate with a rounded base.
Scape: 21 in. (53.3 cm.) high; burgundy becoming burgundy blushed cream.
Flower: 2 in. (5.1 cm.) long, pale purple, tubular; Mich: mid-July to mid-August.
Seed: viable.
Clump History: 4 years old.
[*H.* 'William Lachman' x *H. montana*]
- H. 'Peridot'** R. Lydell (OR) 1995
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high. A compact, mound-like habit.
Leaf: 4 in. (10 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of prominent veins. Dark green. Slightly shiny on top; average substance; ovate with a rounded base.
Scape: 12 in. (30.5 cm.) high
Flower: near-white, tubular; New York: Sept.
Seed: viable.
Clump History: 4 years old.
[*H.* 'Halcyon' sport]
- H. 'Pete's Passion'** P. Ruh (ONIR) 1997
Plant: 41 in. (104 cm.) diameter, 24 in. (61 cm.) high. Mound-like and fast growing.
Leaf: 11.75 in. (29.8 cm.) long, 8 in. (20.3 cm.) wide. 11 pairs of prominent veins. Yellow gold with streaks of blue-green. Margin 2 in. (5.08 cm.) wide, slightly rippled, blue-green. Dull on top and underneath; moderately wavy, corrugated, ovate with a cordate base; petiole green with a blue-green margin.
Scape: 32 in. (81.3 cm.) high, ranging from 30-34 in. (76.2-86.4 cm.); inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, lavender, striped, tubular; Chesterland OH: 7/3 - 7/18 - 7/31 (1 - 2 - 3).
Seed: viable; pod is green.
Clump History: the original tissue culture sport, 4 years old, growing in Chesterland OH.
Notable Characteristics: intense blue-green margin.
[*H.* 'Paul's Glory' sport]
- H. 'Pewter Frost'** J. Dishon (ONIR) 1996
Plant: 40 in. (102 cm.) diameter, 13 in. (33 cm.) high. Upright with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 7 in. (17.8 cm.) wide. 9 pairs of prominent veins. Intensely blue-green with slightly rippled margin. Very shiny on top, glaucous bloom underneath; moderately wavy; ovate with a cordate base. Scattered purple spotting on the petiole.
Scape: 33 in. (83.8 cm.) high; green with glaucous bloom.
Flower: 2 in. (5.1 cm.) long, near white, tubular; Jackson MI: 7/15 - 8/15 (5 - 6).
Seed: viable; pod is green
Clump History: the original seedling, 6 years old, growing in Jackson MI.
Notable Characteristics: unusual "gun metal" leaf color.
[*H. pycnophylla* x *H. montana*]
- H. 'Phantom'** R. Solberg (O), J. & J. Wilkins (OR) 1995
Plant: 33 in. (83.8 cm.) diameter, 18 in. (45.7 cm.) high.
Moderately growing, moderately dense, mound-like habit.
Leaf: 10 in. (25.0 cm.) long, 7.5 in. (19.0 cm.) wide. 9-10 pairs of prominent veins. Dark green with a heavily

- rippled margin. Glaucous bloom on top and underneath; lightly folded, moderately wavy; good substance; ovate with a cordate base.
- Scape: 33 in. (83.8 cm.) high, ranging from 30-35 in. (76.2-88.9 cm.); glaucous purple.
- Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: August.
- Seed: none set.
- Clump History: 5 years old.
- [*H.* 'Riptide' hybrid]
- H. 'Picadello'** Belle Gardens (OR) 1995
- Plant: 18 in. (45.7 cm.) diameter, 8 in. (20.3 cm.) high. Moderately growing, moderately dense, mound-like habit.
- Leaf: 5.4 in. (14.0 cm.) long, 3.6 in. (9.2 cm.) wide. 7 pairs of moderately prominent veins. Medium blue-green with a 0.5 in. (1.3 cm.) wide, slightly rippled, creamy white margin. Glaucous bloom on top and underneath; lightly wavy; good substance; ovate with a cordate base.
- Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); dark green.
- Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Mich: late July to mid-August.
- Seed: viable.
- Clump History: 4 years old.
- Remarks: the stabilized form of *H.* 'Shenanigans'
- [Parentage unknown]
- H. 'Pied Piper'** R. Lydell (ONIR) 1998
- Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and fast growing.
- Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 5-6 pairs of veins. Yellowish green with a 0.5 in. (1.27 cm.) wide, slightly rippled, creamy white margin. Slightly shiny on top and underneath; twisted, ovate with a rounded base.
- Scape: ranging from 20-22 in. (50.8-55.9 cm.) high.
- Flower: 1 in. (2.5 cm.) long, medium lavender, striped, tubular; Dunkirk NY: 6/18 - 6/30 - 7/15 (3 - 4 - 5).
- Seed: viable; pod is green.
- Clump History: a first generation division; 9 years old, growing in Dunkirk NY.
- Notable Characteristics: wavy, twisted leaves and a wide margin.
- [Parentage unknown]
- H. 'Pilgrim'** G. Rasmussen (O), A. Malloy (NIR) 1997
- Plant: 21 in. (53.3 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 4.5 in. (11.4 cm.) long, 3.5 in. (8.9 cm.) wide. 6 pairs of insignificant veins. Light green with a 1 in. (2.54 cm.) wide, slightly rippled, creamy white margin. Dull on top and underneath; lightly wavy, ovate with a cordate base.
- Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).
- Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Farmingdale NY: 7/5 -? - 7/16 (4 - ? - 4).
- Seed: viable; pod is green.
- Clump History: a division of the original, 7 years old, growing in Farmingdale NY.
- Notable Characteristics: a wide cream margin and gray-green marking between the margin and center of the leaf.
- [*H.* 'Flamboyant' hybrid]
- H. 'Pink Panther'** A. Malloy (ONIR) 1998
- Plant: 18 in. (45.7 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 3 in. (7.6 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. White with green streaking. A slightly rippled, green margin. Dull on top, slightly shiny underneath; broadly ovate with a rounded base; petiole pinkish white.
- Scape: ranging from 18-20 in. (45.7-50.8 cm.) in length.
- Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; South Salem NY: 7/1 - 7/15 - 8/5 (3 - 3 - 4).
- Seed: viable; pod is streaked green and pink.
- Clump History: the original sport, 3 years old, growing in South Salem NY.
- Notable Characteristics: pink petioles and streaked scapes and pods.
- [*H.* 'Island Charm' sport]
- H. 'Pixie Vamp'** D. & J. Ward (ONIR) 1996
- Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 2.5 in. (6.4 cm.) long, 2 in. (5.1 cm.) wide. 7 pairs of insignificant veins. Medium green with a 0.38 in. slightly rippled, creamy white margin. Dull on top, slightly shiny underneath; moderately wavy; ovate with a rounded base. Margin color extends the length of the petiole.
- Scape: 13 in. (33 cm.) high, ranging from 12-14 in. (30.5-35.6 cm.); brown.
- Flower: 0.75 in. (1.9 cm.) long, medium lavender, tubular; Columbus OH: 6/25 - 7/4 - 7/10 (3 - 3 - 3).
- Seed: not viable; pod is green.
- Clump History: the original seedling, 5 years old, growing in Columbus OH.
- [*H.* 'Pinstripe' hybrid]
- H. 'Polished Jade'** R. Lydell (OR) 1993
- Plant: 24 in. (61 cm.) wide, 12 in. (30.5 cm.) high.
- Leaf: 7 in. (17.8 cm.) long, 4 in. (10.2 cm.) wide, 7 pairs of moderately prominent veins; medium green; ovate with a rounded base; margin rippled.
- Scape: 20 in. (50.8 cm.) long.
- Flower: pale lavender, tubular; New York: Sept.
- Seed: viable.
- [Parentage unknown]
- H. 'Polychrome'** A. Malloy (ONIR) 1998
- Plant: 22 in. (55.9 cm.) diameter, 9 in. (22.9 cm.) high. Mound-like with a moderate growth rate.
- Leaf: 5 in. (12.7 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of veins. Streaked dark green and creamy white. Margin flat. Slightly shiny on top, very shiny underneath; ovate with a rounded base; petiole purple.
- Scape: ranging from 13-16 in. (33-40.6 cm.) in length.
- Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; South Salem NY: 7/15 - 7/30 - 8/17 (4 - 4 - 5).
- Clump History: the original sport, 4 years old, growing in South Salem NY.

- Notable Characteristics: purple petioles and streaked variegation.
[*H.* 'Emerald Crown' sport]
- H. 'Popo'** R. O'Harra (O), F. Riehl (R) 1993
Plant: 9 in. (22.9 cm.) wide, 5 in. (12.7 cm.) high.
Leaf: 1.75 in. (4.5 cm.) long, 1.5 in. (3.8 cm.) wide, 5-6 pairs of flat veins; slightly blue-green; broadly ovate with a rounded base; margin smooth; dull above and underneath; folded.
Scape: 10 in. (25.4 cm.) long; green.
Flower: lavender, striped; tubular; Iowa: late June.
Seed: viable.
[Parentage unknown]
- H. 'Potomac Pride'** T. Avent (OR) 1995
Plant: 48 in. (121.9 cm.) diameter, 28 in. (71.1 cm.) high.
Moderately growing, moderately dense, semi-upright habit.
Leaf: 12 in. (30.0 cm.) long, 7 in. (18.0 cm.) wide. 12-14 pairs of prominent veins. Medium blue-green with a smooth margin. Very shiny on top, glaucous bloom underneath; moderate inverted cupping; heavy substance; broadly ovate with a rounded base.
Scape: 34 in. (86.3 cm.) high.
Flower: 2 in. (5.1 cm.) long, medium lavender, "spider x bell" shaped; N. Carolina: July.
Seed: viable.
Clump History: 5 years old.
[*H. yingeri* x *H.* 'Blue Umbrellas']
- H. 'Powder Blue'** H. Sugita (O), P. Ruh (ONIR) 1998
Plant: 38 in. (96.5 cm.) diameter, 27 in. (68.6 cm.) high.
Upright with a moderate growth rate.
Leaf: 14 in. (35.6 cm.) long, 11 in. (27.9 cm.) wide. 14 pairs prominent veins. Blue-green with a heavily rippled margin. Dull on top, glaucous bloom underneath; lightly twisted, moderately folded, moderately wavy, intensely corrugated, broadly ovate with a cordate base; petiole heavy.
Scape: 34 in. (86.4 cm.) high.
Flower: 2.5 in. (6.4 cm.) long, light lavender, bell-shaped; Chesterland OH: 6/19 - 7/1 - 7/12.
Seed: viable; pod is bluish.
Clump History: the original seedling, 6 years old, growing in Chesterland OH.
[parentage unknown]
- H. 'Prairie Fire'** B. Kuk (OR) 1994
Plant: 12 in. (30.5 cm.) diameter, 13 in. (33 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 3.5 in. (8.9 cm.) wide, 7 in. (17.8 cm.) long; 7-9 pairs of prominent veins; deep gold, intensifying; slightly rippled margin; dull above, glaucous bloom underneath; moderately twisted, intensely wavy; heavy substance; ovate with a rounded base.
Scape: 20 in. (50.8 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); light green.
Flower: 1 in. (2.5 cm.) long, near-white, tubular; Ohio: July.
Seed: viable.
Clump History: 6 years old.
[*H.* 'Gold Regal' x *H.* "Tokudama gold seedling"]
- H. 'Praying Hands'** G. Williams (ONIR) 1996
Plant: 16 in. (40.6 cm.) diameter, 14 in. (35.6 cm.) high.
Upright with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 2.25 in. (5.7 cm.) wide. 7 pairs of prominent veins. Dark green with a 0.06 in. heavily rippled, yellow gold margin. Slightly shiny on top, very shiny underneath; deeply folded; lance-shaped with a tapered base.
Scape: 16 in. (40.6 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); green.
Flower: 2.38 in. (6 cm.) long, pale lavender, bell shaped; Lake Hubert MN: 8/1 - 8/10 - 8/23 (4 - 4 - 4).
Seed: none set.
Clump History: purchased as an unnamed plant from a nursery, 6 years old, growing in Lake Hubert MN.
Notable Characteristics: tightly folded leaves.
[Parentage unknown]
- H. 'Prima Donna'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
Plant: 56 in. (142.20 cm.) diameter, 21 in. (53.34 cm.) high.
Fast growing, compact, mound-like habit.
Leaf: 14 in. (36.0 cm.) long, 10 in. (25.0 cm.) wide, 9-10 pairs of prominent veins. Dark green with a 0.5 in. (1.27 cm.) wide, slightly rippled, yellow gold margin (changing to cream). Slightly shiny on top, glaucous bloom underneath; moderately wavy, moderately folded; good substance; ovate with a cordate base.
Scape: 45 in. (114.3 cm.) high, ranging from 40-49 in. (101.6-124.5 cm.); glaucous green.
Flower: 2.75 in. (7.0 cm.) long, light lavender, tubular; Mich: late July to mid-August.
Seed: not viable.
Remarks: flowers purple in bud; bracts colored green, cream and lavender
Clump History: 7 years old.
[*H.* "William Lachman seedling" sport]
- H. 'Princess Anastasia'** G. Trucks (ONIR) 1998
Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 14-16 prominent veins. Yellow gold with a slightly rippled, intensely blue-green margin. Very shiny on top, slightly shiny underneath; moderately cupped, intensely corrugated, nearly round with a cordate base; petiole has light blue streaks.
Scape: 16 in. (40.6 cm.) high, ranging from 14-18 in. (35.6-45.7 cm.).
Flower: 2 in. (5.1 cm.) long, pure white with lavender striping, bell-shaped; Benton Harbor: 6/15 - 7/1 - 7/8 (1 - 2 - 3).
Seed: viable; pod is chartreuse.
Clump History: a division of the original, 8 years old, growing in Benton Harbor MI.
Notable Characteristics: good color stability.
[*H.* 'Ryan's Big One' sport]
- H. 'Princess Diana'** G. Trucks (ONIR) 1997
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high.
Mound-like and slow growing.
Leaf: 7 in. (17.8 cm.) long, 4 in. (10.2 cm.) wide. 12 pairs of insignificant veins. Yellow gold with a 0.25 in. (0.64

cm.) wide, flat, medium blue-green margin streaking into the center. Very shiny on top, slightly shiny underneath; moderately corrugated, ovate with a rounded base.

Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.).

Flower: 1 in. (2.5 cm.) long, pure white, bell-shaped; Benton Harbor: 6/1 - 6/30 - 7/15 (2 - 3 - 4).

Seed: viability unknown; pod is chartreuse.

Clump History: the original sport, 6 years old, growing in Benton Harbor MI.

Notable Characteristics: yellow center with blue-green streaks.

[*H. 'Tokudama Flavoplanata'* sport]

H. 'Purple Charmer' C. Lantis (O), P. Ruh (R) 1993

Plant: 18 in. (45.7 cm.) wide, 8 in. (20.3 cm.) high.

Leaf: 5.5 in. (14 cm.) long, 2.5 in. (6.4 cm.) wide, 5 pairs of moderately prominent veins; medium green; lance-shaped with a rounded base; margin smooth; slightly shiny above and underneath; twisted.

Scape: 24 in. (61 cm.) long; dark green.

Flower: pale purple with violet stripes; tubular; Ohio: August.

[*H. gracillima* x *H. 'Ogon Koba'*]

R

H. 'Rain Forest' G. R. Goodwin (ONIR) 1996

Plant: 24 in. (61 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like and slow growing.

Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top and underneath; moderately folded, intensely wavy; ovate with a tapered base.

Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); green.

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, striped; Indianapolis IN.; 8/20 - 9/6 - 9/25 (6 - 7 - 8).

Seed: viable; pod is green.

Clump History: a division of the original, 5 years old, growing in Indianapolis IN.

Notable Characteristics: undulating glossy green leaves.

[*H. rupifraga* hybrid]

H. 'Raspberry Parfait' H. Sugita (O), P. Ruh (ONIR) 1998

Plant: 35 in. (88.9 cm.) diameter, 17.5 in. (44.5 cm.) high. Mound-like with a moderate growth rate.

Leaf: 9.25 in. (23.5 cm.) long, 7 in. (17.8 cm.) wide. 11 pairs prominent veins. Medium green with a heavily rippled margin. Very shiny on top, glaucous bloom underneath; lightly twisted, moderately folded, moderately wavy, broadly ovate with a cordate base; petiole with a pink cast and red spots.

Scape: 34 in. (86.4 cm.) high.

Flower: 2 in. (5.1 cm.) long, pale lavender, purple margins, bell-shaped; Chesterland OH: 8/6 - 8/14 - 8/24.

Seed: viable; pod is dark green with red stripes.

Clump History: the original seedling, 12 years old, growing in Chesterland OH.

Notable Characteristics: a wavy margin and red petiole.

[*H. longipes* x *H. pycnophylla*]

H. 'Raven' R. Savory (OR) 1993

Plant: 18 in. (45.7 cm.) wide, 15 in. (38.1 cm.) high.

Leaf: 6 in. (15.2 cm.) long, 5.5 in. (14 cm.) wide, 9 pairs of veins; dark green; ovate with a round base; folded; intensely corrugated.

Scape: 20-30 in. (50.8-76.2 cm.) long.

Flower: pale purple, striped; tubular.

[*H. 'Fortunei Hyacinthina'* hybrid]

H. 'Red Neck Heaven' T. Avent (ONIR) 1998

Plant: 36 in. (91.4 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.

Leaf: 10 in. (25.4 cm.) long, 5 in. (12.7 cm.) wide. 7-8 pairs prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly wavy, lance-shaped with a rounded base.

Flower: near-white, tubular; August.

Seed: viable.

[*H. kikutii caput-avis* x *H. kikutii caput-avis*]

H. 'Red Stepper' G. R. Goodwin (ONIR) 1996

Plant: 20 in. (50.8 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.

Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 5-7 pairs of insignificant veins. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly wavy; ovate with a flat base. Petiole red spotted.

Scape: 15 in. (38.1 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); red to green.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Indianapolis IN.; 8/15 - 8/25 - 9/10 (6 - 6 - 6).

Seed: viable; pod is green.

Clump History: a division of the original, 6 years old, growing in Indianapolis IN.

Notable Characteristics: very shiny leaf and intense red spotting on the bottom of the petiole.

[*H. 'Invincible'* hybrid]

H. 'Reefed Sails' C. Seaver (OR) 1994

Plant: 18 in. (45.7 cm.) diameter, 9 in. (22.9 cm.) high, with a semi-upright habit.

Leaf: 2.5 in. (6.4 cm.) wide, 5 in. (12.7 cm.) long; 5 pairs of moderately prominent veins; dark green with a 0.5 in. (1.3 cm.) wide, creamy white, heavily rippled margin; very shiny above; lance-shaped with a tapered base; petiole has red stippling at the base and a creamy white edge.

Scape: maroon.

Flower: lavender, tubular, striped; Delaware: mid-July to mid-August.

Seed: viable.

Clump History: 4 years old.

[*H. 'Don Stevens'* x *H. 'Sea Octopus'*]

H. 'Regal Promenade' R. Snyder (OR) 1994

Plant: 30 in. (76.2 cm.) diameter, 30 in. (76.2 cm.) high, with an open, semi-upright habit.

Leaf: 7 in. (17.8 cm.) wide, 12 in. (30.5 cm.) long; 10 pairs of moderately prominent veins; emerges blue-green, with

- cream streaking appearing after 2-3 weeks; smooth margin; glaucous bloom above and underneath; moderately wavy; good substance; ovate with a rounded base.
Scape: 40 in. (101.6 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Minn: July.
Clump History: 6 years old.
[*H.* 'Krossa Regal' sport]
- H. 'Regal Providence'** Ron Snyder (OR) 1994
Plant: 30 in. (76.2 cm.) diameter, 30 in. (76.2 cm.) high, with an open, semi-upright habit.
Leaf: 7 in. (17.8 cm.) wide, 12 in. (30.5 cm.) long; 10 pairs of moderately prominent veins; emerges blue green, changing to creamy white with a 0.5 in. (1.3 cm.) wide, medium blue-green, smooth margin; glaucous bloom above and underneath; moderately wavy; good substance; ovate with a rounded base.
Scape: 40 in. (101.6 cm.) high, ranging from 40-48 in. (101.6-121.9 cm.); blue-green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Minn: July.
Clump History: 6 years old.
Remarks: the stable form of *H.* 'Regal Promenade'.
[*H.* 'Krossa Regal' sport]
- H. 'Regalia'** K. Anderson (OR) 1992
Plant: 30 in. (76.2 cm) wide, 24 in. (61 cm) high.
Leaf: 9 in. (22.9 cm) long, 4 in. (10.2 cm) wide, 9-10 pairs of veins; blue-green with a light green center; ovate with a rounded base; rippled margin.
Scape: 45 in. (114.3 cm) long, inflorescence leaves.
Flower: lavender, tubular; Minnesota: July.
[*H.* 'Krossa Regal' sport]
- H. 'Revelations'** E. Moore (OR) 1993
Plant: 36 in. (91.4 cm.) wide, 22 in. (55.9 cm.) high.
Leaf: 8 in. (20.3 cm.) long, 4.5 in. (11.4 cm.) wide, 8-9 pairs of prominent veins; light green with a medium green margin; ovate with a rounded base; margin smooth; slightly shiny above and underneath; moderately wavy.
Scape: 32 in. (81.3 cm.) long.
Flower: deep purple, tubular; Georgia: July.
[*H.* 'Fortunei Hyacinthina' sport]
- H. 'Rhapsody in Blue'** R. Benedict (O), J. & J. Wilkins (R) 1995
Plant: 30 in. (76.2 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 7.5 in. (19.0 cm.) long, 7 in. (18.0 cm.) wide, 9 pairs of moderately prominent veins. Intensely blue-green with a slightly rippled margin. Glaucous bloom on top and underneath; moderately folded, deeply wavy; heavy substance; broadly ovate with a cordate base.
Scape: 23 in. (58.4 cm.) high, ranging from 20-24 in. (50.8-61 cm.); green.
Flower: 1.75 in. (4.5 cm.) long, medium lavender, white stripes inside, tubular, fertile; Mich: mid-August to early Sept.
Clump History: 5 years old.
- [*H. rupifraga* hybrid]
- H. 'Rippling Rhythm'** R. Savory (ONIR) 1998
Plant: 54 in. (137 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 6.5 in. (16.5 cm.) wide, 9 pairs of veins. Medium green with a heavily rippled margin. Dull on top, glaucous bloom underneath; wavy, broadly ovate with a cordate base.
Scape: ranging from 28-31 in. (71.1-78.7 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular; Edina MN: 6/30 - 7/8 - 7/16 (2 - 4 - 4).
Seed: viability unknown; pod is green.
Clump History: the original seedling, 15 years old, growing in Edina MN.
Notable Characteristics: deep veins and a picrust margin.
[*H.* 'Bountiful' hybrid]
- H. 'Robert's Rapier'** R. Keller & White Oak Nursery (ONIR) 1996
Plant: 32 in. (81.3 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 5 in. (12.7 cm.) wide, 6-7 pairs of prominent veins. Medium green with a narrow white band down the center of the leaf. Margin slightly rippled. Dull on top and underneath; lightly wavy; ovate with a rounded base. White center extends down the petiole.
Scape: 19 in. (48.3 cm.) high, ranging from 18-20 in. (45.7-50.8 cm.); light green.
Flower: 2 in. (5.1 cm.) long, pale lavender, bell shaped; Peoria IL: 7/15 - 7/22 - 8/5 (5 - 5 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 4 years old, growing in Peoria IL.
Notable Characteristics: a narrow white band in middle of the leaf.
[*H.* 'White Christmas' sport]
- H. 'Rock Happy'** P. Ruh (OR) 1992
Plant: 17 in. (43.2 cm) wide, 15 in. (38.1 cm) high.
Leaf: 5.75 in. (14.6 cm) long, 3.75 in. (9.5 cm) wide, 9 pairs of veins; light green; triangular in shape; slightly rippled; semi-glossy underneath.
Scape: 24 in. (61 cm), inflorescence leaves.
Flower: lavender, flaring; Ohio: mid-August.
Seed: viable.
[*H. longipes* hybrid]
- H. 'Rocknoll Blue Dwarf'** B. Saur (ONI), P. Ruh (R) 1996
Plant: 9 in. (22.9 cm.) diameter, 3 in. (7.6 cm.) high. Mound-like with a moderate growth rate.
Leaf: 3.5 in. (8.9 cm.) long, 0.88 in. (2.2 cm.) wide, 4 pairs of prominent veins. Medium blue-green with slightly rippled margin. Dull on top, very shiny underneath; twisted, wavy; lance-shaped with a flat base. Petiole winged.
Scape: 14 in. (35.6 cm.) high, ranging from 11-22 in. (27.9-55.9 cm.); deep green.
Flower: 1.5 in. (3.8 cm.) long, lavender, tubular, striped; Chesterland OH: 8/2 - 8/17 - 8/29.
Seed: pod is green.

- Clump History: a division of the original, 10 years old, growing in Chesterland OH.
[Parentage unknown]
- H. 'Rosebud'** D. Savory (OR) 1992
Plant: 32 in. (81.3 cm) wide, 26 in. (66 cm) high.
Leaf: 12 in. (30.5 cm) long, 9 in. (22.9 cm) wide, 11 pairs of veins; medium green; cordate; moderately puckered; satin sheen.
Scape: 36 in. (91.4 cm) long, inflorescence leaves.
Flower: dark pink, tubular; Minnesota: July.
Seed: viable.
[Parentage unknown]
- H. 'Rosie Posie'** Belle Gardens (OR) 1994
Plant: 24 in. (61 cm.) diameter, 12.5 in. (31.8 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 3.37 in. (8.6 cm.) wide, 4.87 in. (12.4 cm.) long; 9 pairs of moderately prominent veins; dark green with 0.625 in. (1.6 cm.) wide, creamy white, slightly rippled margin; slightly shiny above and underneath; moderately wavy; heavy substance; ovate with a cordate base.
Scape: 16 in. (40.6 cm.) high, ranging from 14-19 in. (35.6-48.3 cm.); reddish green.
Flower: 2 in. (5.1 cm.) long, medium orchid, tubular; Mich: late August to mid-Sept.
Seed: viable.
Clump History: 4 years old.
[H. 'William Lachman' x *H. montana*]
- H. 'Rossing's Pride'** R. Rossing (OR) 1993
Plant: 26 in. (66 cm.) wide, 16 in. (40.6 cm.) high.
Leaf: 8 in. (20.3 cm.) long, 4 in. (10.2 cm.) wide, 9 pairs of veins; light green with a medium green margin; ovate with a rounded base; margin slightly rippled; slightly shiny above and dull underneath; corrugated.
Scape: 37 in. (94 cm.) long; inflorescence leaves.
Flower: pale lavender, bell-shaped.
Seed: viable.
[H. 'Fortunei Hyacinthina' sport]
- H. 'Roundhouse Blues'** T. Micheletti (ONIR) 1998
Plant: 36 in. (91.4 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.
Leaf: 10 in. (25.4 cm.) long, 9 in. (22.9 cm.) wide. 15 pairs veins. Medium blue-green. Glauous bloom on top and underneath; cupped, corrugated, nearly round with a cordate base.
Scape: ranging from 21-24 in. (53.3-61 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Barrington IL: 6/15 - 6/30 - 7/10 (2 - 2 - 2).
Seed: viable; pod is green.
Clump History: the original seedling, 8 years old, growing in Barrington IL.
Notable Characteristics: upright with round, cupped and corrugated leaves.
[parentage unknown]
- H. 'Rubber Ducky'** J. Schwarz (ONIR) 1996
Plant: 15 in. (38.1 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like.
Leaf: 4.75 in. (12.1 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of prominent veins. Light green with a flat margin. Very shiny on top and underneath; elliptic with a round base.
Scape: 18 in. (45.7 cm.) high, ranging from 14-20 in. (35.6-50.8 cm.); burgundy.
Flower: 2 in. (5.1 cm.) long, medium lavender, bell shaped, striped; Dubuque IA: 7/20 - 7/30 - 8/10 (4 - 5 - 6).
Seed: viable; pod is burgundy.
Clump History: the original seedling, 5 years old, growing in Dubuque IA.
Notable Characteristics: small stature, heavy substance, shiny leaves.
[Parentage unknown]
- H. 'Ruffled Petticoats'** J. & B. Diesen (ONIR) 1998
Plant: 32 in. (81.3 cm.) diameter, 20 in. (50.8 cm.) high. Upright with a moderate growth rate.
Leaf: 14 in. (35.6 cm.) long, 10 in. (25.4 cm.) wide. 15 pairs of veins. Medium green with a heavily rippled margin. Dull on top, very shiny underneath; moderately wavy, broadly ovate with a cordate base.
Scape: ranging from 38-40 in. (96.5-101.6 cm.) high; inflorescence leaves.
Flower: pale lavender, tubular; Plattsmouth NE: June (3 - 3 - 3).
Seed: viable; pod is green.
Clump History: the original seedling, 5 years old, growing in Plattsmouth NE.
Notable Characteristics: wavy edged leaf.
[H. 'Green Piecrust' hybrid]
- H. 'Rumpelstiltskin'** R. Savory (O), D. Savory (NIR) 1997
Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 6 in. (15.2 cm.) wide. 8-10 pairs of prominent veins. Dark green with a 0.25 in. (0.64 cm.) wide, heavily rippled, light green to yellow margin. Glauous bloom on top and underneath; lightly wavy, ovate with a rounded base.
Scape: 33 in. (83.8 cm.) high, ranging from 31-35 in. (78.7-88.9 cm.).
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Edina MN: 7/15 - 7/25 - 8/10 (5 - 5 - 5).
Seed: viable; pod is green.
Clump History: the original seedling, 15 years old, growing in Edina MN.
[H. 'Vilmoriniana' hybrid]
- H. 'Rusty Bee'** A. Malloy (ONIR) 1998
Plant: 22 in. (55.9 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of veins. Light green with a slightly rippled margin. Dull on top, slightly shiny underneath; lightly twisted, ovate with a rounded base; petiole purplish red running into the leaf.
Scape: ranging from 22-23 in. (55.9-58.4 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pale purple, tubular; South Salem NY: 8/20 - 8/28 - 9/10 (6 - 6 - 7).
Seed: viable; pod is green.

Clump History: the original seedling, 4 years old, growing in South Salem NY.

Notable Characteristics: red petioles and red specks in the leaf.

[*H.* 'Beatrice' hybrid]

S

***H.* 'Sagae'** K. Watanabe (N) 1996
Plant: 22-26 in. (55.9-66 cm.) diameter, 20 in. (50.8 cm.) high.

Leaf: 12.5 in. (31.8 cm.) long, 9.5 in. (24.1 cm.) wide, 12 pairs of veins; dull yellow green above, glaucous green below, with bright-pale yellow margin; irregular ripples.

Scape: 34 in. (86.4 cm.) high; arching; inflorescence leaves.

Flower: whitish.

Remarks: this is the correct cultivar name for the hosta formerly called *H. fluctuans* 'Variegated'.

***H.* 'Sailors' Warning'** C. Seaver (OR) 1995
Plant: 15 in. (38.1 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, compact, semi-upright habit.

Leaf: 5 in. (13.0 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of moderately prominent veins. Dark green streaked yellow and cream, with a smooth margin. Slightly shiny on top and underneath; lightly folded; moderately corrugated; average substance; elliptic with a tapered base. Red back on winged streaked petiole

Scape: 25 in. (63.5 cm.) high, ranging from 23-25 in. (58.4-63.5 cm.); green with red stripes.

Flower: 2 in. (5.1 cm.) long, purple, bell shaped; Delaware: late August.

Seed: viable.

Clump History: 4 years old.

[*H.* 'Flamboyant' hybrid]

***H.* 'Sails Ho'** R. Lydell (OR) 1995
Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high. Moderately growing, moderately dense, mound-like habit.

Leaf: 7 in. (18.0 cm.) long, 4.5 in. (11.0 cm.) wide. 8-9 pairs of moderately prominent veins. Creamy white with blue-green streaking to the midrib. The margin is 0.5 in. (1.3 cm.) wide, heavily rippled, and blue-green. Slightly shiny on top, glaucous bloom underneath; intensely twisted, moderately wavy, lightly rippled; heavy substance; ovate with a rounded base.

Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.); blue-green.

Flower: 1.75 in. (4.5 cm.) long, bell shaped; New York: mid-July to mid-August.

Seed: none set.

Remarks: older leaves become somewhat frosted with green.

Clump History: 4 years old.

[*H.* 'Krossa Regal' sport]

***H.* 'Saint Elmo's Fire'** R. Solberg (OR) 1995

Plant: 24 in. (61 cm.) diameter, 16 in. (40.6 cm.) high. Moderately growing, moderately dense, mound-like habit.

Leaf: 4 in. (10 cm.) long, 7 in. (18 cm.) wide. 7-8 pairs of moderately prominent veins. Center emerges bright yellow, changing to light green. Margin is 0.5 in. (1.3 cm.) wide, smooth, and pure white. Slightly shiny on top and underneath; slightly cupped, slightly wavy; good substance; elliptic with a flared base.

Scape: 30 in. (76.2 cm.) high, ranging from 26-36 in. (66-91.4 cm.); green.

Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; N. Carolina: July to early August.

Seed: viable.

Remarks: a second flush of leaves also emerges with a bright yellow center, resulting in yellow and green centered leaves at the same time.

Clump History: 2 years old.

[*H.* 'Sea Fire' sport]

***H.* 'Sally and Bob'** C. Owens (OR) 1994

Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high, with a moderately dense, mound-like habit.

Leaf: 10.5 in. (26.7 cm.) wide, 12 in. (30.5 cm.) long; 13 pairs of prominent veins; green with white streaks radiating from the center to the margin; smooth margin; very shiny above and underneath; moderately corrugated; average substance; broadly ovate with a cordate base.

Scape: 23 in. (58.4 cm.) high.

Flower: 2 in. (5.1 cm.) long, pinkish white, tubular; Mich: July.

Clump History: 7 years old.

[*H.* 'William Lachman' x *H.* 'Fascination']

***H.* 'Salute'** H. & D. Benedict (OR) 1995

Plant: 10 in. (25.4 cm.) diameter, 14 in. (35.6 cm.) high. Moderately growing, moderately dense, semi-upright habit.

Leaf: 8 in. (20.0 cm.) long, 4 in. (10.0 cm.) wide. 9 pairs of moderately prominent veins. Intensely blue-green with a smooth margin. Glaucous bloom on top and underneath; moderately wavy; heavy substance; ovate with a cordate base.

Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); glaucous blue.

Flower: 1.25 in. (3.2 cm.) long, nearly-white, tubular; Mich: late July to mid-August.

Seed: viability unknown.

Clump History: 8 years old.

[*H.* "Dorset Blue F4" selfed]

***H.* 'Sam-Tina Gold'** J. Orlando (ONIR) 1998

Plant: 26 in. (66 cm.) diameter, 14 in. (35.6 cm.) high. Mound-like with a moderate growth rate.

Leaf: 6 in. (15.2 cm.) long, 4 in. (10.2 cm.) wide. 9 pairs of prominent veins. Light green to white (albescens) with a flat margin. Gets progressively lighter. Slightly shiny on top, dull underneath; lightly cupped, lightly corrugated, ovate with a rounded base.

Scape: 29 in. (73.7 cm.) high, ranging from 25-32 in. (63.5-81.3 cm.) in length.

- Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped; Spenceport NY: mid-July-late-July-mid-Aug. (4 - 5 - 6).
Seed: none set.
Clump History: the original sport, 5 years old, growing in Spenceport NY.
Notable Characteristics: a smaller mound with bright coloration in the shade.
[H. 'Gold Standard' sport]
- H. 'Sara' B. Kuk (OR)** 1994
Plant: 24 in. (61 cm.) diameter, 17 in. (43.2 cm.) high, with a moderately dense, semi-upright habit.
Leaf: 7 in. (17.8 cm.) wide, 9 in. (22.9 cm.) long; 10-12 pairs of prominent veins; deep gold; slightly rippled margin; dull above, glaucous bloom underneath; moderately wavy, moderately corrugated; heavy substance; ovate with a rounded (slightly cordate) base.
Scape: 25 in. (63.5 cm.) high, ranging from 23-26 in. (58.4-66 cm.); light green.
Flower: 1.5 in. (3.8 cm.) long, pale lavender, bell-shaped; Ohio: mid-June to mid-July.
Seed: viable.
Clump History: 5 years old.
[H. 'Rippling Waves' hybrid]
- H. 'Sarah Jane' D & J Ward (ONIR)** 1997
Plant: 72 in. (183 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide. 10-11 pairs of prominent veins. Medium green with a 0.75 in. (1.91 cm.) wide, slightly rippled, yellow gold margin. Slightly shiny on top, dull underneath; wavy, lightly corrugated, broadly ovate with a cordate base.
Scape: 28 in. (71.1 cm.) high, ranging from 26-29 in. (66-73.7 cm.).
Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 7/1 - 7/10 - 7/15 (5 - 5 - 5).
Seed: not viable; the rare pod is green.
Clump History: the original sport, 10 years old, growing in Columbus OH.
[H. 'Gold Standard' sport]
- H. 'Sara's Sensation' P. & L. Hofer (ONIR)** 1998
Plant: 46 in. (117 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like and slow growing.
Leaf: 11 in. (27.9 cm.) long, 9 in. (22.9 cm.) wide. 18 pairs prominent veins. Green with a 3 in. (7.62 cm.) wide, slightly rippled, yellow margin. Dull on top and underneath; deeply cupped, moderately corrugated, broadly ovate with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.) in length.
Flower: 2 in. (5.1 cm.) long, pure white, tubular; Perry OH: 6/20 - 7/1 - 7/12 (2 - 2 - 2).
Seed: viable; pod is green.
Notable Characteristics: wide yellow margin.
[H. 'Frances Williams' sport]
- H. 'Sasquatch' H. Sugita (O), P. Ruh (ONIR)** 1998
Plant: 30.5 in. (77.5 cm.) diameter, 24 in. (61 cm.) high. Upright with a moderate growth rate.
- Leaf: 13.75 in. (34.9 cm.) long, 11.25 in. (28.6 cm.) wide. 20 pairs prominent veins. Medium blue-green with a slightly rippled margin. Dull on top, glaucous bloom underneath; moderately twisted, moderately folded, moderately wavy, moderately corrugated; broadly ovate with a cordate base.
Scape: 36 in. (91.4 cm.) high; inflorescence leaves.
Flower: 2 in. (5.1 cm.) long, near-white, tubular; Chesterland OH: 6/15 - 6/27 - 7/12.
Seed: viable; pod is green.
[parentage unknown]
- H. 'Saybrook Surprise' R. Lydell (ONIR)** 1998
Plant: 32 in. (81.3 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 7.5 in. (19.1 cm.) wide. 12-14 veins. Golden yellow with a 1.5 in. (3.81 cm.) wide, flat, slightly blue-green margin. Slightly shiny on top, glaucous bloom underneath; lightly cupped, lightly corrugated, broadly ovate with a cordate base.
Scape: ranging from 20-22 in. (50.8-55.9 cm.) high.
Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Dunkirk NY: 6/20 - 6/28 - 7/12 (3 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 7 years old, growing in Dunkirk NY.
Notable Characteristics: the low profile and heavy substance.
[H. "Perry's True Blue seedling" sport]
- H. 'Scarlet O'Hara' U. Syre-Herz (ONIR)** 1996
Plant: 18 in. (45.7 cm.) diameter, 9 in. (22.9 cm.) high. Upright.
Leaf: 4.5 in. (11.4 cm.) long, 3 in. (7.6 cm.) wide. 5 pairs of prominent veins. Yellow changing to light green. Margin slightly rippled. Slightly shiny on top and underneath; ovate with a rounded base.
Scape: 14 in. (35.6 cm.) high, ranging from 12-16 in. (30.5-40.6 cm.), white inflorescence leaves, red.
Flower: intense violet, funnel shaped; Myrtle Beach SC: July.
Seed: viability unknown.
Clump History: 6 years old.
Notable Characteristics: emerging gold foliage contrasting with the red cover leaves. Scapes and pedicels are red and Scape leaves are white.
[H. 'Peedee Red Legs' x H. 'Peedee Gold Flash']
- H. 'September Surprise' Walters Gardens, Inc. (ONIR)** 1997
Plant: 42 in. (107 cm.) diameter, 24 in. (61 cm.) high. Mound-like and fast growing.
Leaf: 8.5 in. (21.6 cm.) long, 7 in. (17.8 cm.) wide. 10-11 pairs of prominent veins. Yellow green with a 0.63 in. (1.59 cm.) wide, flat, medium green margin. Dull on top with glaucous bloom underneath; moderately corrugated, broadly ovate with a base.
Scape: 28 in. (71.1 cm.) high, ranging from 26-30 in. (66-76.2 cm.).
Flower: 2 in. (5.1 cm.) long, medium lavender with purple striping and translucent margins, tubular; Zeeland MI: 7/212 - 7/28 - 8/6 (3 - 4 - 4).
Seed: viable; pod is green.
Clump History: the original sport, 6 years old, growing in Zeeland MI.

- [*H.* 'August Moon' sport]
- H.* 'Seven-Eleven'** K. Squires (ONI), P. Ruh (R) 1996
 Plant: 10 in. (25.4 cm.) diameter, 6 in. (15.2 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 4.75 in. (12.1 cm.) long, 1.25 in. (3.2 cm.) wide, 4 pairs of prominent veins. Light green with a slightly rippled margin. Slightly shiny on top and underneath; twisted, wavy; lance-shaped with a flat base. Petiole winged.
 Scape: 12 in. (30.5 cm.) high; purple dotted at base.
 Flower: 1.5 in. (3.8 cm.) long, deep purple, bell shaped; Chesterland OH: 8/2 - 8/14 - 8/26.
 Seed: viable.
 Clump History: a division of the original, 5 years old, growing in Chesterland OH.
 [Parentage unknown]
- H.* 'Seventh Heaven'** J. Kulpa (OR) 1994
 Plant: 24 in. (61 cm.) diameter, 12 in. (30.5 cm.) high, with a compact, mound-like habit.
 Leaf: 6 in. (15.2 cm.) wide, 7 in. (17.8 cm.) long; 9 pairs of moderately prominent veins; medium to dark green with white streaking throughout; smooth margin; slightly shiny above, dull underneath; moderately corrugated; good substance; broadly ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 15-25 in. (38.1-63.5 cm.); striped green and cream.
 Flower: 3 in. (7.6 cm.) long, near-white, tubular; fragrant; Mich: late July to late August.
 Seed: viable.
 Clump History: 2 years old.
 [*H.* 'Kevin Vaughn' x *H.* *plantaginea*]
- H.* 'Shades of Mercy'** R. Snyder (ONIR) 1998
 Plant: 14 in. (35.6 cm.) diameter, 7 in. (17.8 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 4 in. (10.2 cm.) long, 2.25 in. (5.7 cm.) wide, 4 pairs of veins. Streaked dark green, pale yellow, greenish yellow and medium green. Margin 0.25 in. (0.64 cm.) wide, flat, and white. Dull on top, very shiny underneath; ovate with a rounded base; petiole streaked.
 Scape: ranging from 15-24 in. (38.1-61 cm.) in length; inflorescence leaves.
 Flower: 1.75 in. (4.4 cm.) long, purple, striped, bell-shaped; Willmar MN: 7/1 - 7/15 - 7/30 (4 - 5 - 6).
 Seed: viability unknown; pod is green.
 Clump History: the original sport, 5 years old, growing in Willmar MN.
 Notable Characteristics: streaked leaf with a white margin.
 [*H.* 'Allan P. McConnell' sport]
- H.* 'Shadow Waltz'** W. & E. Lachman (OR) 1995
 Plant: 30 in. (76.2 cm.) diameter, 15 in. (38.1 cm.) high.
 Moderately growing, moderately dense, mound-like habit.
 Leaf: 9 in. (23.0 cm.) long, 8 in. (20.0 cm.) wide, 9 pairs of prominent veins. Medium green with a 1 in. (2.5 cm.) wide, slightly rippled, light green (emerges gold) margin. Slightly shiny on top, glaucous bloom underneath; moderately rippled, intensely corrugated; good substance; broadly ovate with a rounded base
- Scape: 23 in. (58.4 cm.) high, ranging from 22-24 in. (55.9-61 cm.); green.
 Flower: 1 in. (2.5 cm.) long, medium lavender, tubular; Mass: late June to mid-July.
 Seed: viable.
 Clump History: 4 years old.
 [*H.* 'Banana Sundae' x *H.* 'Sea Drift') x *H.* 'Blue Shadows']
- H.* 'Shady Choice'** J. & B. Diesen (ONIR) 1998
 Plant: 20 in. (50.8 cm.) diameter, 16 in. (40.6 cm.) high.
 Mound-like and fast growing.
 Leaf: 7 in. (17.8 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of veins. Medium green. Dull on top, slightly shiny underneath; ovate with a rounded base; petiole has some red color.
 Scape: ranging from 26-28 in. (66-71.1 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Plattsmouth NE: July (5 - 5 - 5).
 Clump History: a tissue cultured plant obtained from a nursery, 2 years old, growing in Plattsmouth NE.
 [*H.* 'Torchlight' sport]
- H.* 'Sharp Shooter'** Belle Gardens (OR) 1993
 Plant: 25.5 in. (64.8 cm.) wide, 12 in. (30.5 cm.) high.
 Leaf: 8.5 in. (21.6 cm.) long, 3.25 in. (8.3 cm.) wide, 5 pairs of prominent veins; medium green; ovate with a rounded base; margin slightly rippled; dull above and underneath; lightly folded.
 Scape: 42 in. (106.7 cm) long; dark burgundy.
 Flower: pale purple, tubular; Michigan: late August.
 [*H.* 'Spartan Gem' hybrid]
- H.* 'Shere Khan'** M. Zilis (R), W. Zumbar (R) 1995
 Plant: 7 in. (17.8 cm.) diameter, 5 in. (12.7 cm.) high.
 Moderately growing, moderately dense, semi-upright habit.
 Leaf: 2 in. (5.1 cm.) long, 1.1 in. (2.9 cm.) wide, 4 pairs of prominent veins. Light green with a 0.19 in. (0.5 cm.) wide, slightly rippled, pure white margin. Dull on top, slightly shiny underneath; lightly wavy; good substance; ovate with a rounded base.
 Scape: 5.5 in. (14 cm.) high, ranging from 5.5-7 in. (14-17.8 cm.); light green.
 Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Ohio: late June to mid-July.
 Seed: viable.
 Clump History: 3 years old.
 Remarks: leaf center turns to gold by mid-summer when grown in half a day of sun.
 [*H.* 'Just So' sport]
- H.* 'Sherwood Forest'** W. & E. Lachman (OR) 1993
 Plant: 42 in. (106.68 cm) wide, 20 in. (50.8 cm.) high.
 Leaf: 10 in. (25.4 cm.) long, 9.5 in. (24.1 cm.) wide, 10 pairs of moderately prominent veins; medium green; broadly ovate with a flat base; margin slightly rippled; very shiny above with glaucous bloom underneath; moderately wavy.
 Scape: 40 in. (101.6 cm.) long.
 Flower: medium lavender, tubular; Mass: July.
 Seed: none set.
 [*H.* 'Carnival' hybrid]

- H. 'Shimmering Silk'** F. Davis (ONIR) 1996
Plant: 46 in. (117 cm.) diameter, 16 in. (40.6 cm.) high. Semi-upright with a moderate growth rate.
Leaf: 10 in. (25.4 cm.) long, 8.5 in. (21.6 cm.) wide. 9 pairs of prominent veins. Dark green. Very shiny on top and underneath; moderately corrugated; ovate with a cordate base.
Scape: 30 in. (76.2 cm.) high, ranging from 26-32 in. (66-81.3 cm.); green.
Flower: 2.13 in. (5.4 cm.) long, deep purple, bell shaped; Palermo ME: 8/2 - 8/13 - 8/26.
Seed: viable.
Clump History: 3 years old.
Notable Characteristics: very shiny, silky appearance.
[Parentage unknown]
- H. 'Shiny Penny'** R. Solberg (ONIR) 1997
Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and fast growing.
Leaf: 3.5 in. (8.9 cm.) long, 2 in. (5.1 cm.) wide. 4 pairs of prominent veins. Gold with a slightly rippled margin. Very shiny on top and underneath; lightly wavy, ovate with a cordate base.
Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); yellowish green with purple specks.
Flower: 2 in. (5.1 cm.) long, medium lavender, tubular; Chapel Hill NC: 7/10 - 8/1 - 8/10 (4 - 5 - 6).
Seed: viable; pod is yellow-green.
Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.
Notable Characteristics: shiny coppery leaves with good substance.
[H. 'Lemon Lime' x H. 'Shining Tot']
- H. 'Shirley'** V. Wade (ONIR) 1998
Plant: 18 in. (45.7 cm.) diameter, 12 in. (30.5 cm.) high. Upright and slow growing.
Leaf: 7 in. (17.8 cm.) long, 4.5 in. (11.4 cm.) wide. 7-9 pairs veins. Golden yellow with a 0.75 in. (1.91 cm.) wide, slightly rippled, medium green margin. Variegation becomes more pronounced. Dull on top, slightly shiny underneath; moderately wavy, ovate with a cordate base.
Flower: pale lavender, bell-shaped; Belleville OH: summer period.
Seed: pod is green.
Clump History: first generation division of the original, 5 years old, growing in Belleville OH.
[parentage unknown]
- H. 'Show Piece'** G. Krossa (O), E. Fisher (NI), P. Ruh (R) 1998
Plant: 22.5 in. (57.2 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like and slow growing.
Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide. 7 pairs of prominent veins. Greenish yellow with a heavily rippled margin. Viridescence. Dull on top, slightly shiny underneath; twisted, intensely wavy, broadly ovate with a cordate base.
Scape: 22 in. (55.9 cm.) high; inflorescence leaves.
- Flower: 2.5 in. (6.4 cm.) long, pale purple, striped, tubular; Chesterland OH: 6/5 - 6/19 - 7/1.
Seed: viable; pod is green.
Clump History: obtained from the originator, 5 years old, growing in Chesterland OH.
[parentage undetermined]
- H. 'Showboat'** W. & E. Lachman (OR) 1993
Plant: 28 in. (71.1 cm.) wide, 14 in. (35.6 cm.) high.
Leaf: 9.5 in. (24.1 cm.) long, 7.5 in. (19.1 cm.) wide, 11 pairs of prominent veins; dark green with a 1.5 in. creamy white margin; ovate with a flat to tapered base; margin smooth; slightly shiny above and dull underneath; folded.
Scape: 27 in. (68.6 cm.) long; green.
Flower: pale lavender, tubular.
Seed: viable.
[H. 'Christmas Tree' x H. "Seedling 81-9"]
- H. 'Silent Witness'** G. Rasmussen (O), A. Malloy (NIR) 1997
Plant: 23 in. (58.4 cm.) diameter, 7 in. (17.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. 7 pairs of insignificant veins. Medium green with a 1.5 in. (3.81 cm.) wide, flat, light green margin. Slightly shiny on top, very shiny underneath; moderately corrugated, ovate with a cordate base.
Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.).
Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Farmindale NY: 7/5 - ? - 7/15 (3 - ? - 4).
Seed: viability unknown; pod is green.
Clump History: a division of the original, 7 years old, growing in Farmindale NY.
Notable Characteristics: small with a two-toned green corrugated leaf.
[H. 'Flamboyant' hybrid]
- H. 'Silver and Gold'** R. Lydell (OR) 1995
Plant: 40 in. (101.6 cm.) diameter, 18 in. (45.7 cm.) high. Fast growing, compact, mound-like habit.
Leaf: 7 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 7-9 pairs of prominent veins. Medium gold with a 0.75 in. (1.9 cm.) wide, smooth, green and white margin. Slightly shiny on top, glaucous bloom underneath; average substance; ovate with a rounded base.
Scape: 27 in. (68.6 cm.) high, ranging from 24-28 in. (61-71.1 cm.).
Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; New York: July.
Seed: none set.
Clump History: 4 years old.
[H. 'Gold Standard' sport]
- H. 'Silver Creek Sunshine'** D. Savory (ONIR) 1996
Plant: 28 in. (71.1 cm.) diameter, 12 in. (30.5 cm.) high. Mound-like.
Leaf: 7 in. (17.8 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of prominent veins. Medium green with a heavily rippled margin. Dull on top, very shiny underneath; lightly wavy; lance-shaped with a tapered base.
Scape: 24 in. (61 cm.) high, ranging from 22-26 in. (55.9-66 cm.); green.

- Flower: 1.5 in. (3.8 cm.) long, pale lavender, tubular; Edina MN: 8/20 - 9/1 - 9/10 (7 - 7 - 7).
Seed: viability unknown; pod is green.
Clump History: the original seedling, 15 years old, growing in Edina MN.
Notable Characteristics: low growing habit, rippled leaves and "spring gold" color.
[*H.* 'Halcyon' hybrid]
- H. 'Silver Dust'** E. Fisher (ON), P. Ruh (R) 1995
Plant: 21 in. (53.3 cm.) diameter, 9 in. (22.9 cm.) high. A compact, semi-upright habit.
Leaf: 7.25 in. (18.0 cm.) long, 5.5 in. (14.0 cm.) wide. 12 pairs of moderately prominent veins. Medium blue-green with a smooth margin. Glaucous bloom on top, slightly shiny underneath; slightly rippled, lightly corrugated, lightly cupped; good substance; broadly ovate with a cordate base.
Scape: 21 in. (53.340 cm.) high.
Flower: pale lavender, tubular; Ohio: early July.
Seed: viable.
Clump History: 15 years old.
[Parentage unknown]
- H. 'Silvery Slugproof'** D. Grenfell (ONIR) 1996
Plant: 40 in. (102 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like and fast growing.
Leaf: 7 in. (17.8 cm.) long, 5 in. (12.7 cm.) wide. 5 pairs of insignificant veins. Slightly blue-green with flat margin. Waxy on top and underneath; broadly ovate with a cordate base. Petiole gray with red spots at the base.
Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.); branched; inflorescence leaves; gray.
Flower: 1 in. (2.5 cm.) long, pale lavender, bell shaped; Lymington Hants UK: 6 - 7 - 7 (2 - 4 - 5).
Seed: viable; pod is dark grayish brown.
Clump History: a division of the original, 5 years old, growing in Lymington Hants UK.
Notable Characteristics: slug resistance.
[*H. sieboldiana* x *H. tardiflora*]
- H. 'Skookumchuck'** R. Duback (ONIR) 1998
Plant: 40 in. (102 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 14 pairs veins. Medium blue-green with a flat margin. Glaucous bloom on top and underneath; moderately cupped, intensely corrugated, nearly round with a cordate base.
Flower: near-white; Vancouver WA: average period.
Seed: viable.
Clump History: 6 years old, growing in Vancouver WA.
[parentage unknown]
- H. 'Sleeping Beauty'** Walters Gardens, Inc. (ONIR) 1997
Plant: 20 in. (50.8 cm.) diameter, 16 in. (40.6 cm.) high. Mound-like with a moderate growth rate.
Leaf: 6.5 in. (16.5 cm.) long, 3.75 in. (9.5 cm.) wide. 10-12 pairs of insignificant veins. Intensely blue-green with a 0.38 in. (0.95 cm.) wide, flat, creamy white margin. Glaucous bloom on top and underneath; ovate with a cordate base.
- Scape: 20 in. (50.8 cm.) high, ranging from 18-24 in. (45.7-61 cm.).
Flower: 3 in. (7.6 cm.) long, pale lavender with light lavender in the center of the petal, tubular; Zeeland MI: 7/28 - 8/2 - 8/18 (4 - 4 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 4 years old, growing in Zeeland MI.
Notable Characteristics: a *H.* 'Halcyon' sport with a creamy white margin.
[*H.* 'Halcyon' sport]
- H. 'Slick Willie'** J. Hadrava (OR) 1996
Plant: 24 in. (61 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
Leaf: 5 in. (12.7 cm.) long, 4.25 in. (10.8 cm.) wide. 6 pairs of moderately prominent veins. Dark green with a smooth margin. Very shiny on top and underneath; lightly cupped; broadly ovate with a cordate base.
Scape: 28 in. (71.1 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); inflorescence leaves; green.
Flower: 1 in. (2.5 cm.) long, pale lavender, tubular, striped; Cedar Rapids IA: 7/1 - 7/15 - 7/23.
Seed: none set.
Clump History: 5 years old.
[*H. ventricosa* x *H.* 'Invincible']
- H. 'Small Sum'** G. R. Goodwin (ONIR) 1996
Plant: 36 in. (91.4 cm.) diameter, 20 in. (50.8 cm.) high. Mound-like with a moderate growth rate.
Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 8 pairs of prominent veins. Yellow gold with a slightly rippled margin. Very shiny on top and underneath; ovate with a flat base.
Scape: 18 in. (45.7 cm.) high, ranging from 12-24 in. (30.5-61 cm.); light green.
Flower: 2 in. (5.1 cm.) long, near white, bell shaped; Indianapolis IN.; 7/25 - 8/15 - 8/30 (5 - 5 - 5).
Seed: viable; pod is light green.
Clump History: the original seedling, 6 years old, growing in Indianapolis IN.
Notable Characteristics: leaves bright yellow and waxy.
[*H.* 'Sum and Substance' hybrid]
- H. 'Smiling Sailor'** C. Seaver (ONIR) 1996
Plant: 6 in. (15.2 cm.) diameter, 3 in. (7.6 cm.) high. Stoloniferous with a moderate growth rate.
Leaf: 2.5 in. (6.4 cm.) long, 1 in. (2.5 cm.) wide. 4 pairs of insignificant veins. Yellowish green to gold with a flat margin. Dull on top and underneath; lightly wavy; elliptic with a tapered base.
Scape: 16 in. (40.6 cm.) high, ranging from 4-20 in. (10.2-50.8 cm.); chartreuse.
Flower: 1.5 in. (3.8 cm.) long, pale purple, tubular, striped; Wilmington DE: 6/20 - 8/15 - 10/31 (2 - 5 - 9).
Seed: viable; pod is brown.
Clump History: the original seedling, 5 years old, growing in Wilmington DE.
[Parentage unknown]

- H. 'Smokerise Frosted Vase'** E. Lunsford Jr. (OR) 1994
Plant: 38 in. (96.5 cm.) diameter, 23 in. (58.4 cm.) high, with a compact, semi-upright habit.
Leaf: 8.75 in. (22.2 cm.) wide, 11.25 in. (28.6 cm.) long; 13 pairs of prominent veins; gray-green changing to green in fall; a very narrow white, smooth margin; dull above, slightly shiny underneath; lightly cupped, lightly rippled, lightly corrugated; good substance; ovate with a cordate base.
Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.).
Flower: 1 in. (2.5 cm.) long, near-white, tubular; Georgia: mid-July to mid-August.
Seed: not viable.
Clump History: 4 years old.
[H. 'Frances Williams' x *H. nigrescens*]
- H. 'Smoky Tokey'** E. Elslager (ONIR) 1998
Plant: 34 in. (86.4 cm.) diameter, 21 in. (53.3 cm.) high. Upright and slow growing.
Leaf: 11.25 in. (28.6 cm.) long, 8.75 in. (22.2 cm.) wide. 16 pairs prominent veins. Medium blue-green with a slightly rippled margin. Slightly shiny on top, dull underneath; lightly cupped, moderately corrugated, with a cordate base. nearly round; petiole glaucous green.
Scape: 19 in. (48.3 cm.) high, ranging from 17-22 in. (43.2-55.9 cm.) in length.
Flower: 1.5 in. (3.8 cm.) long, near-white, violet striped, tubular; Ann Arbor MI: 6/18 - 7/1 - 7/13 (5 - 5 - 5).
Seed: viability unknown; pod is green.
Notable Characteristics: a larger "Tokudama" with good substance and a white back.
Clump History: the original sport, 8 years old, growing in Ann Arbor MI.
[H. 'Tokudama' sport]
- H. 'Snow Mound'** Skylands Nursery (O), 1997
A. Summers (NI), P. Ruh (R)
Plant: 20 in. (50.8 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.
Leaf: 5.63 in. (14.3 cm.) long, 2.63 in. (6.7 cm.) wide. 6 pairs of prominent veins. Dark green with a slightly rippled margin. Very shiny on top and underneath; wavy, lightly corrugated, lance-shaped with a flat base; petiole partly winged.
Scape: 14 in. (35.6 cm.) high, ranging from 13-14 in. (33-35.6 cm.).
Flower: 1.25 in. (3.2 cm.) long, white, tubular; Chesterland OH: 8/8 - 8/23 - 9/4.
[Parentage unknown]
- H. 'Soft Shoulders'** T. Avent (OR) 1995
Plant: 24 in. (61 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, compact, mound-like habit.
Leaf: 8 in. (20 cm.) long, 4 in. (10 cm.) wide. 6 pairs of moderately prominent veins. Dark green with a 0.25 in. (.64 cm.) wide, smooth, creamy white (emerges gold) margin. Slightly shiny on top and underneath; lightly wavy; good substance; lance-shaped with a rounded base.
Scape: 24 in. (61 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.).
- Flower: 1.5 in. (3.8 cm.) long, medium lavender, bell shaped; N. Carolina: August.
Seed: viable.
Clump History: 5 years old.
[H. 'Swoosh' x *H. tardiflora*]
- H. 'Southern Comfort'** P. Ruh (OR) 1992
Plant: 20 in. (50.8 cm.) wide, 18 in. (45.7 cm.) high.
Leaf: 6.5 in. (16.5 cm.) long, 4.5 in. (11.4 cm.) wide, 7 pairs of veins; medium green; triangular in shape; slightly twisted; slightly rippled; dull texture; glossy underneath.
Scape: 33.5 in. (85.1 cm.) long, inflorescence leaves.
Flower: lavender pink, flaring, striped; Ohio: mid-August.
Seed: viable.
[Parentage unknown]
- H. 'Space Odyssey'** C. Soules (ONIR) 1997
Plant: 84 in. (213 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like with a moderate growth rate.
Leaf: 16 in. (40.6 cm.) long, 12 in. (30.5 cm.) wide. 16 pairs of prominent veins. Intensely blue-green with a heavily rippled margin. Slightly shiny on top, dull underneath; moderately wavy, broadly ovate with a cordate base.
Scape: 45 in. (114 cm.) high, ranging from 40-50 in. (101.6-127 cm.).
Flower: near white, tubular; Indianapolis IN.; 6/10 - 6/24 - 7/1 (2 - 3 - 4).
Seed: viable; pod is green.
Clump History: the original seedling, 7 years old, growing in Indianapolis IN.
[Parentage unknown]
- H. 'Spartan Flash'** E. Elslager (ONIR) 1998
Plant: 28 in. (71.1 cm.) diameter, 17 in. (43 cm.) high. Upright and slow growing.
Leaf: 6.75 in. (17.1 cm.) long, 4.5 in. (11.4 cm.) wide. 9 pairs of prominent veins. Streaked green, yellow and white. Margin flat. Slightly shiny on top, glaucous bloom underneath; broadly ovate with a cordate base; petiole green with a yellow stripe.
Scape: 25 in. (63.5 cm.) high, ranging from 16-27 in. (40.6-68.6 cm.) in length.
Flower: 2 in. (5.1 cm.) long, medium lavender, purple striped, tubular; Ann Arbor MI: 7/10 - 7/21 - 8/3 (5 - 5 - 6).
Seed: viability unknown; pod is green.
Clump History: the original sport, 5 years old, growing in Ann Arbor MI.
[H. 'Undulata Albomarginata' sport]
- H. 'Spinnaker'** C. Seaver (OR) 1994
Plant: 40 in. (101.6 cm.) diameter, 28 in. (71.1 cm.) high, with a compact, semi-upright habit.
Leaf: 12 in. (30.5 cm.) wide, 12 in. (30.5 cm.) long; 14 pairs of prominent veins; medium green; deeply cupped, lightly corrugated; nearly round with a cordate base.
Scape: 19 in. (48.3 cm.) high.
Flower: pure white, tubular; Delaware: mid-June to mid-July.
Seed: viable.
Clump History: 5 years old.
[H. 'Sea Lotus Leaf' hybrid]

- H. 'Splashed Leather'** G. R. Goodwin (ONIR) 1996
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 8 in. (20.3 cm.) long, 4 in. (10.2 cm.) wide. 8 pairs of prominent veins. Green streaked with white and a 0.25 in. slightly rippled, creamy white margin. Very shiny on top and underneath; lightly twisted, lightly folded, lightly wavy, lightly corrugated; ovate with a flat base.
 Scape: 24 in. (61 cm.) high, ranging from 20-28 in. (50.8-71.1 cm.); branched; green and white.
 Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Indianapolis IN.; 8/10 - 8/25 - 9/15 (5 - 6 - 6).
 Seed: viable; pod is splashed.
 Clump History: a division of the original, 7 years old, growing in Indianapolis IN.
 Notable Characteristics: waxy, thick, shiny Leaf blade.
 [Parentage unknown]
- H. 'Spotlight'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 50 in. (127.0 cm.) diameter, 20 in. (50.8 cm.) high.
 Moderately growing, compact, semi-upright habit.
 Leaf: 15 in. (38.0 cm.) long, 9.5 in. (24.0 cm.) wide. 14 pairs of prominent veins. Medium gold with a smooth margin. Very shiny on top and underneath; lightly wavy; good substance; ovate with a cordate base.
 Scape: 38 in. (96.5 cm.) high, ranging from 36-42 in. (91.4-106.7 cm.); light green.
 Flower: 1.75 in. (4.5 cm.) long, light lavender, tubular; Mich: July.
 Seed: not viable.
 Clump History: 5 years old.
 [H. 'Fort Knox' x H. *nigrescens* 'Elatior']
- H. 'Spring Lace'** C. Helsley (ONIR) 1998
 Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high.
 Rhizomatous and fast growing.
 Leaf: 4 in. (10.2 cm.) long, 1.38 in. (3.5 cm.) wide. 3 pairs of insignificant veins. Light green with a 0.13 in. (0.32 cm.) wide, heavily rippled, medium green margin. Slightly shiny on top, very shiny underneath; deeply wavy, lance-shaped with a tapered base; petiole rippled at base.
 Scape: 18 in. (45.7 cm.) high, ranging from 12-20 in. (30.5-50.8 cm.); inflorescence leaves.
 Flower: 1.25 in. (3.2 cm.) long, pale purple, striped, tubular; Mansfield MO: 7/207 - 8/1 - 8/10 (5 - 5 - 5).
 Seed: viable; pod is mottled red.
 Clump History: a division of the original, 3 years old, growing in Mansfield MO.
 Notable Characteristics: intensely rippled spring growth.
 [H. 'Chartreuse Wiggles' x H. 'Starburst']
- H. 'Squash Casserole'** T. Avent (OR) 1995
 Plant: 46 in. (116.8 cm.) diameter, 20 in. (50.8 cm.) high.
 Moderately growing, moderately dense, mound-like habit.
 Leaf: 11 in. (28.0 cm.) long, 6 in. (15.0 cm.) wide. 12-13 pairs of moderately prominent veins. Emerging green, turning medium gold, with a heavily rippled margin. Dull on top and underneath; moderately corrugated; moderately rippled; good substance; ovate with a cordate base.
 Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.).
 Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; N. Carolina: June to July.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Hirao Elite' x H. 'August Moon']
- H. 'Standard Deviation'** C. Helsley (ONIR) 1998
 Plant: 24 in. (61.0 cm.) diameter, 18 in. (45.7 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. 10 pairs insignificant veins. Light green streaked with lighter green, yellow-gold and creamy yellow. A 0.13 in. (0.32 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly wavy, lightly corrugated, ovate with a rounded base.
 Scape: 15 in. (38.1 cm.) high, ranging from 12-18 in. (30.5-45.7 cm.); inflorescence leaves.
 Flower: 2 in. (5.1 cm.) long, pale lavender, tubular; Mansfield MO: 7/15 - 7/25 - 8/10 (5 - 5 - 5).
 Seed: none set.
 Clump History: a division of the original, 3 years old, growing in Mansfield MO.
 Remarks: the variegation is not uniform or stable.
 [H. 'Gold Standard' sport]
- H. 'Star Struck'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high.
 Moderately growing, moderately dense, mound-like habit.
 Leaf: 5.5 in. (14.0 cm.) long, 6.5 in. (17.0 cm.) wide. 11 pairs of moderately prominent veins. Gold changing to white, with a 2 in. (5.1 cm.) wide, smooth, medium blue-green margin. Slightly shiny on top, glaucous bloom underneath; lightly folded, good substance; broadly ovate with a rounded base.
 Scape: 18 in. (45.7 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); white.
 Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: August.
 Seed: viability unknown.
 Clump History: 7 years old.
 [H. "William Lachman seedling" sport]
- H. 'Starboard Light'** C. Seaver (OR) 1994
 Plant: 28 in. (71.1 cm.) diameter, 24 in. (61 cm.) high, with a open, semi-upright habit.
 Leaf: 7 in. (12.8 cm.) wide, 11 in. (27.9 cm.) long; 14 pairs of prominent veins; dark yellow; folded; good substance; broadly ovate with a cordate base; veins green at base.
 Scape: 40 in. (101.6 cm.) high, crook-necked.
 Flower: near-white, tubular; Delaware: early July.
 Seed: viable.
 Clump History: 4 years old.
 [H. 'Komodo Dragon' hybrid]
- H. 'Stardust'** D. & J. Ward (ONIR) 1998
 Plant: 48 in. (122 cm.) diameter, 28 in. (71.1 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 13 in. (33.0 cm.) long, 9 in. (22.9 cm.) wide. Yellow gold with a slightly rippled margin. Slightly shiny on

- top, dull underneath; lightly wavy, ovate with a cordate base.
 Scape: 32 in. (81.3 cm.) high, ranging from 30-33 in. (76.2-83.8 cm.).
 Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped;
 Columbus: 7/15 - 7/22 - 7/30 (4 - 4 - 5).
 Seed: viable; pod is green.
 Clump History: the original seedling, 7 years old, growing in Columbus.
 [*H.* 'White Vision' x *H. montana macrophylla* ([incorrect] as 'Praeflorens')]
- H. 'Stearn's Beauty'** F. Williams (O), P. Ruh (NR) 1995
 Plant: 30 in. (76.2 cm.) diameter, 13.5 in. (34.3 cm.) high. A compact, mound-like habit. a 15 year old division.
 Leaf: 4.75 in. (12.0 cm.) long, 6.5 in. (17.0 cm.) wide. 12 pairs of prominent veins. Blue-green. Very shiny on top and underneath; moderately corrugated, lightly rippled; heavy substance; ovate with a rounded base.
 Scape: 25 in. (63.5 cm.) high.
 Flower: near white, tubular; Ohio: late June to early July.
 Seed: viable.
 Remarks: this cultivar has previously been known under the names "Glauca Stearn" and "Frances Williams (FRW) # 941A".
 [Parentage unknown]
- H. 'Stefan Edward'** V. Wade (O), E. Elslager (NIR) 1998
 Plant: 29 in. (73.7 cm.) diameter, 15 in. (38.1 cm.) high. Upright and slow growing.
 Leaf: 8 in. (20.3 cm.) long, 8.25 in. (21 cm.) wide. 15 pairs prominent veins. Intensely blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; deeply cupped, corrugated, nearly round with a cordate base; petiole glaucous blue-green.
 Scape: 19 in. (48.3 cm.) high, ranging from 17-23 in. (43.2-58.4 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, near-white, tubular; Ann Arbor MI: 7/20 - 7/30 - 8/9 (5 - 6 - 6).
 Seed: viability unknown; pod is green.
 Clump History: the original seedling, 6 years old, growing in Ann Arbor MI.
 Notable Characteristics: cupped and corrugated, blue-green with a white back.
 [parentage unknown]
- H. 'Stetson'** Walters Gardens, Inc. (ONIR) 1997
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like and fast growing.
 Leaf: 7 in. (17.8 cm.) long, 4.5 in. (11.4 cm.) wide. 9-10 pairs of insignificant veins. Medium green with a 1 in. (2.54 cm.) wide, heavily rippled, yellow gold margin. Slightly shiny on top, dull underneath; deeply folded, moderately wavy, lightly corrugated, ovate with a flat base.
 Scape: 24 in. (61 cm.) high, ranging from 22-27 in. (55.9-68.6 cm.).
 Flower: 2 in. (5.1 cm.) long, medium lavender with 3 prominent veins in the center, tubular; Zeeland MI: 7/26 - 7/30 - 8/15 (4 - 4 - 5).
 Clump History: the original tissue culture sport, 4 years old, growing in Zeeland MI.
- Notable Characteristics: the folded leaf and wavy margin.
 [*H.* 'Wide Brim' sport]
- H. 'Straka Gold'** C. Owens (OR) 1994
 Plant: 33 in. (83.8 cm.) diameter, 22 in. (55.9 cm.) high, with a compact, semi-upright habit.
 Leaf: 12 in. (30.5 cm.) wide, 14 in. (35.6 cm.) long; 14 pairs of prominent veins; deep gold; smooth margin; dull above and underneath; intensely corrugated; heavy substance; ovate with a rounded base.
 Scape: 24 in. (61 cm.) high, ranging from 22-24 in. (55.9-61 cm.).
 Flower: 2 in. (5.1 cm.) long, pure white, tubular; Mich: July.
 Seed: viable.
 Clump History: 9 years old.
 [*H.* 'Gold Regal' x *H. montana*]
- H. 'Strawberry Delight'** H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 27 in. (68.6 cm.) diameter, 15 in. (38.1 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 8.25 in. (21 cm.) long, 5.25 in. (13.3 cm.) wide. 9 pairs of prominent veins. Medium green with a heavily rippled margin. Very shiny on top, glaucous bloom underneath; twisted, moderately wavy, broadly ovate with a cordate base; petiole red spotted.
 Scape: 22 in. (55.9 cm.) high, ranging from 19-22 in. (48.3-55.9 cm.) in length.
 Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/4 - 8/14 - 8/25.
 Seed: none set.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: red spotted petiole.
 [*H. longipes* x *H. pycnophylla*]
- H. 'Striped Canvas'** C. Seaver (ONIR) 1996
 Plant: 30 in. (76.2 cm.) diameter, 18 in. (45.7 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6 in. (15.2 cm.) long, 3 in. (7.6 cm.) wide. 6 pairs of insignificant veins. Medium green with white and yellow streaking. Margin heavily rippled. Dull on top and underneath; moderately wavy; ovate with a tapered base. Petiole has strong undulations and streaking.
 Scape: 28 in. (71.1 cm.) high, ranging from 23-30 in. (58.4-76.2 cm.); green with red spots on the base.
 Flower: 3 in. (7.6 cm.) long, deep purple, tubular, striped; Wilmington DE: 7/15 - 8/1 - 8/20 (4 - 5 - 6).
 Seed: viable; pod is green with white streaks.
 Clump History: the original seedling, 4 years old, growing in Wilmington DE.
 Notable Characteristics: celedon streaking, undulating petioles.
 [*H.* 'Designer Genes' x *H.* 'Sea Angel']
- H. 'Sugar Babe'** R. Solberg (ONIR) 1996
 Plant: 16 in. (40.6 cm.) diameter, 10 in. (25.4 cm.) high. Stoloniferous and fast growing.
 Leaf: 5 in. (12.7 cm.) long, 2 in. (5.1 cm.) wide. 4-5 pairs of moderately prominent veins. Medium green with a 0.38 in. slightly rippled, creamy white margin (emerges yellow). Very shiny on top and underneath; moderately wavy; lance-shaped with a rounded base.

- Scape: 28 in. (71.1 cm.) high, ranging from 24-30 in. (61-76.2 cm.); green.
 Flower: 3 in. (7.6 cm.) long, purple, funnel shaped, striped, fragrant. Chapel Hill SC: 8/15 - 9/1 - 9/15.
 Seed: viable.
 Clump History: 2 years old.
 Notable Characteristics: very strong sugary fragrance.
 [H. 'Iron Gate Supreme' x H. 'Saishu Jima']
- H. 'Sugar Pie'** R. Snyder (ONIR) 1998
 Plant: 10 in. (25.4 cm.) diameter, 6 in. (15.2 cm.) high, with a moderate growth rate.
 Leaf: 3.5 in. (8.9 cm.) long, 1.5 in. (3.8 cm.) wide, 4 pairs of veins. Medium green with a 0.5 in. (1.27 cm.) wide, slightly rippled, pure white margin. Some streaking in the margin. Slightly shiny on top, very shiny underneath; moderately corrugated, elliptic with a tapered base; petiole white margined.
 Scape: ranging from 21-23 in. (53.3-58.4 cm.) in length.
 Flower: 1.75 in. (4.4 cm.) long, medium lavender, striped, tubular; Willmar MN: 8/1 - 8/5 - 9/1 (5 - 6 - 7).
 Seed: viability unknown; pod is green.
 Clump History: the original sport, 5 years old, growing in Willmar MN.
 [H. 'Rohdeifolia' sport]
- H. 'Summer Gold'** S. Hamblin (O), 1998
 F. Williams (NI), P. Ruh (R)
 Plant: 25.5 in. (64.8 cm.) diameter.
 Leaf: 6.25 in. (15.9 cm.) long, 3.5 in. (8.9 cm.) wide, 7 pairs of prominent veins. Greenish yellow with a slightly rippled margin. Dull on top, very shiny underneath; lightly twisted, moderately wavy, ovate with a rounded base.
 Scape: 26.5 in. (67.3 cm.) high, ranging from 24-26 in. (61-66 cm.) in length.
 Flower: 3 in. (7.6 cm.) long, light lavender, tubular; Chesterland OH: 7/7 - 7/24 - 8/14.
 Seed: none set.
 [parentage unknown]
- H. 'Summer Joy'** R. Klehm (ONIR) 1998
 Plant: 20 in. (50.8 cm.) diameter, 10 in. (25.4 cm.) high. Upright.
 Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide, 12-14 veins. White with a 1 in. (2.54 cm.) wide, flat, margin. Margin blue-green streaked with medium green. Slightly shiny on top, dull underneath; wavy, broadly ovate with a cordate base.
 Scape: ranging from 10-12 in. (25.4-30.5 cm.) in length; inflorescence leaves.
 Flower: near-white, bell-shaped; S. Barrington IL: summer period.
 Seed: none set.
 Clump History: a first generation division, 5 years old, growing in South Barrington IL.
 [H. 'Blue Moon' sport]
- H. 'Summer Music'** R. Klehm (ONIR) 1998
 Plant: 21 in. (53.3 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.
- Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide, 9-10 pairs veins. White with a 1.5 in. (3.81 cm.) wide, flat, dark green margin. Dull on top and underneath; lightly twisted, broadly ovate with a cordate base; petiole white with a green margin.
 Scape: ranging from 14-20 in. (35.6-50.8 cm.) in length.
 Flower: 1.75 in. (4.4 cm.) long, pale lavender, lavender striped, tubular; South Barrington IL: late period.
 Seed: none set.
 Clump History: a second generation division, 4 years old, growing in South Barrington IL.
 [H. 'Shade Master' sport]
- H. 'Summer Serenade'** R. Klehm (ONIR) 1998
 Plant: 60 in. (152 cm.) diameter, 28 in. (71.1 cm.) high. Mound-like.
 Leaf: 8 in. (20.3 cm.) long, 6 in. (15.2 cm.) wide, 8-10 pairs veins. Greenish yellow with a 2 in. (5.08 cm.) wide, dark green margin. Dull on top and underneath; lightly wavy, broadly ovate with a cordate base.
 Scape: 25 in. (63.5 cm.) high.
 Flower: pale lavender.
 Seed: viable; pod is green.
 Clump History: a second generation division, 10 years old, growing in Champaign IL.
 Notable Characteristics: gold with a wide green margin.
 [H. 'Piedmont Gold' sport]
- H. 'Sunny Isle'** P. Ruh (NIR) 1997
 Plant: 23 in. (58.4 cm.) diameter, 9.5 in. (24.1 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 6.75 in. (17.1 cm.) long, 2.5 in. (6.4 cm.) wide, 7 pairs of veins. Yellow to yellowish-green with a slightly rippled margin. Dull on top, slightly shiny underneath; moderately cupped, lightly wavy, lance-shaped with a tapered base; petiole has a purple base.
 Scape: 16 in. (40.6 cm.) high.
 Flower: 1 in. (2.5 cm.) long, lavender, striped; Chesterland OH: ? - 8/31 - ? (4 - 5 - 6).
 Seed: none set.
 Clump History: a division of the original, 3 years old, growing in Chesterland OH.
 Notable Characteristics: a spring yellow with a low habit.
 [Parentage unknown]
- H. 'Supersonic'** K. & L. Anderson (ONIR) 1996
 Plant: 36 in. (91.4 cm.) diameter, 30 in. (76.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 12 in. (30.5 cm.) long, 12 in. (30.5 cm.) wide, 12-14 insignificant veins. Dark green with a 0.5-1.5 in. slightly rippled, medium gold margin. Very shiny on top, slightly shiny underneath; lightly corrugated; nearly round with a cordate base.
 Scape: 36 in. (91.4 cm.) high, ranging from 24-36 in. (61-91.4 cm.); light green.
 Flower: 2 in. (5.1 cm.) long, pale lavender, bell shaped, striped; pod is dark green; Farwell MN: 7/10 - 8/1 - ?.
 Seed: viable.
 Clump History: the original sport, 5 years old, growing in Farwell MN.
 [H. 'Sum and Substance' sport]

- H. 'Surprised by Joy'** A. Malloy (ONIR) 1998
 Plant: 8 in. (20.3 cm.) diameter, 4 in. (10.2 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 2 in. (5.1 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of veins. White with a 0.25 in. (0.64 cm.) wide, slightly rippled margin. Margin is green with greenish yellow streaks. Dull on top, slightly shiny underneath; lightly twisted, broadly ovate with a rounded base; petiole white with a green margin.
 Scape: ranging from 8-9 in. (20.3-22.9 cm.) in length.
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; South Salem NY : 6/5 - 6/15 - 6/30 (1 - 1 - 2).
 Seed: pod is white.
 Clump History: the original seedling, 4 years old, growing in South Salem NY.
 Notable Characteristics: a miniature with a white center and a "arrow-shaped" leaf.
 [H. 'Flamboyant' x *H. venusta*]
- H. 'Swan Lake'** H. Sugita (O), P. Ruh (ONIR) 1998
 Plant: 47 in. (119 cm.) diameter, 22 in. (55.9 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 11.5 in. (29.2 cm.) long, 7.5 in. (19.1 cm.) wide. 11 pairs prominent veins. Blue-green with a slightly rippled margin. Slightly shiny on top, glaucous bloom underneath; lightly twisted, lightly folded, lightly wavy, lightly corrugated, broadly ovate with a rounded base.
 Scape: 20 in. (50.8 cm.) high.
 Flower: 2.25 in. (5.7 cm.) long, lavender, striped, bell-shaped; Chesterland OH: 8/3 - 8/16 - 8/28.
 Seed: viable; pod is medium green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: plant has a lavender cast at the base; textured leaves with a white back.
 [H. *kiyosumiensis* x *H. pycnophylla*]
- H. 'Sweet Sunshine'** R. Solberg (ONIR) 1997
 Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Upright with a moderate growth rate.
 Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide. 9-10 pairs of prominent veins. Medium gold with a flat margin. Slightly shiny on top and underneath; moderately cupped, intensely corrugated, nearly round with a cordate base.
 Scape: 22 in. (55.9 cm.) high, ranging from 20-24 in. (50.8-61 cm.).
 Flower: 1.75 in. (4.4 cm.) long, pure white, tubular, significant fragrance; Chapel Hill NC: 6/20 - 7/10 - 8/10 (3 - 4 - 6).
 Seed: viable; pod is light green.
 Clump History: the original seedling, 3 years old, growing in Chapel Hill NC.
 Notable Characteristics: gold cupped and corrugated leaves with fragrant white flowers.
 [H. 'Sweet Susan' x *H. 'Tokudama Aureonebulosa'*]
- H. 'Sweet Tater Pie'** T. Avent (OR) 1995
 Plant: 30 in. (76.2 cm.) diameter, 10 in. (25.4 cm.) high. Moderately growing, moderately dense, mound-like habit.
- Leaf: 7 in. (18.0 cm.) long, 3.5 in. (8.9 cm.) wide. 6-7 pairs of moderately prominent veins. Medium waxy gold with a smooth margin. Very shiny on top, slightly shiny underneath; moderately wavy; heavy substance; ovate with a rounded base.
 Scape: 28 in. (71.1 cm.) high
 Flower: 1 in. (2.5400 cm.) long, deep purple, spider shaped; N. Carolina: July.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Gold Scepter' x *H. yingeri*]
- ## T
- H. 'Tangerine'** E. Elslager (ONIR) 1998
 Plant: 21 in. (53.3 cm.) diameter, 12 in. (30.5 cm.) high. Upright and slow growing.
 Leaf: 8.5 in. (21.6 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs prominent veins. Deep golden yellow with a slightly rippled margin. Slightly shiny on top and underneath; lightly corrugated, nearly round with a cordate base; petiole glaucous.
 Scape: 16 in. (40.6 cm.) high, ranging from 15-17 in. (38.1-43.2 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, pale lavender, purple striped, tubular; Ann Arbor MI: 6/22 - 7/13 - 7/24 (5 - 5 - 5).
 Seed: viability unknown; pod is green.
 Clump History: the original seedling, 5 years old, growing in Ann Arbor MI.
 Notable Characteristics: deep gold with good substance. Holds color.
 [H. 'Sea Sunrise' hybrid]
- H. 'Tardiflora Hybrida'** G. Arends (ONI), P. Ruh (R) 1992
 Plant: 11.5 in. (29.2 cm) wide, 7 in. (17.8 cm) high.
 Leaf: 5.25 in. (13.3 cm) long, 2 in. (5.1 cm) wide, 4 pairs of veins; dark green; lance-shaped; satin sheen; arched; slightly rippled; glossy underneath.
 Scape: 18 in. (45.7 cm) long, inflorescence leaves.
 Flower: lavender, flaring; Ohio: Sept.
 Seed: viable.
 [H. *tardiflora* x *H. ventricosa*]
- H. 'Tattoo'**^{new} T. Avent (ONIR) 1998
 Plant: 12 in. (30.5 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like.
 Leaf: 2.5 in. (6.4 cm.) long, 2.5 in. (6.4 cm.) wide. pairs of veins. Golden yellow with a, light green margin. Dull on top and underneath; cupped, broadly ovate with a cordate base.
 Scape: 12 in. (30.5 cm.) high.
 Flower: 1.5 in. (3.8 cm.) long.
 Seed: none set.
 [H. 'Little Aurora' sport]
- H. 'Teaspoon'** F. Nyikos (ONIR) 1998
 Plant: 21 in. (53.3 cm.) diameter, 7.5 in. (19.1 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 3.25 in. (8.3 cm.) long, 3 in. (7.6 cm.) wide. 11 pairs veins. Medium green with a margin. Dull on top,

- slightly shiny underneath; cupped, broadly ovate with a cordate base.
 Scape: 22 in. (55.9 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.)
 Flower: 1.75 in. (4.4 cm.) long, light pink with a white throat, tubular; Unionville IN.; summer period (2 - 3 - 3).
 Seed: viable.
 Clump History: the original seedling, 5 years old, growing in Unionville IN.
 Notable Characteristics: "Serrated" leaf margin.
 [H. 'Birchwood Parky's Gold' x H. 'Golden Tiara']
- H. 'Temple Bells'** P. Banyai (OR) 1992
 Plant: 18 in. (45.7 cm) wide, 12 in. (30.5 cm) high.
 Leaf: 6.5 in. (16.5 cm) long, 3.5 in. (8.9 cm) wide, 8 pairs of veins; medium green; elliptic; rippled margins; slightly shiny above and underneath.
 Scape: 13 in. (33 cm) long.
 Flower: deep purple, flaring; Michigan: August.
 Seed: viable.
 [H. "Beatrice unvariegated seedling" hybrid]
- H. 'Tentacles'** C. Seaver (ONIR) 1996
 Plant: 25 in. (63.5 cm.) diameter, 9 in. (22.9 cm.) high. Stoloniferous (but clumping) and fast growing.
 Leaf: 5 in. (12.7 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of prominent veins. Dark green with a heavily rippled margin. Dull on top, slightly shiny underneath; intensely wavy; lance-shaped with a tapered base. Petioles of summer flush are red at base.
 Scape: 36 in. (91.4 cm.) high, ranging from 31-37 in. (78.7-94 cm.); green with red base.
 Flower: 3.5 in. (8.9 cm.) long, medium lavender, spider shaped, translucent margin; Wilmington DE: 8/5 - 8/20 - 9/1 (5 - 5 - 6).
 Seed: viable; pod is green with red spots.
 Clump History: the original seedling, 4 years old, growing in Wilmington DE.
 [H. 'Don Stevens' x H. 'Sea Octopus']
- H. 'The Godfather'** D. & J. Ward (ONIR) 1998
 Plant: 72 in. (183 cm.) diameter, 44 in. (112 cm.) high. Upright with a moderate growth rate.
 Leaf: 14 in. (35.6 cm.) long, 12 in. (30.5 cm.) wide. 15 pairs prominent veins. Dark green with a flat margin. Slightly shiny on top, dull underneath; wavy, ovate with a cordate base.
 Scape: 62 in. (157 cm.) high, ranging from 60-64 in. (152.4-162.6 cm.)
 Flower: 0.75 in. (1.9 cm.) long, near white, bell-shaped; Columbus OH: 8/1 - 8/15 - 8/20 (5 - 6 - 6).
 Seed: viable; pod is green.
 Clump History: the original seedling, 8 years old, growing in Columbus OH.
 [Parentage unknown]
- H. 'The Hulk'** P. Bennerup (OI), A. Malloy (NR) 1998
 Plant: 78 in. (198 cm.) diameter, 36 in. (91.4 cm.) high. Mound-like and fast growing.
 Leaf: 18 in. (45.7 cm.) long, 15 in. (38.1 cm.) wide. 15-18 veins. Medium green with a flat margin. Slightly shiny
- on top and underneath; broadly ovate with a cordate base.
 Scape: ranging from 58-60 in. (147-152 cm.) in length.
 Flower: 3 in. (7.6 cm.) long, pale lavender, tubular; Kensington CT: 6/8 - 6/15 - 7/4 (1 - 2 - 2).
 Seed: viable; pod is green.
 Clump History: a first generation division of the original, 5 years old, growing in Kensington CT.
 [parentage unknown]
- H. 'Thor'** P. Ruh (OR) 1994
 Plant: 24.5 in. (62.2 cm.) diameter, 10.5 in. (26.7 cm.) high, with a open, semi-upright habit.
 Leaf: 7.75 in. (19.7 cm.) wide, 10.25 in. (26 cm.) long; 11 pairs of moderately prominent veins; dark green, slightly rippled margin; very shiny above, dull gray underneath; moderately wavy; heavy substance; broadly ovate with a cordate base.
 Scape: 24 in. (61 cm.) high; light green.
 Flower: 2 in. (5.1 cm.) long, pure white, bell-shaped; Ohio: July.
 Seed: viable.
 Clump History: 10 years old.
 [H. *hypoleuca* x H. *hypoleuca*]
- H. 'Thumbelina'** D. & J. Ward (ONIR) 1996
 Plant: 14 in. (35.6 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 3 in. (7.6 cm.) long, 2 in. (5.1 cm.) wide. 6 pairs of insignificant veins. Medium green with a 0.38 in. slightly rippled, creamy white margin. Dull on top, slightly shiny underneath; lightly wavy; ovate with a rounded base.
 Scape: 2 in. (50.8 cm.) high, ranging from 18-21 in. (45.7-53.3 cm.); green.
 Flower: 0.75 in. (1.9 cm.) long, pale lavender, tubular; Columbus OH: 6/25 - 7/1 - 7/10 (3 - 3 - 3).
 Seed: viable; pod is green.
 Clump History: the original seedling, 5 years old, growing in Columbus OH.
 [H. 'Pin Stripe Sister' hybrid]
- H. 'Tiffney's Godzilla'** J. Dreessen (ONIR) 1996
 Plant: 52 in. (132 cm.) diameter, 32 in. (81.3 cm.) high. Upright and fast growing.
 Leaf: 17 in. (43.2 cm.) long, 14 in. (35.6 cm.) wide. 15 pairs of prominent veins. Medium green with a 2 in. slightly rippled, gold margin. Slightly shiny on top, dull underneath; cupped; broadly ovate with a cordate base.
 Scape: 50 in. (127 cm.) high, ranging from 40-52 in. (101.6-132.1 cm.); green.
 Flower: 2.5 in. (6.4 cm.) long, lavender, bell shaped, striped; Bettendorf IA: 7/10 - 8/1 - 8/20 (4 - 5 - 5).
 Seed: viable; pod is green.
 Clump History: the original sport, 3 years old, growing in Bettendorf IA.
 [H. 'Sum and Substance' sport]
- H. 'Timothy'** D. Ruh (O), P. Ruh (NIR) 1998
 Plant: 13 in. (33 cm.) diameter, 6.5 in. (16.5 cm.) high.
 Leaf: 3.75 in. (9.5 cm.) long, 2.75 in. (7 cm.) wide. Mound-like with a moderate growth rate. 9 pairs of insignificant

- veins. Dark green to medium green, with a 0.5 in. (1.27 cm.) wide, heavily rippled, golden yellow margin. Very shiny on top, dull underneath; moderately twisted, moderately folded, moderately wavy, ovate with a flat base.
 Scape: 15 in. (38.1 cm.) high; inflorescence leaves.
 Flower: 1.75 in. (4.4 cm.) long, light lavender, striped, bell-shaped; Chesterland OH: 6/25 - 7/5 - 7/14.
 Seed: none set.
 [H. 'Gold Edger' sport]
- H. 'Tom Schmid'** T. Schmid (OR) 1995
 Plant: 36 in. (91.4 cm.) diameter, 25 in. (63.5 cm.) high. Moderately growing, open, semi-upright habit.
 Leaf: 11.5 in. (29.0 cm.) long, 7.5 in. (19.0 cm.) wide. 13 pairs of moderately prominent veins. Center emerges silvery blue changing to dark green by mid-summer. The margin is 1 in. (2.6 cm.) wide, slightly rippled and pure white. Slightly shiny on top, glaucous bloom underneath; lightly wavy, slightly corrugated; good substance; ovate with a rounded base.
 Scape: 54 in. (137.2 cm.) high, ranging from 48-60 in. (121.9-152.4 cm.).
 Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: July to August.
 Seed: none set.
 Clump History: 3 years old.
 [H. 'Krossa Regal' sport]
- H. 'Toots'** H. Sugita (O), J. Ruh (N), P. Ruh (IR) 1998
 Plant: 29 in. (73.7 cm.) diameter, 17 in. (43.2 cm.) high. Mound-like.
 Leaf: 9.5 in. (24.1 cm.) long, 6.75 in. (17.1 cm.) wide. 11 pairs prominent veins. with a moderate growth rate. Dark green with a 0.25 in. (0.64 cm.) wide, heavily rippled, greenish yellow margin (at leaf tip). Very shiny on top, glaucous bloom underneath; lightly twisted, intensely wavy, lightly corrugated, broadly ovate with a cordate base; petiole lavender spotted.
 Scape: 21 in. (53.3 cm.) high.
 Flower: 2 in. (5.1 cm.) long, pale lavender, faint striping, tubular; Chesterland OH: 8/3 - 8/13 - 8/24.
 Seed: viable; pod is dark green.
 Clump History: the original seedling, 12 years old, growing in Chesterland OH.
 Notable Characteristics: lavender petiole, white back and yellow margin.
 [H. *pycnophylla* x *H. kiyosumiensis*]
- H. 'Topaz Tiara'** Walters Gardens, Inc. (ONIR) 1998
 Plant: small.
 Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. 7-8 pairs of veins. Yellow to greenish yellow with a flat, medium green margin. Dull on top and underneath; broadly ovate with a rounded base.
 Flower: 2.5 in. (6.4 cm.) long, deep purple, tubular; Zeeland MI: average period.
 Notable Characteristics: heavy substance and a very wide green margin.
 Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.
 [H. 'Grand Tiara' sport]
- H. 'Torchy'** W. Zumbar (OR) 1995
 Plant: 10 in. (25.4 cm.) diameter, 10 in. (25.4 cm.) high. Fast growing, open, semi-upright habit.
 Leaf: 4.5 in. (11.0 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Dark green with a 0.6 in. (1.4 cm.) wide, smooth, creamy white margin. Slightly shiny on top, very shiny underneath; average substance; lance-shaped with a rounded base.
 Scape: 20 in. (50.8 cm.) high, ranging from 16-22 in. (40.6-55.9 cm.); green.
 Flower: 1.5 in. (3.8 cm.) long, purple, tubular; Ohio: late July to late August.
 Seed: viable.
 Clump History: 3 years old.
 [Parentage unknown]
- H. 'Tracy's Emerald Cup'** T. Heuermann (ONIR) 1997
 Plant: 24 in. (61 cm.) diameter, 14 in. (35.6 cm.) high. Rhizomatous and fast growing.
 Leaf: 9 in. (22.9 cm.) long, 8 in. (20.3 cm.) wide. 12 pairs moderately prominent veins. Dark green with a flat margin. Very shiny on top, dull underneath; moderately cupped, broadly ovate with a cordate base.
 Scape: 16 in. (40.6 cm.) high, ranging from 16-21 in. (40.6-53.3 cm.).
 Flower: 1.5 in. (3.8 cm.) long, lavender, tubular; Peoria IL: 7/20 - 7/24 - 7/27.
 Seed: not viable.
 [H. 'Francee' hybrid]
- H. 'Trade Wind'** J. Kulpa (OR) 1994
 Plant: 36 in. (91.4 cm.) diameter, 24 in. (61 cm.) high, with a mound-like habit.
 Leaf: 6.5 in. (16.5 cm.) wide, 8.5 in. (21.6 cm.) long; 8 pairs of prominent veins; dark green streaked with white; smooth margin; slightly shiny above, glaucous bloom underneath; lightly corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 30 in. (76.2 cm.) high, ranging from 25-36 in. (63.5-91.44 cm.); green.
 Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, tubular; Mich: mid-July to mid-August.
 Seed: viable.
 Clump History: 5 years old.
 [H. 'Second Wind' sport]
- H. 'Tranquility'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995
 Plant: 20 in. (50.8 cm.) diameter, 12 in. (30.5 cm.) high. Slow growing, moderately dense, mound-like habit.
 Leaf: 7 in. (18.0 cm.) long, 5 in. (13.0 cm.) wide. 11 pairs of moderately prominent veins. Medium blue-green with a 0.75 in. (1.9 cm.) wide, slightly rippled, medium gold, changing to deep gold, margin. Glaucous bloom on top and underneath; lightly wavy, lightly folded, lightly corrugated; heavy substance; broadly ovate with a cordate base.
 Scape: 25 in. (63.5 cm.) high, ranging from 22-25 in. (55.9-63.5 cm.); green.
 Flower: 1.75 in. (4.5 cm.) long, medium lavender, tubular; Mich: July.
 Seed: not viable.
 Clump History: 5 years old.

- [*H.* "Aspen Gold seedling" sport]
- H. 'Treasure Island'** T. Avent (ONIR) 1998
Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high.
Mound-like with a moderate growth rate.
Leaf: 5 in. (12.7 cm.) long, 3 in. (7.6 cm.) wide. Medium green with a slightly rippled margin. Very shiny on top and underneath; lightly rippled, elliptic with a rounded base.
Scape: 18 in. (45.7 cm.) high.
Flower: 1.25 in. (3.2 cm.) long, deep purple, spider-shaped; August.
Seed: viable.
[*H. yingeri* selection]
- H. 'Tucker Charm'** R. Stephens (OR) 1993
Plant: 25 in. (63.5 cm.) wide, 12 in. (30.5 cm.) high.
Leaf: 5 in. (12.7 cm.) long, 4.5 in. (11.4 cm.) wide, 9 pairs of prominent veins; dark green; ovate with a cordate base; margin slightly rippled; very shiny above and dull underneath; moderately rippled.
Scape: 25 in. (63.5 cm.) long.
Flower: pale purple, tubular; Georgia: August.
Seed: viable.
[*H.* 'Pearl Lake' x *H.* 'Herifu']
- H. 'Tucker Irish Heart'** R. Stephens (OR) 1993
Plant: 15 in. (38.1 cm.) wide, 8 in. (20.3 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 9 pairs of prominent veins; dark green; ovate with a cordate base; margin slightly rippled; slightly shiny above and dull below; moderately rippled.
Scape: 18 in. (45.7 cm.) long.
Flower: pure white, tubular; Georgia: June.
Seed: viable.
[*H.* 'Golden Prayers' sport]
- H. 'Tucker Pucker'** R. Stephens (OR) 1993
Plant: 43 in. (109.2 cm.) wide, 25 in. (63.5 cm.) high.
Leaf: 10 in. (25.4 cm.) long, 9.5 in. (24.1 cm.) wide, 13 pairs of prominent veins; medium blue-green changing to dark green; broadly ovate with a cordate base; margin rippled; dull underneath and above; moderately puckered.
Scape: 27 in. (68.6 cm.) long.
Flower: pale lavender, tubular; Georgia: June.
Seed: viable.
[*H.* "montana seedling" x *H.* 'Big Daddy']
- H. 'Tucker Tigers'** R. Stephens (OR) 1993
Plant: 40 in. (101.6 cm.) wide, 24 in. (61 cm.) high.
Leaf: 12.5 in. (31.8 cm.) long, 9.5 in. (24.1 cm.) wide, 15 pairs of prominent veins; light green; ovate with a cordate base; margin slightly rippled; very shiny above and below; intensely corrugated.
Scape: 26 in. (66 cm.) long.
Flower: near white, tubular; Georgia: June.
Seed: viable.
[*H.* "Wolcott seedling" x *H.* 'Piedmont Gold']
- H. 'Tucker Tiny Tot'** R. Stephens (OR) 1995
Plant: 6 in. (15.2 cm.) diameter, 4 in. (10.1 cm.) high.
Moderately growing, moderately dense, semi-upright habit.
Leaf: 2 in. (5.1 cm.) long, 1 in. (2.5 cm.) wide. 3 pairs of prominent veins. Dark green with a smooth margin. Slightly shiny on top, very shiny underneath; moderately folded; good substance; elliptic with a rounded base.
Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); light green.
Flower: 0.75 in. (1.9 cm.) long, pure white, purple striped, bell shaped; Georgia: August.
Seed: viable.
Clump History: 3 years old.
[*H.* "Kabitan seedling" x *H.* "Herifu seedling"]
- H. 'Tucker Top Cat'** R. Stephens (OR) 1993
Plant: 21 in. (53.3 cm.) wide, 11 in. (27.9 cm.) high.
Leaf: 6.25 in. (15.9 cm.) long, 4.5 in. (11.4 cm.) wide, 12 pairs of veins; dark green with a 0.75 in. medium green margin; ovate with a cordate base; margin slightly rippled; very shiny above and slightly shiny below; folded; corrugated.
Scape: 24 in. (61 cm.) long.
Flower: pure white, tubular; Georgia: June.
Seed: viable.
[*H.* "Herifu seedling" x *H.* 'Happy Hearts']
- H. 'Tucker Wave'** R. Stephens (OR) 1995
Plant: 28 in. (71.1 cm.) diameter, 14 in. (35.6 cm.) high.
Moderately growing, compact, mound-like habit.
Leaf: 4 in. (10.0 cm.) long, 1 in. (2.5 cm.) wide. 4 pairs of prominent veins. Dark green with a 0.13 in. (0.3 cm.) wide, slightly rippled, light green margin. Very shiny on top and underneath; moderately wavy; heavy substance; lance-shaped with a flat base.
Scape: 24 in. (61 cm.) high, ranging from 24-25 in. (61-63.5 cm.).
Flower: 0.25 in. (0.6 cm.) long, pale lavender, tubular; Georgia: July to August.
Seed: viable.
Clump History: 3 years old.
[*H.* 'Kabitan' x *H.* "Neat Splash seedling"]
- H. 'Tweety Bird'** J. Schwarz (ONIR) 1997
Plant: 12 in. (30.5 cm.) diameter, 8 in. (20.3 cm.) high.
Mound-like and slow growing.
Leaf: 4 in. (10.2 cm.) long, 2.5 in. (6.4 cm.) wide. 6-8 pairs of insignificant veins. Medium gold with a flat margin. Very shiny on top, slightly shiny underneath; lightly folded, ovate with a rounded base; petiole short.
Scape: 10 in. (25.4 cm.) high, ranging from 8-12 in. (20.3-30.5 cm.).
Flower: 1.5 in. (3.8 cm.) long, lavender, striped, bell-shaped; Dubuque IA: 6/15 - 7/1 - 7/15 (3 - 4 - 5).
Seed: viable; pod is purple.
Clump History: the original seedling, 5 years old, growing in Dubuque IA.
[Parentage unknown]

- H. 'Twilight'** G. Van Eijk-Bos (OIR), 1997
G. Van Buren (N), D. Van Erven (R)
Plant: 28 in. (71.1 cm.) diameter, 20 in. (50.8 cm.) high.
Mound-like and fast growing.
Leaf: 10 in. (25.4 cm.) long, 7.5 in. (19.1 cm.) wide. 9-11 pairs of prominent veins. Dark green with a 1.5 in. (3.81 cm.) wide, flat, medium gold margin. Very shiny on top, glaucous bloom underneath; lightly corrugated, broadly ovate with a cordate base; petiole very dark green.
Scape: 36 in. (91.4 cm.) high, ranging from 30-40 in. (76.2-101.6 cm.).
Flower: 2 in. (5.1 cm.) long, medium lavender, striped, tubular; Hillegom Netherlands: Late July - late July - mid August (4 - 5 - 5).
Seed: viable; pod is green.
Clump History: the original sport, 3 years old, growing in Hillegom Netherlands.
Notable Characteristics: a wide margin and heavy substance.
[H. 'Fortunei Aurcomarginata' sport]

V

- H. 'Valencia'** W. Zumbar (OR) 1995
Plant: 14 in. (35.6 cm.) diameter, 10 in. (25.4 cm.) high. Fast growing, open, semi-upright habit.
Leaf: 4 in. (10.0 cm.) long, 3 in. (7.6 cm.) wide. 8 pairs of prominent veins. Streaked blue-green with a 0.6 in. (1.4 cm.) wide, slightly rippled, creamy white margin. Margin extends down the petiole. Glaucous bloom on top, very shiny underneath; lightly rippled; good substance; broadly ovate with a flat base.
Scape: 16 in. (40.6 cm.) high, ranging from 16-20 in. (40.6-50.8 cm.); green.
Flower: 1.5 in. (3.8 cm.) long, purple, tubular; Ohio: July.
Seed: viable.
Clump History: 4 years old.
[H. 'Beatrice' x H. 'Iron Gate Delight']
- H. 'Venus'** Walters Gardens, Inc. (ONIR) 1993
Plant: 32 in. (81.3 cm.) wide, 22 in. (55.9 cm.) high.
Leaf: 10.5 in. (26.7 cm.) long, 7.5 in. (19.1 cm.) wide, 10-11 pairs of prominent veins; medium green; ovate with a cordate base; margin smooth; very shiny above and underneath.
Scape: 28 in. (71.1 cm.) long; inflorescence leaves; green.
Flower: pure white, "double-double" (4x petals), tubular, fragrant; Michigan: Sept.
[H. 'Aphrodite' sport]
- H. 'Veronica Lake'** F. Riehl (OR) 1993
Plant: 14 in. (35.6 cm.) wide, 10 in. (25.4 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 3 in. (7.6 cm.) wide, 5-7 pairs of moderately prominent veins; slightly blue green with a 0.25 in. creamy white margin; broadly ovate with a flat base; margin smooth; dull above and slightly shiny underneath; moderately wavy.
Scape: 18 in. (45.7 cm.) long; inflorescence leaves; green.
Flower: pale lavender, bell-shaped; Iowa: July.
Seed: viable.
- [H. 'Pearl Lake' sport]
- H. 'Vivian'** V. Grapes (O), P. Ruh (R) 1993
Plant: 24.25 in. (61.6 cm.) wide, 13.5 in. (34.3 cm.) high.
Leaf: 7.25 in. (18.4 cm.) long, 4.75 in. (12.1 cm.) wide, 7 pairs of veins; dark green with a 0.5 in. pure white margin; ovate with a rounded base; margin slightly rippled; dull above and slightly shiny underneath; lightly wavy.
Scape: 17 in. (43.2 cm.) long; inflorescence leaves; light green.
Flower: pale pinkish-lavender, tubular; Ohio: late July.
Seed: none set.
[H. "Fortunei Stenantha Variegated" sport]

W

- H. 'Warwick Choice'** L. Jones (OR) 1993
Plant: 48 in. (121.9 cm.) wide, 22 in. (55.9 cm.) high.
Leaf: 10 in. (25.4 cm.) long, 8 in. (20.3 cm.) wide, 10-11 pairs of moderately prominent veins; medium green with a 1 in. pure white margin; ovate with a cordate base; margin smooth; slightly shiny above and dull underneath; rippled.
Scape: 38 in. (96.5 cm.) long; green; inflorescence leaves.
Flower: near-white, tubular; Michigan: early July.
Seed: viable.
[H. 'William Lachman' selfed]
- H. 'Warwick Cup'** L. Jones (OR) 1993
Plant: 32 in. (81.3 cm.) wide, 20 in. (50.8 cm.) high.
Leaf: 7 in. (17.8 cm.) long, 6 in. (15.2 cm.) wide, 14 pairs of moderately prominent veins; medium blue-green; nearly round with a flat base; margin smooth; glaucous bloom above and underneath; deeply cupped; deeply corrugated.
Scape: 24 in. (61 cm.) long; green.
Flower: near-white, tubular; Michigan: early July.
Seed: viable.
[H. 'Tokudama' hybrid]
- H. 'Warwick Edge'** L. Jones (OR) 1993
Plant: 18 in. (45.7 cm.) wide, 8 in. (20.3 cm.) high.
Leaf: 4 in. (10.2 cm.) long, 3.25 in. (8.3 cm.) wide, 6-7 pairs of moderately prominent veins; medium blue-green with a pure white 0.375 in. margin; broadly ovate with a flat base; margin smooth; dull above and underneath; lightly corrugated.
Scape: 14 in. (35.6 cm.) long.
Flower: medium lavender, tubular; Michigan: early July.
Seed: viable.
[H. 'William Lachman x H. nakaiana']
- H. 'Warwick Essence'** L. Jones (OR) 1993
Plant: 54 in. (137.2 cm.) wide, 24 in. (61 cm.) high.
Leaf: 12 in. (30.5 cm.) long, 10 in. (25.4 cm.) wide, 14-15 pairs of moderately prominent veins; medium blue-green; broadly ovate with a rounded base; margin smooth; slightly shiny above and underneath; moderately corrugated.
Scape: 33 in. (83.8 cm.) long; green.
Flower: pure white, tubular; strong fragrance; Michigan: July.
Seed: none set.

- [*H.* 'Northern Halo' × *H. plantaginea*]
- H. 'Waving Wuffles'** T. Avent (OR) 1995
 Plant: 36 in. (91.4 cm.) diameter, 18 in. (45.7 cm.) high. Moderately growing, moderately dense, mound-like habit.
 Leaf: 8 in. (20.0 cm.) long, 4 in. (10.0 cm.) wide. 7 pairs of moderately prominent veins. Medium green with a heavily rippled margin. Slightly shiny on top and underneath; moderately twisted, moderately rippled, moderately wavy; good substance; lance-shaped with a rounded base.
 Scape: 36 in. (91.4 cm.) high, ranging from 32-38 in. (81.3-96.5 cm.).
 Flower: 1.5 in. (3.8 cm.) long, deep purple, bell shaped; N. Carolina: June to July.
 Seed: none set.
 Clump History: 5 years old.
 [*H. ventricosa* hybrid]
- H. 'Whippersnapper'** Belle Gardens (OR) 1994
 Plant: 9 in. (22.9 cm.) diameter, 4 in. (10.2 cm.) high, with an open, mound-like habit.
 Leaf: 1.19 in. (3 cm.) wide, 2.63 in. (6.7 cm.) long; 4 pairs veins; medium green with a 0.125 in. (0.3 cm.) wide, creamy white, smooth margin; dull above, slightly shiny underneath; lightly cupped; average substance; lance-shaped with a rounded base.
 Scape: 11.5 in. (29.2 cm.) high, ranging from 10-13 in. (25.4-33 cm.).
 Flower: 1.5 in. (3.8 cm.) long, medium lavender, tubular; Mich: July.
 Seed: viable.
 Clump History: 4 years old.
 [*H.* 'Masquerade' hybrid]
- H. 'White Dove'** H. & D. Benedict (OR) 1995
 Plant: 11 in. (27.9 cm.) diameter, 7 in. (17.8 cm.) high. Fast growing, compact, mound-like habit.
 Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of moderately prominent veins. Medium green with a 0.25 in. (0.64 cm.) wide, slightly rippled, pure white margin. Slightly shiny on top and underneath; lightly rippled; average substance; lance-shaped with a rounded base.
 Scape: 15 in. (38.1 cm.) high, ranging from 13-18 in. (33-45.7 cm.); green.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular; Mich: early August.
 Seed: viability unknown.
 Clump History: 8 years old.
 [*H.* 'Beatrice' selfed]
- H. 'White Hot'** Walters Gardens, Inc. (ONIR) 1998
 Plant: miniature. Mound-like and slow growing.
 Leaf: 3.5 in. (8.9 cm.) long, 3 in. (7.6 cm.) wide. 10-11 veins. Creamy white with a flat, pale yellow margin. Broadly ovate with a rounded base; petiole red spotted.
 Flower: 2.5 in. (6.4 cm.) long, medium lavender, striped, translucent margins, tubular.
 Seed: pod is reddish pink.
 Clump History: the original tissue culture sport, 1 year old, growing in Zeeland MI.
- Notable Characteristics: variegation with red petioles.
 [*H.* 'Sea Fire' sport]
- H. 'White Lightning'** J. Shugart (O), J. & B. Diesen (R) 1994
 Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high, with a moderately dense, semi-upright habit.
 Leaf: 3.25 in. (8.3 cm.) wide, 5 in. (12.7 cm.) long; 7 pairs of prominent veins; light green changing to gold, with a 0.35 in. (0.9 cm.) wide, pure white, smooth margin; dull above and underneath; lightly cupped, lightly corrugated; good substance; ovate with a rounded base.
 Flower: lavender, tubular; Nebraska: mid-June to mid-July.
 Clump History: 6 years old.
 [*H.* 'Janet' sport]
- H. 'White Mule'** A. Summers (ONI), P. Ruh (R) 1998
 Plant: 21 in. (53.3 cm.) diameter, 8 in. (20.3 cm.) high. Mound-like with a moderate growth rate.
 Leaf: 4.5 in. (11.4 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Medium green with a slightly rippled margin. Slightly shiny on top and underneath; lightly wavy, lance-shaped with a tapered base.
 Scape: 21 in. (53.3 cm.) high, ranging from 16-21 in. (40.6-53.3 cm.) in length.
 Flower: 1.5 in. (3.8 cm.) long, pure white, tubular; Chesterland OH: 7/15 - 7/24 - 8/3.
 Seed: none set, pod is green.
 Clump History: obtained from the originator, 7 years old, growing in Chesterland OH.
 [parentage undetermined]
- H. 'White Surprise'** L. Powell (OR) 1995
 Plant: 24 in. (61 cm.) diameter, 8.5 in. (21.6 cm.) high. Moderately growing, moderately dense, semi-upright habit.
 Leaf: 8 in. (20.0 cm.) long, 3.5 in. (8.9 cm.) wide. 5 pairs of moderately prominent veins. Streaked green and white, with a 0.25 in. (0.64 cm.) wide, irregular, slightly rippled, dark green margin. Dull on top and underneath; moderately rippled; good substance; lance-shaped with a rounded base.
 Scape: 21 in. (53.3 cm.) high, ranging from 20-22 in. (50.8-55.9 cm.); green.
 Flower: pure white, green stripes and spots, tubular; N. Carolina: July.
 Seed: viable.
 [*H.* "Fortunei Stenantha Variegated" sport]
- H. 'White Swan'** H. & D. Benedict (OR) 1995
 Plant: 11 in. (27.94 cm.) diameter, 7 in. (17.78 cm.) high. Fast growing, compact, mound-like habit.
 Leaf: 3 in. (7.6 cm.) long, 1.25 in. (3.2 cm.) wide. 3 pairs of moderately prominent veins. Pure white with a 0.25 in. (0.64 cm.) wide, slightly rippled, medium green margin. Slightly shiny on top and underneath; lightly rippled; average substance; lance-shaped with a rounded base.
 Scape: 15 in. (38.1 cm.) high, ranging from 13-18 in. (33-45.7 cm.); white.
 Flower: 1.25 in. (3.2 cm.) long, pure white, tubular, fertility unknown; Mich: early August.
 Seed: not viable.
 Clump History: 8 years old.

[*H.* 'Beatrice' selfed]**H. 'White Wall Tire'** T. Avent (OR) 1995

Plant: 44 in. (111.8 cm.) diameter, 16 in. (40.6 cm.) high.
Moderately growing, moderately dense, mound-like habit.

Leaf: 11 in. (28.0 cm.) long, 5 in. (13.0 cm.) wide. 9-10 pairs of prominent veins. Creamy white with green speckling (viridescent) and a slightly rippled margin. Dull on top and underneath; lightly wavy; good substance; ovate with a rounded base.

Scape: 40 in. (101.6 cm.) high.

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; N. Carolina: June to Sept.

Seed: none set.

Clump History: 5 years old.

[*H.* 'Out House Delight' hybrid]**H. 'Willy Nilly'** G. Holly (ONI), P. Ruh (R) 1996

Plant: 29 in. (73.7 cm.) diameter, 18 in. (45.7 cm.) high.
Upright and slow growing.

Leaf: 11 in. (27.9 cm.) long, 8.25 in. (21 cm.) wide. 14 pairs of prominent veins. Gray-green with a slightly rippled margin. Waxy on top, dull underneath; lightly wavy, lightly corrugated; broadly ovate with a rounded base.

Scape: 20 in. (50.8 cm.) high, ranging from 15-20 in. (38.1-50.8 cm.); deep green.

Flower: 0.75 in. (1.9 cm.) long, near white, tubular; Chesterland OH: 7/2 - 7/13 - 7/25.

Seed: pod is light green

Clump History: 16 years old, growing in Chesterland OH.

[Parentage unknown]

H. 'Wily Willy' E. Elslager (ONIR) 1998

Plant: 18 in. (45.7 cm.) diameter, 10 in. (25.4 cm.) high.
Mound-like with a moderate growth rate.

Leaf: 5 in. (12.7 cm.) long, 2 in. (5.1 cm.) wide. 5 pairs of prominent veins. Dark green with a flat margin. Very shiny on top and underneath; lance-shaped with a tapered base; petiole reddish purple.

Scape: 15 in. (38.1 cm.) high, ranging from 13-17 in. (33-43.2 cm.) in length.

Flower: 1.75 in. (4.4 cm.) long, medium lavender, purple striped; Ann Arbor MI: 9/10 - 9/22 - 10/13 (8 - 8 - 9).

Seed: viability unknown; pod is red tinted.

Notable Characteristics: leathery leaf, red petioles, reddish purple scapes and heavy flowering.

Clump History: 5 years old, growing in Ann Arbor MI.

[parentage unknown]

H. 'Winsome' D. & J. Ward (ONIR) 1996

Plant: 15 in. (38.1 cm.) diameter, 8 in. (20.3 cm.) high.
Mound-like with a moderate growth rate.

Leaf: 3.5 in. (8.9 cm.) long, 2.5 in. (6.4 cm.) wide. 7 pairs of insignificant veins. Medium green with a 0.5 in. slightly rippled, creamy white margin. Dull on top and underneath; moderately wavy; ovate with a rounded base. Leaf margin extends down the petiole.

Scape: 17 in. (43.2 cm.) high, ranging from 16-18 in. (40.6-45.7 cm.).

Flower: 1 in. (2.5 cm.) long, pale lavender, tubular; Columbus OH: 6/20 - 6/25 - 7/1 (2 - 2 - 2).

Seed: pod is green.

Clump History: the original seedling, 5 years old, growing in Columbus OH.

Notable Characteristics: green leaf and wide creamy margin; light green streaking.

[*H.* 'Pinstripe Sister' hybrid]**H. 'Wintergreen'** J. Dishon (OR) 1994

Plant: 25 in. (63.5 cm.) diameter, 7 in. (17.8 cm.) high, with a moderately dense, semi-upright habit.

Leaf: 5.5 in. (14 cm.) wide, 6.5 in. (16.5 cm.) long; 11 pairs of prominent veins; medium green with a 1 in. (2.5 cm.) wide, creamy white changing to white, slightly rippled margin; slightly shiny above, glaucous bloom underneath; lightly corrugated; heavy substance; broadly ovate with a cordate base.

Scape: 22 in. (55.9 cm.) high; dark green.

Flower: 1.75 in. (4.5 cm.) long, medium lavender, white striped inside; Mich: July.

Seed: viable.

Clump History: 4 years old.

[*H.* 'Sea Prize' hybrid]**H. 'Wizard's Turban'** J. Hadrava (ONIR) 1996

Plant: 13 in. (33 cm.) diameter, 6 in. (15.2 cm.) high. Mound-like and slow growing.

Leaf: 3.25 in. (8.3 cm.) long, 1.25 in. (3.2 cm.) wide. 4 pairs of prominent veins. Creamy white with a 0.5 in., slightly rippled, light green margin. Slightly shiny on top and underneath; moderately wavy; lance-shaped with a rounded base.

Scape: 8 in. (20.3 cm.) high, ranging from 8-9 in. (20.3-22.9 cm.); cream colored.

Flower: 1 in. (2.5 cm.) long, near white, tubular; Cedar Rapids IA: 8/10 - 9/8.

Seed: none set.

Clump History: 5 years old.

[*H.* 'Galaxy' x *H.* 'Wahoo']**H. 'Wolverine'** J. Wilkins (ONI), J. & J. Wilkins (R) 1995

Plant: 38 in. (96.5 cm.) diameter, 15 in. (38.1 cm.) high. Fast growing, compact, mound-like habit.

Leaf: 10.25 in. (26.0 cm.) long, 5.5 in. (14.0 cm.) wide. 8-9 pairs of prominent veins. Slightly blue-green with a 1.5 in. (3.8 cm.) wide, slightly rippled, yellow-gold margin. Slightly shiny on top, glaucous bloom underneath; moderately wavy; good substance; ovate with a rounded base.

Scape: 20 in. (50.8 cm.) high, ranging from 18-22 in. (45.7-55.9 cm.); green.

Flower: 1.75 in. (4.5 cm.) long, pale lavender, tubular, fertility unknown; Mich: August.

Clump History: 6 years old.

[(*H.* "Splash F5" x *H.* 'Dorset Blue') sport]**H. 'Woodland Blue'** L. Simperts (O), P. Ruh (R) 1993

Plant: 30 in. (76.2 cm.) wide, 19 in. (48.3 cm.) high.

Leaf: 12 in. (30.5 cm.) long, 9.5 in. (24.1 cm.) wide, 15 pairs of moderately prominent veins; intensely blue-green; broadly ovate with a cordate base; margin smooth; slightly shiny above and dull underneath; moderately cupped; corrugated.

Scape: 13 in. (33 cm.) long; inflorescence leaves; light green.
 Flower: pure white, bell-shaped; Ohio: July.
 [*H. sieboldiana* hybrid]

- H. 'Wylde Green Cream'** J. & E. Stratton (ONIR) 1996
 Plant: 16 in. (40.6 cm.) diameter, 8 in. (20.3 cm.) high.
 Mound-like and slow growing.
 Leaf: 4 in. (10.2 cm.) long, 3.5 in. (8.9 cm.) wide. 9 pairs of moderately prominent veins. Yellow gold with a 0.25-0.75 in., slightly rippled, medium green margin. Dull on top and underneath; moderately rippled; broadly ovate with a cordate base.
 Scape: 18 in. (45.7 cm.) high.
 Flower: 1.25 in. (3.2 cm.) long, pale lavender, tubular, darker striped inside; Iowa City IA: 7/15 - 7/22 - 7/30.
 Seed: viable.
 Clump History: 6 years old.
 [*H. 'Vanilla Cream'* sport]

Y

- H. 'Yellow Flash'** P. Ruh (ONIR) 1997
 Plant: 47 in. (119 cm.) diameter, 21 in. (53.3 cm.) high.
 Upright with a moderate growth rate.
 Leaf: 10.25 in. (26 cm.) long, 8.25 in. (21 cm.) wide. 10 pairs of prominent veins. Starts with a yellow cast changing to light green. Margin 0.5 in. (1.27 cm.) wide, slightly rippled, yellow turning to cream. Dull on top and underneath; lightly cupped, folded, wavy, lightly corrugated, ovate with a cordate base.
 Scape: 37.5 in. (95.3 cm.) high; inflorescence leaves.
 Flower: 2.25 in. (5.7 cm.) long, pale lavender, striped, tubular; Chesterland OH: 7/6 - 7/23 - 8/3 (2 - 2 - 2).
 Seed: viable; pod is light green.
 Clump History: the original sport, 11 years old, growing in Chesterland OH.
 Notable Characteristics: the yellow cast of the leaf in the spring.
 [*H. 'Sagae'* sport]
- H. 'Yellow Jacket'** M. Zilis (O), P. Ruh (NIR) 1998
 Plant: 12 in. (30.5 cm.) diameter, 6.5 in. (16.5 cm.) high.
 Mound-like and fast growing.
 Leaf: 4 in. (10.2 cm.) long, 1.5 in. (3.8 cm.) wide. 4 pairs of insignificant veins. Light green with a 0.2 in. (0.51 cm.) wide, flat, creamy white margin. Dull on top, slightly shiny underneath; lance-shaped with a tapered base; petiole margined.
 Scape: 27 in. (68.6 cm.) high, ranging from 24-27 in. (61-68.6 cm.) in length.
 Flower: 2 in. (5.1 cm.) long, lavender purple, striped, tubular; Chesterland OH: 7/19 - 7/26 - 8/5.
 Seed: viable; pod is dark green.
 Clump History: obtained from the originator, 6 years old, growing in Chesterland OH.
 [*H. venusta* sport]

- H. 'Yellow River'** E. Smith (O), Aden (I), P. Ruh (R) 1993
 Plant: 50 in. (127 cm.) wide, 24 in. (61 cm.) high.
 Leaf: 13 in. (33 cm.) long, 10 in. (25.4 cm.) wide, 13 pairs of veins; medium green with 0.5-0.75 in. (1.3-1.9 cm.) medium yellow marbled margin; ovate with a flat base; margin with wide ripples; slightly twisted; slightly puckered.
 Scape: 34 in. (86.4 cm.) long.
 Flower: white, tubular; Ohio: July.
 [Parentage undetermined]

Z

- H. 'Zebson'** L. Jones (ONIR) 1998
 Plant: 48 in. (122 cm.) diameter, 23 in. (58.4 cm.) high.
 Mound-like with a moderate growth rate.
 Leaf: 12 in. (30.5 cm.) long, 11 in. (27.9 cm.) wide. 15 pairs veins. Greenish yellow with a flat, golden yellow margin. Slightly shiny on top, dull underneath; lightly corrugated, broadly ovate with a cordate base.
 Flower: 2.25 in. (5.7 cm.) long, pale lavender, tubular; Advance NC: average period.
 Seed: none set.
 Clump History: the original sport, 6 years old, growing in Advance NC.
 Notable Characteristics: variegation streaked and variable.
 [*H. 'Sum and Substance'* sport]

Index to The Genus *Hosta* List of Registered Cultivars & Supplement I

<i>Hosta</i> 'Aardvark'	1991 LRC	1	<i>H.</i> 'Baby Bunting'	1982 LRC	5	<i>H.</i> 'Blue Horizon'	1985 LRC	10
<i>H.</i> 'Abba Alive'	1990 LRC	1	<i>H.</i> 'Bacchanal'	1991 LRC	5	<i>H.</i> 'Blue Ice'	1987 LRC	10
<i>H.</i> 'Abba Aloft'	1990 LRC	1	<i>H.</i> 'Ballerina'	1982 LRC	5	<i>H.</i> 'Blue Jay'	1987 LRC	10
<i>H.</i> 'Abba at Large'	1990 LRC	1	<i>H.</i> 'Balloons'	1994 LRC Sup.	4	<i>H.</i> 'Blue June'	1987 LRC	10
<i>H.</i> 'Abba Blue Plus'	1990 LRC	1	<i>H.</i> 'Banana Boat'	1991 LRC	5	<i>H.</i> 'Blue Lace'	1977 LRC	10
<i>H.</i> 'Abba Dabba Do'	1998 LRC Sup.	1	<i>H.</i> 'Banana Muffins'	1996 LRC Sup.	4	<i>H.</i> 'Blue Lady'	1998 LRC Sup.	6
<i>H.</i> 'Abba Fit'	1990 LRC	1	<i>H.</i> 'Banana Sundae'	1980 LRC	5	<i>H.</i> 'Blue Lagoon'	1972 LRC	10
<i>H.</i> 'Abba Fragrant Cloud'	1990 LRC	1	<i>H.</i> 'Banyai's Dancing Girl'	1987 LRC	5	<i>H.</i> 'Blue Line'	1987 LRC	10
<i>H.</i> 'Abba Little Showoff'	1990 LRC	1	<i>H.</i> 'Barbara'	1987 LRC	6	<i>H.</i> 'Blue Max'	1998 LRC Sup.	6
<i>H.</i> 'Abba Nova'	1990 LRC	1	<i>H.</i> 'Barbara White'	1990 LRC	6	<i>H.</i> 'Blue Monday'	1998 LRC Sup.	6
<i>H.</i> 'Abba Spellbinder'	1990 LRC	1	<i>H.</i> 'Barney Fife'	1993 LRC Sup.	4	<i>H.</i> 'Blue Moon'	1976 LRC	10
<i>H.</i> 'Abba Tops'	1990 LRC	1	<i>H.</i> 'Beaulah'	1988 LRC	6	<i>H.</i> 'Blue Pearl'	1994 LRC Sup.	6
<i>H.</i> 'Abby'	1990 LRC	2	<i>H.</i> 'Behemoth'	1988 LRC	6	<i>H.</i> 'Blue Picrust'	1986 LRC	11
<i>H.</i> 'Abiqua Ambrosia'	1987 LRC	2	<i>H.</i> 'Belle of the Ball'	1998 LRC Sup.	4	<i>H.</i> 'Blue Plisse'	1990 LRC	11
<i>H.</i> 'Abiqua Blue Edger'	1987 LRC	2	<i>H.</i> 'Bells of Edinborough'	1993 LRC Sup.	4	<i>H.</i> 'Blue River'	1998 LRC Sup.	6
<i>H.</i> 'Abiqua Blue Jay'	1988 LRC	2	<i>H.</i> 'Benedict Arnold'	1996 LRC Sup.	4	<i>H.</i> 'Blue Rock'	1986 LRC	11
<i>H.</i> 'Abiqua Blue Madonna'	1988 LRC	2	<i>H.</i> 'Bennie Mcrae'	1989 LRC	6	<i>H.</i> 'Blue Saucers'	1977 LRC	11
<i>H.</i> 'Abiqua Blue Shield'	1988 LRC	2	<i>H.</i> 'Betcher's Blue'	1986 LRC	6	<i>H.</i> 'Blue Shadows'	1980 LRC	11
<i>H.</i> 'Abiqua Drinking Gourd'	1989 LRC	2	<i>H.</i> 'Bethel Big Leaf'	1979 LRC	6	<i>H.</i> 'Blue Skies'	1988 LRC	11
<i>H.</i> 'Abiqua Gold Shield'	1987 LRC	2	<i>H.</i> 'Betsy King'	1986 LRC	6	<i>H.</i> 'Blue Skirt'	1970 LRC	11
<i>H.</i> 'Abiqua Ground Cover'	1988 LRC	2	<i>H.</i> 'Bette Davis Eyes'	1987 LRC	6	<i>H.</i> 'Blue Star'	1998 LRC Sup.	6
<i>H.</i> 'Abiqua Miniature'	1988 LRC	2	<i>H.</i> 'Betty'	1983 LRC	6	<i>H.</i> 'Blue Tiers'	1976 LRC	11
<i>H.</i> 'Abiqua Moonbeam'	1987 LRC	2	<i>H.</i> 'Betty Darling'	1989 LRC	6	<i>H.</i> 'Blue Troll'	1973 LRC	11
<i>H.</i> 'Abiqua Pagoda'	1989 LRC	2	<i>H.</i> 'Big Boy'	1980 LRC	6	<i>H.</i> 'Blue Umbrellas'	1978 LRC	11
<i>H.</i> 'Abiqua Parasol'	1987 LRC	3	<i>H.</i> 'Big Daddy'	1978 LRC	7	<i>H.</i> 'Blue Velvet'	1976 LRC	11
<i>H.</i> 'Abiqua Recluse'	1989 LRC	3	<i>H.</i> 'Big Dipper'	1995 LRC Sup.	4	<i>H.</i> 'Blue Vision'	1976 LRC	11
<i>H.</i> 'Abiqua Trumpet'	1987 LRC	3	<i>H.</i> 'Big Hearted'	1983 LRC	7	<i>H.</i> 'Blue Wedgwood'	1988 LRC	12
<i>H.</i> 'Academy Fire'	1997 LRC Sup.	1	<i>H.</i> 'Big John'	1986 LRC	7	<i>H.</i> 'Blue Whirls'	1978 LRC	12
<i>H.</i> 'Academy Muse'	1997 LRC Sup.	1	<i>H.</i> 'Big Mama'	1978 LRC	7	<i>H.</i> 'Bluebird'	1985 LRC	12
<i>H.</i> 'Academy Redundant'	1998 LRC Sup.	1	<i>H.</i> 'Big Mo'	1990 LRC	7	<i>H.</i> 'Blythe Spirit'	1990 LRC	12
<i>H.</i> 'Ace of Spades'	1993 LRC Sup.	1	<i>H.</i> 'Big Sam'	1986 LRC	7	<i>H.</i> 'Bob Olson'	1995 LRC Sup.	6
<i>H.</i> 'Achy Breaky Heart'	1996 LRC Sup.	1	<i>H.</i> 'Big Shot'	1992 LRC Sup.	5	<i>H.</i> 'Bob Sanders'	1998 LRC Sup.	7
<i>H.</i> 'Ada Reed'	1988 LRC	3	<i>H.</i> 'Bigfoot'	1998 LRC Sup.	5	<i>H.</i> 'Bobbie Sue'	1994 LRC Sup.	7
<i>H.</i> 'Aestival Festival'	1996 LRC Sup.	1	<i>H.</i> 'Bilben Little Atlantis'	1998 LRC Sup.	5	<i>H.</i> 'Bold Edger'	1983 LRC	12
<i>H.</i> 'Ahamo Gold'	1970 LRC	3	<i>H.</i> 'Bill Brincka'	1988 LRC	7	<i>H.</i> 'Bold One'	1978 LRC	12
<i>H.</i> 'Ahwaseeh'	1990 LRC	3	<i>H.</i> 'Bingo'	1993 LRC Sup.	5	<i>H.</i> 'Bold Ribbons'	1976 LRC	12
<i>H.</i> 'Aksarben'	1988 LRC	3	<i>H.</i> 'Birchwood Blue'	1986 LRC	7	<i>H.</i> 'Bold Ruffles'	1975 LRC	12
<i>H.</i> 'Alabama Bowl'	1986 LRC	3	<i>H.</i> 'Birchwood Elegance'	1986 LRC	7	<i>H.</i> 'Bon Voyage'	1980 LRC	12
<i>H.</i> 'Alabama Gold'	1986 LRC	3	<i>H.</i> 'Birchwood Gem'	1989 LRC	7	<i>H.</i> 'Bonanza'	1997 LRC Sup.	7
<i>H.</i> 'Aladdin's Lamp'	1996 LRC Sup.	1	<i>H.</i> 'Birchwood Gold'	1986 LRC	7	<i>H.</i> 'Bonnie'	1987 LRC	12
<i>H.</i> 'Alaskan Halo'	1997 LRC Sup.	2	<i>H.</i> 'Birchwood Green'	1986 LRC	7	<i>H.</i> 'Boogie Woogie'	1998 LRC Sup.	7
<i>H.</i> 'Alex Summers'	1989 LRC	3	<i>H.</i> 'Birchwood Parky's Blue'	1986 LRC	8	<i>H.</i> 'Booka'	1986 LRC	12
<i>H.</i> 'Alice Gladden'	1998 LRC Sup.	2	<i>H.</i> 'Birchwood Parky's Gold'	1986 LRC	8	<i>H.</i> 'Boots and Saddles'	1983 LRC	12
<i>H.</i> 'Allan P. McConnell'	1980 LRC	3	<i>H.</i> 'Birchwood Ruffled Queen'	1986 LRC	8	<i>H.</i> 'Border Bandit'	1992 LRC Sup.	7
<i>H.</i> 'Alma'	1995 LRC Sup.	2	<i>H.</i> 'Bitsy Gold'	1985 LRC	8	<i>H.</i> 'Borwick Beauty'	1988 LRC	13
<i>H.</i> 'Alpine Aire'	1980 LRC	3	<i>H.</i> 'Bitsy Green'	1985 LRC	8	<i>H.</i> 'Bountiful'	1971 LRC	13
<i>H.</i> 'Alpine Dream'	1982 LRC	4	<i>H.</i> 'Bizarre'	1986 LRC	8	<i>H.</i> 'Brandywine'	1993 LRC Sup.	7
<i>H.</i> 'Alston Glenn'	1998 LRC Sup.	2	<i>H.</i> 'Black Beauty'	1984 LRC	8	<i>H.</i> 'Brave Amherst'	1993 LRC Sup.	7
<i>H.</i> 'Alvantine Taylor'	1990 LRC	4	<i>H.</i> 'Black Hills'	1983 LRC	8	<i>H.</i> 'Bravo'	1980 LRC	13
<i>H.</i> 'Am I Blue'	1998 LRC Sup.	2	<i>H.</i> 'Blackfoot'	1994 LRC Sup.	4	<i>H.</i> 'Breeder's Choice'	1987 LRC	13
<i>H.</i> 'Amber Maiden'	1988 LRC	4	<i>H.</i> 'Blackjack'	1990 LRC	8	<i>H.</i> 'Brenda's Beauty'	1992 LRC Sup.	7
<i>H.</i> 'Amber Tiara'	1998 LRC Sup.	2	<i>H.</i> 'Blast Off'	1995 LRC Sup.	5	<i>H.</i> 'Brenner Pass'	1972 LRC	13
<i>H.</i> 'Amethyst Blue'	1996 LRC Sup.	2	<i>H.</i> 'Blessings'	1983 LRC	8	<i>H.</i> 'Bressingham Blue'	1984 LRC	13
<i>H.</i> 'Amethyst Jewel'	1992 LRC Sup.	3	<i>H.</i> 'Blondie'	1982 LRC	8	<i>H.</i> 'Bridegroom'	1990 LRC	13
<i>H.</i> 'Amy Aden'	1980 LRC	4	<i>H.</i> 'Blue Angel'	1986 LRC	8	<i>H.</i> 'Bright Eagle'	1998 LRC Sup.	8
<i>H.</i> 'Andy Taylor'	1993 LRC Sup.	3	<i>H.</i> 'Blue Arrow'	1982 LRC	9	<i>H.</i> 'Bright Glow'	1986 LRC	13
<i>H.</i> 'Angel Wings'	1998 LRC Sup.	3	<i>H.</i> 'Blue Bayou'	1987 LRC	9	<i>H.</i> 'Brim Cup'	1986 LRC	13
<i>H.</i> 'Anne Arett'	1975 LRC	4	<i>H.</i> 'Blue Beauty'	1986 LRC	9	<i>H.</i> 'Broad Ripple'	1995 LRC Sup.	8
<i>H.</i> 'Antioch'	1979 LRC	4	<i>H.</i> 'Blue Belle'	1988 LRC	9	<i>H.</i> 'Broadway Frances'	1997 LRC Sup.	8
<i>H.</i> 'Aoki'	1987 LRC	27	<i>H.</i> 'Blue Betty Lou'	1987 LRC	9	<i>H.</i> 'Brooke'	1987 LRC	13
<i>H.</i> 'Apple Court'	1998 LRC Sup.	3	<i>H.</i> 'Blue Blazes'	1988 LRC	9	<i>H.</i> 'Brookwood Blue'	1991 LRC	13
<i>H.</i> 'Apple Green'	1982 LRC	4	<i>H.</i> 'Blue Blush'	1988 LRC	9	<i>H.</i> 'Brother Ronald'	1988 LRC	13
<i>H.</i> 'Aqua Velve'	1983 LRC	4	<i>H.</i> 'Blue Boy'	1986 LRC	9	<i>H.</i> 'Brother Stefan'	1998 LRC Sup.	8
<i>H.</i> 'Arctic Rim'	1993 LRC Sup.	3	<i>H.</i> 'Blue Cadet'	1974 LRC	9	<i>H.</i> 'Bruce's Blue'	1991 LRC	14
<i>H.</i> 'Arett's Wonder'	1986 LRC	4	<i>H.</i> 'Blue Chip'	1997 LRC Sup.	5	<i>H.</i> 'Bubba'	1998 LRC Sup.	8
<i>H.</i> 'Aristocrat'	1997 LRC Sup.	3	<i>H.</i> 'Blue Clown'	1996 LRC Sup.	5	<i>H.</i> 'Buckanon'	1983 LRC	14
<i>H.</i> 'Artist's Palette'	1986 LRC	4	<i>H.</i> 'Blue Danube'	1988 LRC	9	<i>H.</i> 'Buckeye Blue'	1997 LRC Sup.	8
<i>H.</i> 'Asahi Comet'	1984 LRC	4	<i>H.</i> 'Blue Delight'	1993 LRC Sup.	5	<i>H.</i> 'Buckshaw Blue'	1986 LRC	14
<i>H.</i> 'Asahi Sunray'	1984 LRC	4	<i>H.</i> 'Blue Diamond'	1988 LRC	9	<i>H.</i> 'Buckwheat Honey'	1984 LRC	14
<i>H.</i> 'Aspen Gold'	1986 LRC	5	<i>H.</i> 'Blue Dimples'	1988 LRC	9	<i>H.</i> 'Butfy'	1986 LRC	14
<i>H.</i> 'August Moon'	1996 LRC Sup.	3	<i>H.</i> 'Blue Dome'	1980 LRC	10	<i>H.</i> 'Butter Rim'	1986 LRC	14
<i>H.</i> 'Aurora Borealis'	1986 LRC	5	<i>H.</i> 'Blue Eyes'	1996 LRC Sup.	5	<i>H.</i> 'Butter Yellow'	1982 LRC	14
<i>H.</i> 'Austin Dickinson'	1992 LRC Sup.	3	<i>H.</i> 'Blue Fan Dancer'	1976 LRC	10	<i>H.</i> 'Cadillac'	1998 LRC Sup.	8
<i>H.</i> 'Avocado'	1998 LRC Sup.	3	<i>H.</i> 'Blue for You'	1991 LRC	10	<i>H.</i> 'Calypso'	1987 LRC	15
<i>H.</i> 'Aztec Treasure'	1987 LRC	5	<i>H.</i> 'Blue Frost'	1986 LRC	10	<i>H.</i> 'Camelot'	1988 LRC	15
<i>H.</i> 'Azure Chalice'	1996 LRC Sup.	4	<i>H.</i> 'Blue Gown'	1992 LRC Sup.	6	<i>H.</i> 'Canadian Shield'	1993 LRC Sup.	8
<i>H.</i> 'Azure Snow'	1991 LRC	5	<i>H.</i> 'Blue Heaven'	1976 LRC	10	<i>H.</i> 'Candle Glow'	1990 LRC	15

H. 'Candle Wax'	1974	LRC	15	H. 'Crown Jewel'	1984	LRC	19	H. 'Elfin Power'	1987	LRC	24
H. 'Candy Cane'	1995	LRC Sup.	9	H. 'Crown Prince'	1978	LRC	19	H. 'Elisabeth'	1983	LRC	24
H. 'Candy Hearts'	1998	LRC Sup.	9	H. 'Crown Royalty'	1990	LRC	19	H. 'Elizabeth Campbell'	1988	LRC	24
H. 'Capitol Dome'	1980	LRC	15	H. 'Crowned Imperial'	1988	LRC	20	H. 'Ellen'	1987	LRC	24
H. 'Carder Blue'	1986	LRC	15	H. 'Crow's Nest'	1995	LRC Sup.	12	H. 'Ellen F. Weissenberger'	1986	LRC	24
H. 'Cardwell Yellow'	1981	LRC	15	H. 'Crumples'	1996	LRC Sup.	12	H. 'Ellerbroek'	1996	LRC Sup.	16
H. 'Carefree'	1971	LRC	15	H. 'Crusader'	1989	LRC	20	H. 'Ellie Bee'	1996	LRC Sup.	16
H. 'Carl'	1991	LRC	15	H. 'Crystal Tiara'	1998	LRC Sup.	12	H. 'Elvis Lives'	1995	LRC Sup.	16
H. 'Carnival'	1986	LRC	15	H. 'Cupid's Arrow'	1988	LRC	20	H. 'Emerald Carpet'	1998	LRC Sup.	16
H. 'Carol'	1986	LRC	15	H. 'Cupid's Dart'	1997	LRC Sup.	12	H. 'Emerald City'	1996	LRC Sup.	16
H. 'Carolina Moon'	1997	LRC Sup.	9	H. 'Cutlew'	1988	LRC	20	H. 'Emerald Crown'	1990	LRC	24
H. 'Carousel'	1989	LRC	16	H. 'Curly'	1990	LRC	20	H. 'Emerald Crust'	1988	LRC	24
H. 'Carrie Ann'	1988	LRC	16	H. 'Curly Locks'	1991	LRC	20	H. 'Emerald Gem'	1991	LRC	24
H. 'Cascades'	1993	LRC Sup.	9	H. 'Curly Top'	1989	LRC	20	H. 'Emerald Green'	1996	LRC Sup.	17
H. 'Cassandra'	1985	LRC	16	H. 'Curtain Call'	1985	LRC	20	H. 'Emerald Necklace'	1994	LRC Sup.	17
H. 'Cat's Meow'	1998	LRC Sup.	9	H. 'Cynthia'	1998	LRC Sup.	12	H. 'Emerald Ripples'	1981	LRC	24
H. 'Cavalcade'	1990	LRC	16	H. 'Daily Joy'	1984	LRC	20	H. 'Emerald Tiara'	1988	LRC	24
H. 'Celebration'	1978	LRC	16	H. 'Dale's Blue Gray'	1973	LRC	21	H. 'Emeralds and Rubies'	1994	LRC Sup.	17
H. 'Celebrity'	1995	LRC Sup.	9	H. 'Daniel'	1998	LRC Sup.	12	H. 'Emily Dickinson'	1987	LRC	24
H. 'Centennial'	1996	LRC Sup.	9	H. 'Dark Tower'	1986	LRC	21	H. 'Emmia Foster'	1985	LRC	25
H. 'Center Stage'	1982	LRC	16	H. 'Dark Victory'	1996	LRC Sup.	12	H. 'Enchantress'	1988	LRC	25
H. 'Centerfold'	1994	LRC Sup.	9	H. 'David Reath'	1977	LRC	21	H. 'Encore'	1995	LRC Sup.	17
H. 'Century One'	1983	LRC	16	H. 'Dawn's Early Light'	1998	LRC Sup.	13	H. 'Eric Smith'	1987	LRC	25
H. 'Challenger'	1971	LRC	16	H. 'Day Dream'	1998	LRC Sup.	13	H. 'Ersatz'	1996	LRC Sup.	17
H. 'Chameleon'	1986	LRC	16	H. 'Daybreak'	1998	LRC Sup.	13	H. 'Estelle Aden'	1978	LRC	25
H. 'Champagne'	1994	LRC Sup.	9	H. 'Dear Heart'	1986	LRC	21	H. 'Estrellita'	1995	LRC Sup.	17
H. 'Champion'	1985	LRC	16	H. 'Debutante'	1975	LRC	21	H. 'Eternity'	1995	LRC Sup.	17
H. 'Change of Tradition'	1988	LRC	16	H. 'Deep Blue Sea'	1978	LRC	21	H. 'Eunice Choice'	1988	LRC	25
H. 'Changing Moods'	1983	LRC	17	H. 'Dee's Golden Jewel'	1994	LRC Sup.	13	H. 'Eunice Fisher'	1985	LRC	25
H. 'Chantilly Lace'	1988	LRC	17	H. 'Delia'	1996	LRC Sup.	13	H. 'Evelyn McCafferty'	1975	LRC	25
H. 'Chartreuse'	1998	LRC Sup.	10	H. 'Density'	1995	LRC Sup.	13	H. 'Evening Magic'	1988	LRC	25
H. 'Chartreuse Piecrust'	1985	LRC	17	H. 'Devon Blue'	1990	LRC	21	H. 'Eventide'	1992	LRC Sup.	17
H. 'Chartreuse Wedge'	1976	LRC	17	H. 'Dew Drop'	1988	LRC	21	H. 'Everglades'	1988	LRC	25
H. 'Chartreuse Wiggles'	1976	LRC	17	H. 'Diamond Tiara'	1988	LRC	21	H. 'Excalibur'	1986	LRC	25
H. 'Cheatin Heart'	1995	LRC Sup.	10	H. 'Diana Remembered'	1985	LRC	21	H. 'Excitation'	1988	LRC	25
H. 'Chelsea Babe'	1988	LRC	17	H. 'Dianne'	1997	LRC Sup.	13	H. 'Eye Catcher'	1996	LRC Sup.	18
H. 'Chelsea Ore'	1989	LRC	17	H. 'Dick Ward'	1985	LRC	21	H. 'Fair Dinkum'	1993	LRC Sup.	18
H. 'Cherry Berry'	1991	LRC	17	H. 'Dick's Delight'	1991	LRC	21	H. 'Fair Maiden'	1993	LRC Sup.	18
H. 'Cherub'	1989	LRC	17	H. 'Dim Sum'	1998	LRC Sup.	13	H. 'Fairway Green'	1990	LRC	26
H. 'Chesterland Gold'	1997	LRC Sup.	10	H. 'Dimity'	1994	LRC Sup.	14	H. 'Fairy Frolic'	1997	LRC Sup.	18
H. 'China Doll'	1988	LRC	17	H. 'Distinction'	1998	LRC Sup.	14	H. 'Fall Bouquet'	1986	LRC	26
H. 'Chinese Sunrise'	1992	LRC Sup.	10	H. 'Dixie Joy'	1998	LRC Sup.	14	H. 'Fall Emerald'	1997	LRC Sup.	18
H. 'Chippewa'	1986	LRC	17	H. 'Dixie Queen'	1983	LRC	22	H. 'Fan Dance'	1987	LRC	26
H. 'Chiquita'	1979	LRC	17	H. 'Doctor Fu Manchu'	1982	LRC	22	H. 'Fantasia'	1998	LRC Sup.	18
H. 'Christmas Tree'	1982	LRC	17	H. 'Doerth Reath'	1998	LRC Sup.	14	H. 'Fantastic'	1988	LRC	26
H. 'Circle of Light'	1996	LRC Sup.	10	H. 'Domaine De Courson'	1997	LRC Sup.	14	H. 'Fascination'	1978	LRC	26
H. 'Circus Clown'	1983	LRC	18	H. 'Dorothy'	1996	LRC Sup.	14	H. 'Fascinator'	1989	LRC	26
H. 'Citation'	1980	LRC	18	H. 'Dorothy Benedict'	1986	LRC	22	H. 'Fat Cat'	1996	LRC Sup.	18
H. 'City Lights'	1978	LRC	18	H. 'Dorset Blue'	1983	LRC	22	H. 'Feather Boa'	1991	LRC	26
H. 'City Slicker'	1996	LRC Sup.	10	H. 'Dorset Charm'	1977	LRC	22	H. 'Fernwood'	1983	LRC	26
H. 'Clarence'	1996	LRC Sup.	10	H. 'Dorset Flair'	1990	LRC	22	H. 'Festival'	1998	LRC Sup.	18
H. 'Classic Delight'	1973	LRC	18	H. 'Double Edge'	1990	LRC	22	H. 'Finlandia'	1997	LRC Sup.	19
H. 'Cody'	1996	LRC Sup.	11	H. 'Dragon Wings'	1982	LRC	22	H. 'Fire Island'	1998	LRC Sup.	19
H. 'Color Accord'	1982	LRC	18	H. 'Dragon's Blood'	1996	LRC Sup.	14	H. 'Firefly'	1996	LRC Sup.	19
H. 'Color Fantasy'	1980	LRC	18	H. 'Drawn Butter'	1998	LRC Sup.	15	H. 'First Impressions'	1991	LRC	26
H. 'Color Glory'	1980	LRC	18	H. 'Dream Weaver'	1994	LRC Sup.	15	H. 'Fisher's Cream Edge'	1992	LRC Sup.	19
H. 'Colossal'	1977	LRC	18	H. 'Dress Blues'	1996	LRC Sup.	15	H. 'Fisher's Green Magic'	1998	LRC Sup.	19
H. 'Comeuppance'	1982	LRC	18	H. 'Drip Drop'	1995	LRC Sup.	15	H. 'Flamboyant'	1978	LRC	26
H. 'Concordia Petite'	1996	LRC Sup.	11	H. 'Drummer Boy'	1988	LRC	22	H. 'Flame Stitch'	1991	LRC	26
H. 'Connie'	1987	LRC	18	H. 'Duchess'	1983	LRC	22	H. 'Flat Clyde'	1997	LRC Sup.	19
H. 'Cool Change'	1995	LRC Sup.	11	H. 'Duke'	1982	LRC	22	H. 'Fleeta Brownell Woodroffe'	1986	LRC	27
H. 'Coquette'	1987	LRC	18	H. 'Dupage Delight'	1988	LRC	23	H. 'Floradora'	1978	LRC	27
H. 'Cordelia'	1991	LRC	18	H. 'Dustin'	1990	LRC	23	H. 'Flow Swirls'	1978	LRC	27
H. 'Corduroy'	1983	LRC	18	H. 'Ebb Tide'	1988	LRC	23	H. 'Flower Power'	1987	LRC	27
H. 'Corona'	1996	LRC Sup.	11	H. 'Edge of Night'	1997	LRC Sup.	15	H. 'Fond Hope'	1973	LRC	27
H. 'Cotillion'	1995	LRC Sup.	11	H. 'Edina Heritage'	1988	LRC	23	H. 'Footlights'	1995	LRC Sup.	19
H. 'Count Dracula'	1997	LRC Sup.	11	H. 'Edina Hornet'	1987	LRC	23	H. 'Forever Frances'	1996	LRC Sup.	20
H. 'Counter Point'	1982	LRC	19	H. 'Edward Wargo'	1996	LRC Sup.	15	H. 'Forever Green'	1994	LRC Sup.	20
H. 'County Park'	1983	LRC	19	H. 'Egret'	1986	LRC	23	H. 'Formal Attire'	1988	LRC	27
H. 'Craig Halequin Bells'	1998	LRC	11	H. 'Eireann'	1984	LRC	23	H. 'Fort Knox'	1989	LRC	27
H. 'Crater Lake'	1996	LRC Sup.	11	H. 'El Capitan'	1991	LRC	23	H. 'Fortunei Albomarginata'	1987	LRC	27
H. 'Cream Cheese'	1991	LRC	19	H. 'Eleanor J. Reath'	1987	LRC	23	H. 'Fortunei Albopicta'	1987	LRC	27
H. 'Crepe Suzette'	1986	LRC	19	H. 'Eleanor Lachman'	1986	LRC	24	H. 'Fortunei Aurea'	1987	LRC	27
H. 'Crescent Moon'	1988	LRC	19	H. 'Electrifying'	1995	LRC Sup.	15	H. 'Fortunei Aureomarginata'	1987	LRC	27
H. 'Crested Reef'	1975	LRC	19	H. 'Electrum Stater'	1998	LRC Sup.	16	H. 'Fortunei Gigantea'	LRC	27	
H. 'Crested Surf'	1990	LRC	19	H. 'Elegans'	1997	LRC Sup.	16	H. 'Fortunei Hyacinthina'	LRC	28	
H. 'Crinkle Cup'	1971	LRC	19	H. 'Elephant Burgers'	1987	LRC	72	H. 'Fortunei Obscura'	LRC	28	
H. 'Crinoline Petticoats'	1990	LRC	19	H. 'Elfin Cup'	1993	LRC Sup.	16	H. 'Fortunei Rugosa'	LRC	28	
H. 'Cross Stitch'	1992	LRC Sup.	12		1988	LRC	24	H. 'Fortunei Stenantha'	LRC	28	

<i>H.</i> 'Fortunei Viridis'	1987 LRC	28	<i>H.</i> 'Golden Circles'	1998 LRC Sup.	23	<i>H.</i> 'Green Spot'	1998 LRC Sup.	25
<i>H.</i> 'Foundling'	1990 LRC	28	<i>H.</i> 'Golden Delight'	1994 LRC Sup.	23	<i>H.</i> 'Green Valley'	1988 LRC	37
<i>H.</i> 'Fountain'	1983 LRC	28	<i>H.</i> 'Golden Eagle'	1998 LRC Sup.	23	<i>H.</i> 'Green Wedge'	1976 LRC	37
<i>H.</i> 'Fourth of July'	1993 LRC Sup.	20	<i>H.</i> 'Golden Empress'	1990 LRC	33	<i>H.</i> 'Green Wiggles'	1979 LRC	38
<i>H.</i> 'Foxy Doxy'	1994 LRC Sup.	20	<i>H.</i> 'Golden Fascination'	1986 LRC	33	<i>H.</i> 'Greenwood'	1997 LRC Sup.	25
<i>H.</i> 'Fragrant Blue'	1988 LRC	28	<i>H.</i> 'Golden Flame'	1990 LRC	33	<i>H.</i> 'Grey Beauty'	1983 LRC	38
<i>H.</i> 'Fragrant Bouquet'	1982 LRC	28	<i>H.</i> 'Golden Fountain'	1993 LRC Sup.	23	<i>H.</i> 'Grey Goose'	1988 LRC	38
<i>H.</i> 'Fragrant Candelabra'	1982 LRC	28	<i>H.</i> 'Golden Friendship'	1991 LRC	33	<i>H.</i> 'Grey Picrust'	1986 LRC	38
<i>H.</i> 'Fragrant Flame'	1988 LRC	28	<i>H.</i> 'Golden Gate'	1994 LRC Sup.	23	<i>H.</i> 'Grey Poupon'	1995 LRC Sup.	25
<i>H.</i> 'Fragrant Gold'	1982 LRC	28	<i>H.</i> 'Golden Girl'	1982 LRC	33	<i>H.</i> 'Ground Master'	1979 LRC	38
<i>H.</i> 'Fragrant Tot'	1982 LRC	28	<i>H.</i> 'Golden Guernsey'	1992 LRC Sup.	23	<i>H.</i> 'Ground Sulphur'	1986 LRC	38
<i>H.</i> 'Fran and Jan'	1986 LRC	28	<i>H.</i> 'Golden Hawk'	1984 LRC	33	<i>H.</i> 'Guacamole'	1994 LRC Sup.	26
<i>H.</i> 'Francee'	1986 LRC	28	<i>H.</i> 'Golden Jubilee'	1995 LRC Sup.	23	<i>H.</i> 'Guardian Angel'	1995 LRC Sup.	26
<i>H.</i> 'Frances Williams'	1986 LRC	29	<i>H.</i> 'Golden Maple'	1980 LRC	33	<i>H.</i> 'Gum Drop'	1987 LRC	38
<i>H.</i> 'Frances Williams' Baby'	1980 LRC	29	<i>H.</i> 'Golden Medallion'	1984 LRC	33	<i>H.</i> 'Hadspen Blue'	1976 LRC	39
<i>H.</i> 'Frank's Rocket'	1998 LRC Sup.	20	<i>H.</i> 'Golden Nugget'	1969 LRC	33	<i>H.</i> 'Hadspen Hawk'	1988 LRC	39
<i>H.</i> 'Fried Bananas'	1994 LRC Sup.	20	<i>H.</i> 'Golden Oriole'	1988 LRC	33	<i>H.</i> 'Hadspen Heron'	1976 LRC	39
<i>H.</i> 'Fried Green Tomatoes'	1995 LRC Sup.	20	<i>H.</i> 'Golden Picture'	1995 LRC Sup.	23	<i>H.</i> 'Hadspen Pink'	1988 LRC	39
<i>H.</i> 'Frilly Puckers'	1986 LRC	29	<i>H.</i> 'Golden Plum'	1997 LRC Sup.	24	<i>H.</i> 'Hadspen Sapphire'	1997 LRC Sup.	26
<i>H.</i> 'Front Forty'	1996 LRC Sup.	20	<i>H.</i> 'Golden Prayers'	1976 LRC	33	<i>H.</i> 'Haku Chu Han'	1986 LRC	39
<i>H.</i> 'Frosted Jade'	1978 LRC	29	<i>H.</i> 'Golden Rajah'	1976 LRC	33	<i>H.</i> 'Halcyon'	1988 LRC	39
<i>H.</i> 'Frosty Morn'	1993 LRC Sup.	20	<i>H.</i> 'Golden Ruffles'	1976 LRC	34	<i>H.</i> 'Halo'	1978 LRC	39
<i>H.</i> 'Full Moon'	1991 LRC	29	<i>H.</i> 'Golden Scepter'	1983 LRC	34	<i>H.</i> 'Hampshire County'	1993 LRC Sup.	26
<i>H.</i> 'Fury of Flame'	1985 LRC	29	<i>H.</i> 'Golden Sculpture'	1982 LRC	34	<i>H.</i> 'Handy Hatfield'	1996 LRC Sup.	26
<i>H.</i> 'Fused Veins'	1983 LRC	29	<i>H.</i> 'Golden Spades'	1986 LRC	34	<i>H.</i> 'Hannah Hanson'	1997 LRC Sup.	26
<i>H.</i> 'G String'	1996 LRC Sup.	21	<i>H.</i> 'Golden Spider'	1987 LRC	34	<i>H.</i> 'Happiness'	1988 LRC	39
<i>H.</i> 'Gaiety'	1986 LRC	30	<i>H.</i> 'Golden Sunburst'	1984 LRC	34	<i>H.</i> 'Happy Hearts'	1973 LRC	39
<i>H.</i> 'Gaijin'	1995 LRC Sup.	21	<i>H.</i> 'Golden Surprise'	1991 LRC	34	<i>H.</i> 'Happy Valley'	1995 LRC Sup.	26
<i>H.</i> 'Gala'	1978 LRC	30	<i>H.</i> 'Golden Teacup'	1989 LRC	34	<i>H.</i> 'Harlequin Bells' see <i>H.</i> 'Craig Halequin Bells'		
<i>H.</i> 'Galaxy'	1987 LRC	30	<i>H.</i> 'Golden Tiara'	1977 LRC	34	<i>H.</i> 'Harmony'	1976 LRC	39
<i>H.</i> 'Galaxy Light'	1991 LRC	30	<i>H.</i> 'Golden Tiers'	1990 LRC	34	<i>H.</i> 'Harrison'	1987 LRC	39
<i>H.</i> 'Garden Bouquet'	1983 LRC	30	<i>H.</i> 'Golden Torch'	1984 LRC	34	<i>H.</i> 'Harry A. Jacobsen'	1988 LRC	39
<i>H.</i> 'Garden Magic'	1980 LRC	30	<i>H.</i> 'Golden Waffles'	1976 LRC	34	<i>H.</i> 'Hart's Tongue'	1987 LRC	39
<i>H.</i> 'Garden Treasure'	1997 LRC Sup.	21	<i>H.</i> 'Golden Wheels'	1976 LRC	34	<i>H.</i> 'Harvest Dandy'	1997 LRC Sup.	26
<i>H.</i> 'Garnet Prince'	1991 LRC	30	<i>H.</i> 'Goldilocks'	1970 LRC	35	<i>H.</i> 'Harvest Dawn'	1997 LRC Sup.	27
<i>H.</i> 'Gay Blade'	1988 LRC	30	<i>H.</i> 'Goldsmith'	1988 LRC	35	<i>H.</i> 'Harvest Delight'	1997 LRC Sup.	27
<i>H.</i> 'Gay Feather'	1983 LRC	30	<i>H.</i> 'Goliath'	1986 LRC	35	<i>H.</i> 'Harvest Desire'	1997 LRC Sup.	27
<i>H.</i> 'Gay Nineties'	1994 LRC Sup.	21	<i>H.</i> 'Goody Goody'	1987 LRC	35	<i>H.</i> 'Harvest Glow'	1988 LRC	40
<i>H.</i> 'Gaynor Miller'	1993 LRC Sup.	21	<i>H.</i> 'Goosebumps'	1998 LRC Sup.	24	<i>H.</i> 'Hazel'	1987 LRC	40
<i>H.</i> 'Geisha'	1983 LRC	30	<i>H.</i> 'Gosan Gold Midget'	1989 LRC	35	<i>H.</i> 'Headliner'	1986 LRC	40
<i>H.</i> 'Gene Summers'	1978 LRC	30	<i>H.</i> 'Gosan Gold Sword'	1989 LRC	35	<i>H.</i> 'Heart of Chan'	1987 LRC	40
<i>H.</i> 'Geneva Remembrance'	1996 LRC Sup.	21	<i>H.</i> 'Gosan Hildegarde'	1989 LRC	35	<i>H.</i> 'Heart of Gold'	1996 LRC Sup.	27
<i>H.</i> 'George Smith'	1983 LRC	31	<i>H.</i> 'Grace McClure'	1998 LRC Sup.	24	<i>H.</i> 'Heart Throb'	1982 LRC	40
<i>H.</i> 'Gig Harbor'	1996 LRC Sup.	21	<i>H.</i> 'Granada'	1995 LRC Sup.	24	<i>H.</i> 'Heartleaf'	1971 LRC	40
<i>H.</i> 'Gil Jones'	1990 LRC	31	<i>H.</i> 'Granary Gold'	1988 LRC	35	<i>H.</i> 'Heartsong'	1984 LRC	40
<i>H.</i> 'Gilded Tiara'	1998 LRC Sup.	22	<i>H.</i> 'Grand Canyon'	1995 LRC Sup.	24	<i>H.</i> 'Heavenly Green'	1988 LRC	40
<i>H.</i> 'Gingee'	1986 LRC	31	<i>H.</i> 'Grand Finale'	1995 LRC Sup.	24	<i>H.</i> 'Heavenly Green'	1997 LRC Sup.	27
<i>H.</i> 'Ginko Craig'	1986 LRC	31	<i>H.</i> 'Grand Master'	1986 LRC	35	<i>H.</i> 'Heavenly Tiara'	1998 LRC Sup.	27
<i>H.</i> 'Gloriosa'	1986 LRC	31	<i>H.</i> 'Grand Prize'	1998 LRC Sup.	24	<i>H.</i> 'Heavy Metal'	1993 LRC Sup.	27
<i>H.</i> 'Glory'	1985 LRC	31	<i>H.</i> 'Grand Slam'	1990 LRC	35	<i>H.</i> 'Helen Doriot'	1982 LRC	40
<i>H.</i> 'Goddess of Athena'	1987 LRC	31	<i>H.</i> 'Grand Tiara'	1991 LRC	35	<i>H.</i> 'Helen Field Fischer'	1970 LRC	40
<i>H.</i> 'Godzilla'	1996 LRC Sup.	22	<i>H.</i> 'Gray Cole'	1985 LRC	35	<i>H.</i> 'Heliarc'	1986 LRC	40
<i>H.</i> 'Gold Cadet'	1974 LRC	31	<i>H.</i> 'Gray Fox'	1998 LRC Sup.	25	<i>H.</i> 'Helonioides Albopicta'	1987 LRC	40
<i>H.</i> 'Gold Coast'	1986 LRC	31	<i>H.</i> 'Gray Streaked Squiggles'	1978 LRC	35	<i>H.</i> 'Henry Payne'	1996 LRC Sup.	28
<i>H.</i> 'Gold Cover'	1982 LRC	31	<i>H.</i> 'Great Desire'	1973 LRC	36	<i>H.</i> 'Her Grace'	1986 LRC	41
<i>H.</i> 'Gold Cup'	1978 LRC	31	<i>H.</i> 'Great Expectations'	1988 LRC	36	<i>H.</i> 'Her Benedict'	1990 LRC	41
<i>H.</i> 'Gold Dorothy of Richland'	1995 LRC Sup.	22	<i>H.</i> 'Great Lakes'	1973 LRC	36	<i>H.</i> 'Herbert'	1996 LRC Sup.	28
<i>H.</i> 'Gold Drop'	1977 LRC	31	<i>H.</i> 'Great Plains'	1994 LRC Sup.	25	<i>H.</i> 'Herbie'	1995 LRC Sup.	28
<i>H.</i> 'Gold Edger'	1978 LRC	32	<i>H.</i> 'Grecian Gold'	1990 LRC	36	<i>H.</i> 'Hertha'	1988 LRC	41
<i>H.</i> 'Gold Flush'	1984 LRC	32	<i>H.</i> 'Grecian Green'	1990 LRC	36	<i>H.</i> 'Hi Ho Silver'	1997 LRC Sup.	28
<i>H.</i> 'Gold Glory'	1995 LRC Sup.	22	<i>H.</i> 'Green Acres'	1970 LRC	36	<i>H.</i> 'Hidden Cove'	1998 LRC Sup.	28
<i>H.</i> 'Gold Haze'	1988 LRC	32	<i>H.</i> 'Green Angel'	1990 LRC	36	<i>H.</i> 'Hideko Gowen'	1990 LRC	41
<i>H.</i> 'Gold Leaf'	1988 LRC	32	<i>H.</i> 'Green Aspen'	1986 LRC	36	<i>H.</i> 'High Fat Cream'	1976 LRC	41
<i>H.</i> 'Gold Pan'	1978 LRC	32	<i>H.</i> 'Green Beatrice'	1987 LRC	36	<i>H.</i> 'High Kicker'	1987 LRC	41
<i>H.</i> 'Gold Piece'	1983 LRC	32	<i>H.</i> 'Green Dome'	1980 LRC	36	<i>H.</i> 'High Style'	1984 LRC	41
<i>H.</i> 'Gold Regal'	1974 LRC	32	<i>H.</i> 'Green Eyes'	1990 LRC	36	<i>H.</i> 'High Wire'	1995 LRC Sup.	28
<i>H.</i> 'Gold Standard'	1976 LRC	32	<i>H.</i> 'Green Formal'	1971 LRC	36	<i>H.</i> 'Hilda Wassmann'	1985 LRC	41
<i>H.</i> 'Gold Vein'	1988 LRC	32	<i>H.</i> 'Green Fountain'	1979 LRC	37	<i>H.</i> 'Hirao Elite'	1997 LRC Sup.	28
<i>H.</i> 'Gold Wares'	1995 LRC Sup.	22	<i>H.</i> 'Green Furrows'	1981 LRC	37	<i>H.</i> 'Hirao Grande'	1997 LRC Sup.	28
<i>H.</i> 'Goldbrook'	1989 LRC	32	<i>H.</i> 'Green Gables'	1997 LRC Sup.	25	<i>H.</i> 'Hirao Imperial'	1998 LRC Sup.	29
<i>H.</i> 'Goldbrook Genie'	1989 LRC	32	<i>H.</i> 'Green Gold'	1986 LRC	37	<i>H.</i> 'Hirao Majesty'	1997 LRC Sup.	29
<i>H.</i> 'Goldbrook Gold'	1989 LRC	32	<i>H.</i> 'Green Lantern'	1993 LRC Sup.	25	<i>H.</i> 'Hirao Splendor'	1997 LRC Sup.	29
<i>H.</i> 'Goldbrook Grace'	1989 LRC	32	<i>H.</i> 'Green Line'	1987 LRC	37	<i>H.</i> 'Hirao Supreme'	1997 LRC Sup.	29
<i>H.</i> 'Golden Age'	1988 LRC	32	<i>H.</i> 'Green Marmalade'	1987 LRC	37	<i>H.</i> 'Hirao Zeus'	1997 LRC Sup.	29
<i>H.</i> 'Golden Anniversary'	1998 LRC Sup.	22	<i>H.</i> 'Green Picrust'	1986 LRC	37	<i>H.</i> 'Hoarfrost'	1986 LRC	41
<i>H.</i> 'Golden Arrow'	1996 LRC Sup.	22	<i>H.</i> 'Green Platter'	1997 LRC Sup.	25	<i>H.</i> 'Holiday White'	1990 LRC	41
<i>H.</i> 'Golden Ballerina'	1998 LRC Sup.	23	<i>H.</i> 'Green Ripples'	1986 LRC	37	<i>H.</i> 'Holly's Dazzler'	1987 LRC	41
<i>H.</i> 'Golden Bullion'	1989 LRC	32	<i>H.</i> 'Green Saucers'	1977 LRC	37	<i>H.</i> 'Holly's Gold'	1991 LRC	41
<i>H.</i> 'Golden Cascade'	1984 LRC	33	<i>H.</i> 'Green Sheen'	1978 LRC	37	<i>H.</i> 'Holly's Green and Gold'	1997 LRC Sup.	29
<i>H.</i> 'Golden Chimnes'	1979 LRC	33	<i>H.</i> 'Green Smash'	1988 LRC	37	<i>H.</i> 'Holly's Honey'	1986 LRC	42

H. 'Holly's Shine'	1987	LRC	42	H. 'Julie Ann'	1995	LRC Sup.	34	H. 'Lakeside Love Affaire'	1997	LRC Sup.	41
H. 'Holly's Velvet Piecrust'	1995	LRC Sup.	30	H. 'Julie Morss'	1983	LRC	46	H. 'Lakeside Maestro'	1995	LRC Sup.	41
H. 'Homestead'	1997	LRC Sup.	30	H. 'Jumbo'	1997	LRC Sup.	34	H. 'Lakeside Masterpiece'	1998	LRC Sup.	41
H. 'Honey'	1977	LRC	42	H. 'June'	1991	LRC	46	H. 'Lakeside Meter Maid'	1998	LRC Sup.	41
H. 'Honey Do'	1994	LRC Sup.	30	H. 'June Beauty'	1986	LRC	46	H. 'Lakeside Miss Muffett'	1998	LRC Sup.	41
H. 'Honey Moon'	1982	LRC	42	H. 'June Moon'	1991	LRC	46	H. 'Lakeside Neat Petite'	1991	LRC	48
H. 'Honeybells'	1986	LRC	42	H. 'Just So'	1986	LRC	46	H. 'Lakeside Nimita'	1993	LRC Sup.	42
H. 'Hoosier Dome'	1998	LRC Sup.	30	H. 'Kabitán'	1987	LRC	47	H. 'Lakeside Paddywack'	1996	LRC Sup.	42
H. 'Hoosier Harmony'	1995	LRC Sup.	30	H. 'Kaitlyn'	1998	LRC Sup.	34	H. 'Lakeside Party Dress'	1997	LRC Sup.	42
H. 'Hot Diggity Dog'	1998	LRC Sup.	30	H. 'Kathleen'	1986	LRC	47	H. 'Lakeside Pebbles'	1995	LRC Sup.	42
H. 'Hot Flash'	1991	LRC	42	H. 'Kathy-Q'	1994	LRC Sup.	35	H. 'Lakeside Penny Pincher'	1998	LRC Sup.	42
H. 'Hot Lips'	1993	LRC Sup.	30	H. 'Katrina Jo'	1998	LRC Sup.	35	H. 'Lakeside Premier'	1994	LRC Sup.	42
H. 'Housatonic'	1986	LRC	42	H. 'Kelsey'	1996	LRC Sup.	35	H. 'Lakeside Prissy Miss'	1997	LRC Sup.	42
H. 'Humdinger'	1995	LRC Sup.	30	H. 'Kevin Kelley'	1996	LRC Sup.	35	H. 'Lakeside Rhapsody'	1995	LRC Sup.	43
H. 'Humility'	1997	LRC Sup.	31	H. 'Key Lime'	1990	LRC	47	H. 'Lakeside Ring Master'	1998	LRC Sup.	43
H. 'Hummingbird Wings'	1996	LRC Sup.	31	H. 'Kilowatt'	1970	LRC	47	H. 'Lakeside Ripples'	1991	LRC	48
H. 'Humor'	1998	LRC Sup.	31	H. 'King James'	1992	LRC Sup.	35	H. 'Lakeside Roy El'	1994	LRC Sup.	43
H. 'Huron Blue'	1990	LRC	42	H. 'King Michael'	1992	LRC Sup.	35	H. 'Lakeside San Kao'	1995	LRC Sup.	43
H. 'Hurrah'	1991	LRC	42	H. 'King Tut'	1981	LRC	47	H. 'Lakeside Sapphire Pleats'	1996	LRC Sup.	43
H. 'Hutch'	1995	LRC Sup.	31	H. 'Kingfisher'	1988	LRC	47	H. 'Lakeside Shadows'	1990	LRC	48
H. 'Hydon Gleam'	1998	LRC Sup.	31	H. 'Kingwood Center'	1993	LRC Sup.	35	H. 'Lakeside Shore Master'	1998	LRC Sup.	43
H. 'Hydon Sunset'	1988	LRC	42	H. 'Kissing Cousin'	1998	LRC Sup.	35	H. 'Lakeside Small Fry'	1998	LRC Sup.	43
H. 'Ice Cream'	1998	LRC Sup.	31	H. 'Kit Kat'	1994	LRC Sup.	35	H. 'Lakeside Sophistication'	1995	LRC Sup.	43
H. 'Immense'	1991	LRC	43	H. 'Kite'	1988	LRC	47	H. 'Lakeside Sparkle Plenty'	1995	LRC Sup.	44
H. 'Incredible Hunk'	1998	LRC Sup.	31	H. 'Klopping Variegated'	1988	LRC	47	H. 'Lakeside Spellbinder'	1997	LRC Sup.	44
H. 'Independence Day'	1998	LRC Sup.	32	H. 'Knockout'	1986	LRC	47	H. 'Lakeside Spruce Goose'	1998	LRC Sup.	44
H. 'Indian Feather'	1992	LRC Sup.	32	H. 'Kong'	1990	LRC	47	H. 'Lakeside Surf Rider'	1997	LRC Sup.	44
H. 'Indian Hills'	1989	LRC	43	H. 'Krinkled Joy'	1986	LRC	47	H. 'Lakeside Symphony'	1988	LRC	48
H. 'Indian Princess'	1998	LRC Sup.	32	H. 'Krossa Broad Band'	1991	LRC	47	H. 'Lakeside Twiddle Dee'	1996	LRC Sup.	44
H. 'Indiana Knight'	1990	LRC	43	H. 'Krossa Cream Edge'	1997	LRC Sup.	36	H. 'Lakeside Waterfall'	1998	LRC Sup.	44
H. 'Indiana Moonshine'	1996	LRC Sup.	32	H. 'Krossa Regal'	1980	LRC	47	H. 'Lakeside Zinger'	1998	LRC Sup.	44
H. 'Indigo'	1984	LRC	43	H. 'La Vista'	1988	LRC	49	H. 'Larry Englerth'	1986	LRC	48
H. 'Inland Sea'	1998	LRC Sup.	32	H. 'Lacy Belle'	1992	LRC Sup.	36	H. 'Laura and Darrell'	1997	LRC Sup.	45
H. 'Inniswood'	1993	LRC Sup.	32	H. 'Lady Helen'	1998	LRC Sup.	36	H. 'Lauren'	1991	LRC	48
H. 'Innovation'	1996	LRC Sup.	32	H. 'Lady in Waiting'	1980	LRC	48	H. 'Lavender Doll'	1998	LRC Sup.	45
H. 'Intrigue'	1978	LRC	43	H. 'Lady Isobel Barnett'	1996	LRC Sup.	36	H. 'Lavender Lady'	1986	LRC	49
H. 'Invincible'	1986	LRC	43	H. 'Ladybug'	1996	LRC Sup.	36	H. 'Lavender Stocking'	1998	LRC Sup.	45
H. 'Iona'	1988	LRC	43	H. 'Lake Chautauqua'	1998	LRC Sup.	36	H. 'Leading Lady'	1995	LRC Sup.	45
H. 'Irische See'	1998	LRC Sup.	32	H. 'Lake Erie'	1998	LRC Sup.	36	H. 'Leather Coat'	1995	LRC Sup.	45
H. 'Irish Hills'	1996	LRC Sup.	33	H. 'Lake Louise'	1975	LRC	48	H. 'Leather Sheen'	1988	LRC	49
H. 'Irish Mist'	1994	LRC Sup.	33	H. 'Lake Ontario'	1998	LRC Sup.	37	H. 'Leatherneck'	1998	LRC Sup.	45
H. 'Irish Ribbons'	1992	LRC Sup.	33	H. 'Lakeport Blue'	1984	LRC	48	H. 'Ledi Lantis'	1978	LRC	49
H. 'Irish Spring'	1985	LRC	43	H. 'Lakeside Accolade'	1988	LRC	48	H. 'Lee Armiger'	1986	LRC	49
H. 'Iron Gate Bouquet'	1983	LRC	43	H. 'Lakeside April Snow'	1994	LRC Sup.	37	H. 'Lemon Chiffon'	1988	LRC	49
H. 'Iron Gate Delight'	1981	LRC	43	H. 'Lakeside Baby Face'	1997	LRC Sup.	37	H. 'Lemon Lime'	1977	LRC	49
H. 'Iron Gate Glamour'	1981	LRC	43	H. 'Lakeside Black Satin'	1993	LRC Sup.	37	H. 'Lemon Meringue'	1991	LRC	49
H. 'Iron Gate Supreme'	1980	LRC	43	H. 'Lakeside Blue Cherub'	1991	LRC	48	H. 'Lemonade'	1980	LRC	49
H. 'Island Charn'	1997	LRC Sup.	33	H. 'Lakeside Blue Confusion'	1998	LRC Sup.	37	H. 'Leola Fraim'	1986	LRC	49
H. 'Itasca'	1974	LRC	43	H. 'Lakeside Blue Jeans'	1995	LRC Sup.	37	H. 'Leon'	1995	LRC Sup.	45
H. 'Ivory Pixie'	1982	LRC	44	H. 'Lakeside Blushing Gold'	1996	LRC Sup.	37	H. 'Leprechaun'	1991	LRC	49
H. 'Ivory Tower'	1996	LRC Sup.	33	H. 'Lakeside Cha Cha'	1994	LRC Sup.	37	H. 'Leviathan'	1986	LRC	49
H. 'Jack Frost'	1983	LRC	44	H. 'Lakeside Charm'	1994	LRC Sup.	38	H. 'Liberty Bell'	1985	LRC	49
H. 'Jack of Diamonds'	1985	LRC	44	H. 'Lakeside Chatterbox'	1998	LRC Sup.	38	H. 'Lights Up'	1986	LRC	50
H. 'Jackpot'	1996	LRC Sup.	33	H. 'Lakeside Coal Miner'	1998	LRC Sup.	38	H. 'Lilac Giant'	1983	LRC	50
H. 'Jade Beauty'	1988	LRC	44	H. 'Lakeside Cogwheel'	1995	LRC Sup.	38	H. 'Lime Krinkles'	1988	LRC	50
H. 'Jade Point'	1980	LRC	44	H. 'Lakeside Contender'	1998	LRC Sup.	38	H. 'Lime Piecrust'	1990	LRC	50
H. 'Jade Scepter'	1988	LRC	44	H. 'Lakeside Cup Up'	1993	LRC Sup.	38	H. 'Limelight'	1988	LRC	50
H. 'Jadette'	1982	LRC	44	H. 'Lakeside Cupcake'	1998	LRC Sup.	38	H. 'Limon'	1983	LRC	50
H. 'Jamblesiah'	1978	LRC	45	H. 'Lakeside Cupid's Cup'	1998	LRC Sup.	38	H. 'Linde'	1987	LRC	50
H. 'Janet'	1981	LRC	45	H. 'Lakeside Delight'	1994	LRC Sup.	39	H. 'Little Ann'	1988	LRC	50
H. 'Janet Day'	1996	LRC Sup.	33	H. 'Lakeside Doodad'	1995	LRC Sup.	39	H. 'Little Aurora'	1978	LRC	50
H. 'Jay Jay'	1994	LRC Sup.	33	H. 'Lakeside Dragonfly'	1997	LRC Sup.	39	H. 'Little Black Scape'	1995	LRC Sup.	45
H. 'Jelly Bean'	1990	LRC	45	H. 'Lakeside Emerald Lights'	1993	LRC Sup.	39	H. 'Little Blue'	1976	LRC	50
H. 'Jim Cooper'	1982	LRC	45	H. 'Lakeside Explosion'	1995	LRC Sup.	39	H. 'Little Bo Peep'	1991	LRC	50
H. 'Jim Matthews'	1998	LRC Sup.	34	H. 'Lakeside Feather Light'	1998	LRC Sup.	39	H. 'Little Cyn'	1998	LRC Sup.	46
H. 'Jim Wilkins'	1990	LRC	45	H. 'Lakeside Frosted Mint'	1996	LRC Sup.	39	H. 'Little Darling'	1994	LRC Sup.	46
H. 'Jingle Bells'	1986	LRC	45	H. 'Lakeside Gold Point'	1995	LRC Sup.	39	H. 'Little Dart'	1995	LRC Sup.	46
H. 'Jo Jo'	1987	LRC	45	H. 'Lakeside Grandee'	1994	LRC Sup.	40	H. 'Little Fellow'	1990	LRC	50
H. 'Johanne'	1989	LRC	45	H. 'Lakeside Happy Talk'	1998	LRC Sup.	40	H. 'Little Jim'	1986	LRC	51
H. 'John Wargo'	1986	LRC	45	H. 'Lakeside Kaleidoscope'	1994	LRC Sup.	40	H. 'Little Lites'	1993	LRC Sup.	46
H. 'Jolly Green Giant'	1986	LRC	45	H. 'Lakeside Knickknack'	1994	LRC Sup.	40	H. 'Little Razor'	1988	LRC	51
H. 'Joseph'	1990	LRC	45	H. 'Lakeside Ladyfinger'	1997	LRC Sup.	40	H. 'Little Sunspot'	1996	LRC Sup.	46
H. 'Josephine'	1987	LRC	45	H. 'Lakeside Lagoon'	1998	LRC Sup.	40	H. 'Little White Lines'	1988	LRC	51
H. 'Joybells'	1980	LRC	46	H. 'Lakeside Leprechaun'	1991	LRC	48	H. 'Little Wonder'	1989	LRC	51
H. 'Joyce Trot'	1988	LRC	46	H. 'Lakeside Lime Time'	1998	LRC Sup.	40	H. 'Livonia'	1997	LRC Sup.	46
H. 'Judy's Surprise'	1996	LRC Sup.	34	H. 'Lakeside Little Gem'	1993	LRC Sup.	40	H. 'Lochness'	1988	LRC	51
H. 'Julia'	1994	LRC Sup.	34	H. 'Lakeside Little Tuff'	1997	LRC Sup.	41	H. 'Locomotion'	1993	LRC Sup.	46
H. 'Julia Gaede'	1994	LRC Sup.	34	H. 'Lakeside Lollipop'	1993	LRC Sup.	41	H. 'Loleta Powell'	1980	LRC	51
H. 'Julia Hardy'	1978	LRC	46	H. 'Lakeside Looking Glass'	1997	LRC Sup.	41	H. 'Lollapalooza'	1998	LRC Sup.	46

H. 'Lonesome Pine'	1995	LRC Sup.	47	H. 'Mistress Mabel'	1995	LRC Sup.	51	H. 'Olive Oil'	1996	LRC Sup.	56
H. 'Look See'	1980	LRC	51	H. 'Misty Gold'	1996	LRC Sup.	51	H. 'Olympic Gold'	1986	LRC	59
H. 'Lorna'	1983	LRC	51	H. 'Misty Morning'	1986	LRC	55	H. 'On Stage'	1986	LRC	59
H. 'Lonie'	1996	LRC Sup.	47	H. 'Misty Regal'	1996	LRC Sup.	51	H. 'Orange Joy'	1979	LRC	59
H. 'Louisa'	1986	LRC	51	H. 'Misty Waters'	1986	LRC	55	H. 'Osprey'	1988	LRC	59
H. 'Louise Ryan'	1993	LRC Sup.	47	H. 'Mogul'	1988	LRC	55	H. 'Ototo San'	1990	LRC	59
H. 'Love Burst'	1994	LRC Sup.	47	H. 'Mohegan'	1998	LRC Sup.	51	H. 'Outhouse Delight'	1998	LRC Sup.	56
H. 'Love Joy'	1980	LRC	51	H. 'Monopoly'	1998	LRC Sup.	52	H. 'Owen Online'	1998	LRC Sup.	56
H. 'Love of Life'	1998	LRC Sup.	47	H. 'montana 'Aureomarginata'	1987	LRC	55	H. 'Oxheart'	1976	LRC	59
H. 'Love Pat'	1978	LRC	51	H. 'Montreal'	1983	LRC	55	H. 'Pacific Sunlight'	1998	LRC Sup.	56
H. 'Lovelight'	1992	LRC Sup.	47	H. 'Monument Circle'	1995	LRC Sup.	52	H. 'Pagoda'	1988	LRC	60
H. 'Lovely Lauren'	1998	LRC Sup.	47	H. 'Mood Indigo'	1996	LRC Sup.	52	H. 'Paintbrush'	1976	LRC	60
H. 'Lover's Leap'	1995	LRC Sup.	47	H. 'Moon Glow'	1977	LRC	55	H. 'Painted Lady'	1984	LRC	60
H. 'Loving Cup'	1970	LRC	51	H. 'Moon Lily'	1993	LRC Sup.	52	H. 'Pale Gold'	1997	LRC Sup.	57
H. 'Loyalist'	1998	LRC Sup.	48	H. 'Moon River'	1991	LRC	56	H. 'Painela San Martin'	1988	LRC	60
H. 'Lucille Simperts'	1990	LRC	52	H. 'Moon Shadow'	1998	LRC	56	H. 'Pandora's Box'	1996	LRC Sup.	57
H. 'Lucky Charm'	1986	LRC	52	H. 'Moon Waves'	1994	LRC Sup.	52	H. 'Parhelion'	1997	LRC Sup.	57
H. 'Lucy Vitols'	1989	LRC	52	H. 'Moongate Flying Saucer'	1996	LRC Sup.	52	H. 'Party Time'	1995	LRC Sup.	57
H. 'Lucy's Breeder'	1991	LRC	52	H. 'Moongate Little Dipper'	1996	LRC Sup.	52	H. 'Pastures New'	1997	LRC Sup.	57
H. 'Lucy's Crinkles'	1991	LRC	52	H. 'Moonlight'	1977	LRC	56	H. 'Patriot'	1991	LRC	60
H. 'Lunar Eclipse'	1985	LRC	52	H. 'Moonshine'	1988	LRC	56	H. 'Patriot's Fire'	1996	LRC Sup.	57
H. 'Lunar Magic'	1994	LRC Sup.	48	H. 'Moscov Blue'	1986	LRC	56	H. 'Pauline'	1987	LRC	60
H. 'Lunar Night'	1998	LRC Sup.	48	H. 'Mount Everest'	1996	LRC Sup.	52	H. 'Pauline Brac'	1986	LRC	60
H. 'Lunar Orbit'	1991	LRC	52	H. 'Mount Fuji'	1989	LRC	56	H. 'Paul's Glory'	1987	LRC	60
H. 'Lynne'	1986	LRC	52	H. 'Mount Hood'	1983	LRC	56	H. 'Peace'	1987	LRC	60
H. 'Mack the Knife'	1996	LRC Sup.	48	H. 'Mount Hope'	1992	LRC Sup.	53	H. 'Pearl Lake'	1982	LRC	60
H. 'Magic Carpet'	1998	LRC Sup.	48	H. 'Mount Royal'	1983	LRC	56	H. 'Pebble Beach'	1972	LRC	60
H. 'Majestic Glow'	1982	LRC	53	H. 'Mount Tom'	1995	LRC Sup.	53	H. 'Peedee Absinth'	1990	LRC	60
H. 'Manhattan'	1994	LRC Sup.	48	H. 'Mountain Haze'	1990	LRC	56	H. 'Peedee Apollo'	1996	LRC Sup.	57
H. 'Maple Leaf'	1972	LRC	53	H. 'Mountain Snow'	1988	LRC	56	H. 'Peedee Dew Catcher'	1992	LRC Sup.	57
H. 'Marble Rim'	1986	LRC	53	H. 'Mrs. Minky'	1993	LRC Sup.	53	H. 'Peedee Elfin Bells'	1987	LRC	61
H. 'Marbled Bouquet'	1988	LRC	53	H. 'Muffie'	1996	LRC Sup.	53	H. 'Peedee Gold Flash'	1987	LRC	61
H. 'Marbled Cream'	1985	LRC	53	H. 'Muriel Seaver Brown'	1984	LRC	56	H. 'Peedee Granny Smith'	1992	LRC Sup.	58
H. 'Margaret'	1987	LRC	53	H. 'Muted Blue'	1995	LRC Sup.	53	H. 'Peedee Graymulkin'	1987	LRC	61
H. 'Marge'	1996	LRC Sup.	48	H. 'My Blue Heaven'	1997	LRC Sup.	53	H. 'Peedee Laughing River'	1992	LRC Sup.	58
H. 'Margey'	1998	LRC Sup.	48	H. 'My Child Insook'	1995	LRC Sup.	53	H. 'Peedee Picotee'	1992	LRC Sup.	58
H. 'Margie Weissenberger'	1986	LRC	53	H. 'My Fair Katie'	1998	LRC Sup.	53	H. 'Peedee Spring Fever'	1990	LRC	61
H. 'Margin of Error'	1995	LRC Sup.	49	H. 'My Friend Nancy'	1991	LRC	56	H. 'Peedee Treasure'	1989	LRC	61
H. 'Marilyn'	1990	LRC	53	H. 'My Love Dorothy'	1995	LRC Sup.	54	H. 'Peek-A-Boo'	1976	LRC	61
H. 'Marion Bachman'	1992	LRC Sup.	49	H. 'Nakaimo'	1986	LRC	57	H. 'Pelham Blue Tump'	1986	LRC	61
H. 'Marquis'	1982	LRC	53	H. 'Nancy Lindsay'	1988	LRC	57	H. 'People's Choice'	1998	LRC Sup.	58
H. 'Mary Jo'	1987	LRC	53	H. 'Nancy Minks'	1983	LRC	57	H. 'Peppermint Ice'	1994	LRC Sup.	58
H. 'Mary Lou'	1986	LRC	53	H. 'National Velvet'	1990	LRC	57	H. 'Peridot'	1995	LRC Sup.	58
H. 'Mary Marie Ann'	1982	LRC	53	H. 'Neat and Tidy'	1980	LRC	57	H. 'Permanent Wave'	1989	LRC	61
H. 'Maui Buttercups'	1991	LRC	54	H. 'Neat Splash'	1978	LRC	57	H. 'Perry's True Blue'	1981	LRC	61
H. 'Maui Hana'	1991	LRC	54	H. 'Neat Splash Rim'	1986	LRC	57	H. 'Peter Pan'	1980	LRC	61
H. 'Maui Rains'	1991	LRC	54	H. 'Nesmith's Giant'	1994	LRC Sup.	54	H. 'Peter the Rock'	1991	LRC	61
H. 'May T. Watts'	1985	LRC	54	H. 'New Moon'	1995	LRC Sup.	54	H. 'Pete's Passion'	1997	LRC Sup.	58
H. 'Maya'	1996	LRC Sup.	49	H. 'New Tradition'	1988	LRC	57	H. 'Petite Gold'	1970	LRC	61
H. 'Mean Mama'	1995	LRC Sup.	49	H. 'New Wave'	1988	LRC	57	H. 'Pewter Frost'	1996	LRC Sup.	58
H. 'Medusa'	1993	LRC Sup.	49	H. 'Newberry Gold'	1996	LRC Sup.	54	H. 'Phantom'	1995	LRC Sup.	58
H. 'Mentor Gold'	1978	LRC	54	H. 'Niagara Falls'	1991	LRC	57	H. 'Photo Finish'	1988	LRC	62
H. 'Mery Sunshine'	1998	LRC Sup.	49	H. 'Nicholas James'	1996	LRC Sup.	54	H. 'Phyllis Campbell'	1988	LRC	62
H. 'Metallica'	1991	LRC	54	H. 'Nick Balash'	1994	LRC Sup.	54	H. 'Picadello'	1995	LRC Sup.	59
H. 'Michigan Gold'	1984	LRC	54	H. 'Nickelodeon'	1998	LRC Sup.	54	H. 'Pied Piper'	1998	LRC Sup.	59
H. 'Midas Touch'	1978	LRC	54	H. 'Nicola'	1984	LRC	57	H. 'Piedmont Gold'	1982	LRC	62
H. 'Middle Ridge'	1979	LRC	54	H. 'Nifty Fifty'	1986	LRC	57	H. 'Pilgrim'	1997	LRC Sup.	59
H. 'Midnight Express'	1996	LRC Sup.	49	H. 'Night before Christmas'	1994	LRC Sup.	55	H. 'Pin Stripe'	1983	LRC	62
H. 'Midnight Sun'	1996	LRC Sup.	49	H. 'Night Shift'	1991	LRC	58	H. 'Pineapple Poll'	1988	LRC	62
H. 'Midwest Gold'	1969	LRC	54	H. 'No Frills'	1991	LRC	58	H. 'Pink Panther'	1998	LRC Sup.	59
H. 'Midwest Majesty'	1983	LRC	54	H. 'Noah's Rainbow'	1997	LRC Sup.	55	H. 'Pinky'	1990	LRC	62
H. 'Mikado'	1982	LRC	54	H. 'Noel'	1983	LRC	58	H. 'Pinwheel'	1983	LRC	62
H. 'Mikawa-no-Yuki'	1997	LRC Sup.	50	H. 'Nonsuch'	1996	LRC Sup.	55	H. 'Pioneer'	1984	LRC	62
H. 'Miki'	1991	LRC	54	H. 'Nooner'	1991	LRC	58	H. 'Pistachio Glow'	1990	LRC	62
H. 'Mildred Seaver'	1981	LRC	55	H. 'Nordatlantik'	1997	LRC Sup.	55	H. 'Pixie Vamp'	1996	LRC Sup.	59
H. 'Millennium'	1995	LRC Sup.	50	H. 'North Hills'	1986	LRC	58	H. 'Pizzazz'	1986	LRC	62
H. 'Ming Jade'	1987	LRC	55	H. 'North Point'	1998	LRC Sup.	55	H. 'Placemat'	1990	LRC	62
H. 'Minimoon'	1992	LRC Sup.	50	H. 'Northern Exposure'	1997	LRC Sup.	55	H. 'Platinum Tiara'	1987	LRC	62
H. 'Minna Blue'	1997	LRC Sup.	50	H. 'Northern Halo'	1984	LRC	58	H. 'Polished Jade'	1993	LRC Sup.	59
H. 'Minnesota Nice'	1997	LRC Sup.	50	H. 'Northern Lights'	1984	LRC	58	H. 'Polly Bishop'	1977	LRC	63
H. 'Minnesota Weather'	1980	LRC	55	H. 'Northern Mist'	1988	LRC	58	H. 'Polly Mae'	1982	LRC	63
H. 'Minnie Bell'	1985	LRC	55	H. 'Northern Star'	1993	LRC Sup.	55	H. 'Pollyanna'	1983	LRC	63
H. 'Minnie Klopping'	1975	LRC	55	H. 'Northern Sunray'	1987	LRC	58	H. 'Polychrome'	1998	LRC Sup.	59
H. 'Minuet'	1990	LRC	55	H. 'Norwalk Chartreuse'	1995	LRC Sup.	55	H. 'Pooh Bear'	1988	LRC	63
H. 'Minuteman'	1994	LRC Sup.	50	H. 'Number One'	1987	LRC	58	H. 'Popo'	1993	LRC Sup.	60
H. 'Mischief'	1998	LRC Sup.	50	H. 'Oakview'	1987	LRC	59	H. 'Porcelain Vase'	1988	LRC	63
H. 'Missie Mouse'	1996	LRC Sup.	51	H. 'Obsession'	1998	LRC Sup.	56	H. 'Potomac Pride'	1995	LRC Sup.	60
H. 'Mississippi Delta'	1998	LRC Sup.	51	H. 'Odd Ball'	1995	LRC Sup.	56	H. 'Powder Blue'	1998	LRC Sup.	60
H. 'Missy'	1992	LRC Sup.	51	H. 'Old Cadillac'	1998	LRC Sup.	56	H. 'Prairie Fire'	1994	LRC Sup.	60
H. 'Mister Gee'	1995	LRC Sup.	51	H. 'Old Faithful'	1991	LRC	59	H. 'Praying Hands'	1996	LRC Sup.	60

<i>H.</i> 'President's Choice'	1983	LRC	63	<i>H.</i> 'Rumpelstiltskin'	1997	LRC Sup.	63	<i>H.</i> 'Silver Creek Sunshine'	1996	LRC Sup.	67
<i>H.</i> 'Prima Donna'	1995	LRC Sup.	60	<i>H.</i> 'Rusty Bee'	1998	LRC Sup.	63	<i>H.</i> 'Silver Dust'	1995	LRC Sup.	68
<i>H.</i> 'Princess Anastasia'	1998	LRC Sup.	60	<i>H.</i> 'Ryan's Big One'	1982	LRC	68	<i>H.</i> 'Silver Giant'	1987	LRC	73
<i>H.</i> 'Princess Diana'	1997	LRC Sup.	60	<i>H.</i> 'Sagae'	1996	LRC Sup.	64	<i>H.</i> 'Silver Lance'	1982	LRC	73
<i>H.</i> 'Princess of Karafuto'	1984	LRC	63	<i>H.</i> 'Sailors' Warning'	1995	LRC Sup.	64	<i>H.</i> 'Silver Rim'	1980	LRC	73
<i>H.</i> 'Puckered Giant'	1983	LRC	63	<i>H.</i> 'Sails Ho'	1995	LRC Sup.	64	<i>H.</i> 'Silver Spoon'	1985	LRC	73
<i>H.</i> 'Purbeck Ridge'	1988	LRC	63	<i>H.</i> 'Saint Elmo's Fire'	1995	LRC Sup.	64	<i>H.</i> 'Silver Spray'	1991	LRC	73
<i>H.</i> 'Purple and Gold'	1976	LRC	63	<i>H.</i> 'Sally and Bob'	1994	LRC Sup.	64	<i>H.</i> 'Silver Streak'	1986	LRC	73
<i>H.</i> 'Purple Bouquet'	1986	LRC	63	<i>H.</i> 'Salute'	1995	LRC Sup.	64	<i>H.</i> 'Silver Tiara'	1988	LRC	73
<i>H.</i> 'Purple Chamber'	1993	LRC Sup.	61	<i>H.</i> 'Sam-Tina Gold'	1998	LRC Sup.	64	<i>H.</i> 'Silverado'	1987	LRC	73
<i>H.</i> 'Purple Dwarf'	1983	LRC	63	<i>H.</i> 'Samual Blue'	1981	LRC	69	<i>H.</i> 'Silvery Slugproof'	1996	LRC Sup.	68
<i>H.</i> 'Purple Flame Forever'	1988	LRC	64	<i>H.</i> 'Sara'	1994	LRC Sup.	65	<i>H.</i> 'Sitting Pretty'	1987	LRC	73
<i>H.</i> 'Purple Lady Finger'	1982	LRC	64	<i>H.</i> 'Sarah Farmer'	1975	LRC	69	<i>H.</i> 'Skookunchuck'	1998	LRC Sup.	68
<i>H.</i> 'Purple Profusion'	1986	LRC	64	<i>H.</i> 'Sarali Jane'	1997	LRC Sup.	65	<i>H.</i> 'Sky Kissed'	1991	LRC	74
<i>H.</i> 'Purple Robe'	1990	LRC	64	<i>H.</i> 'Sara's Sensation'	1998	LRC Sup.	65	<i>H.</i> 'Sleeping Beauty'	1997	LRC Sup.	68
<i>H.</i> 'Queen Josephine'	1991	LRC	64	<i>H.</i> 'Sasquatch'	1998	LRC Sup.	65	<i>H.</i> 'Slick Willie'	1996	LRC Sup.	68
<i>H.</i> 'Queen of Hearts'	1983	LRC	64	<i>H.</i> 'Sassy'	1987	LRC	69	<i>H.</i> 'Slim Polly'	1986	LRC	74
<i>H.</i> 'Queen of Islip'	1990	LRC	64	<i>H.</i> 'Satin Beauty'	1986	LRC	69	<i>H.</i> 'Small Sun'	1996	LRC Sup.	68
<i>H.</i> 'Quilted Cup'	1980	LRC	64	<i>H.</i> 'Satin Flare'	1971	LRC	69	<i>H.</i> 'Small Talk'	1991	LRC	74
<i>H.</i> 'Quilted Hearts'	1989	LRC	64	<i>H.</i> 'Saybrook Surprise'	1998	LRC Sup.	65	<i>H.</i> 'Smiling Sailor'	1996	LRC Sup.	68
<i>H.</i> 'Quilted Skies'	1985	LRC	64	<i>H.</i> 'Searlet O'Hara'	1996	LRC Sup.	65	<i>H.</i> 'Smokerise Frosted Vase'	1994	LRC Sup.	69
<i>H.</i> 'Quilting Party'	1980	LRC	65	<i>H.</i> 'Scooter'	1990	LRC	69	<i>H.</i> 'Smokey Tokey'	1998	LRC Sup.	69
<i>H.</i> 'Radiance'	1980	LRC	65	<i>H.</i> 'Sea Blue'	1978	LRC	69	<i>H.</i> 'Snow Cap'	1980	LRC	74
<i>H.</i> 'Radiant Edger'	1990	LRC	65	<i>H.</i> 'Sea Bunny'	1986	LRC	69	<i>H.</i> 'Snow Crust'	1985	LRC	74
<i>H.</i> 'Rain Forest'	1996	LRC Sup.	61	<i>H.</i> 'Sea Dream'	1984	LRC	69	<i>H.</i> 'Snow Flakes'	1986	LRC	74
<i>H.</i> 'Rascal'	1991	LRC	65	<i>H.</i> 'Sea Drift'	1978	LRC	69	<i>H.</i> 'Snow Flurry'	1973	LRC	74
<i>H.</i> 'Raspberry Parfait'	1998	LRC Sup.	61	<i>H.</i> 'Sea Ebony'	1991	LRC	69	<i>H.</i> 'Snow Mound'	1997	LRC Sup.	69
<i>H.</i> 'Raven'	1993	LRC Sup.	61	<i>H.</i> 'Sea Foam'	1978	LRC	70	<i>H.</i> 'Snow White'	1983	LRC	74
<i>H.</i> 'Rays of Sunshine'	1990	LRC	65	<i>H.</i> 'Sea Gold'	1985	LRC	70	<i>H.</i> 'Snowden'	1988	LRC	74
<i>H.</i> 'Razzle Dazzle'	1987	LRC	65	<i>H.</i> 'Sea Gold Star'	1984	LRC	70	<i>H.</i> 'Snowdrift'	1985	LRC	74
<i>H.</i> 'Red Neck Heaven'	1998	LRC Sup.	61	<i>H.</i> 'Sea Grotto'	1991	LRC	70	<i>H.</i> 'Snowstorm'	1980	LRC	74
<i>H.</i> 'Red Stepper'	1996	LRC Sup.	61	<i>H.</i> 'Sea Lightning'	1981	LRC	70	<i>H.</i> 'So Sweet'	1986	LRC	74
<i>H.</i> 'Reefed Sails'	1994	LRC Sup.	61	<i>H.</i> 'Sea Lotus Leaf'	1985	LRC	70	<i>H.</i> 'Soft Shoulders'	1995	LRC Sup.	69
<i>H.</i> 'Regal Promenade'	1994	LRC Sup.	61	<i>H.</i> 'Sea Monster'	1978	LRC	70	<i>H.</i> 'Soft Touch'	1977	LRC	74
<i>H.</i> 'Regal Providence'	1994	LRC Sup.	62	<i>H.</i> 'Sea Octopus'	1981	LRC	70	<i>H.</i> 'Solar Flare'	1981	LRC	75
<i>H.</i> 'Regal Rhubarb'	1983	LRC	66	<i>H.</i> 'Sea Sprite'	1978	LRC	70	<i>H.</i> 'Sombrero'	1991	LRC	75
<i>H.</i> 'Regal Ruffles'	1980	LRC	66	<i>H.</i> 'Sea Sunrise'	1982	LRC	70	<i>H.</i> 'Something Blue'	1991	LRC	75
<i>H.</i> 'Regal Splendor'	1987	LRC	66	<i>H.</i> 'Sea Wiggles'	1981	LRC	71	<i>H.</i> 'Something Different'	1990	LRC	75
<i>H.</i> 'Regalia'	1992	LRC Sup.	62	<i>H.</i> 'Sea Yellow Sunrise'	1985	LRC	71	<i>H.</i> 'Southern Comfort'	1992	LRC Sup.	69
<i>H.</i> 'Rembrandt Blue'	1983	LRC	66	<i>H.</i> 'Second Wind'	1991	LRC	71	<i>H.</i> 'Southern Pride'	1986	LRC	75
<i>H.</i> 'Renaissance'	1983	LRC	66	<i>H.</i> 'See Saw'	1986	LRC	71	<i>H.</i> 'Space Odyssey'	1997	LRC Sup.	69
<i>H.</i> 'Resonance'	1976	LRC	66	<i>H.</i> 'Sentinels'	1986	LRC	71	<i>H.</i> 'Sparkling Burgundy'	1982	LRC	75
<i>H.</i> 'Revelations'	1993	LRC Sup.	62	<i>H.</i> 'September Sun'	1985	LRC	71	<i>H.</i> 'Sparky'	1987	LRC	75
<i>H.</i> 'Reversed'	1978	LRC	66	<i>H.</i> 'September Surprise'	1997	LRC Sup.	65	<i>H.</i> 'Spartan Flash'	1998	LRC Sup.	69
<i>H.</i> 'Rhapsody in Blue'	1995	LRC Sup.	62	<i>H.</i> 'Seren dipity'	1978	LRC	71	<i>H.</i> 'Spartan Gem'	1989	LRC	75
<i>H.</i> 'Richland Gold'	1987	LRC	66	<i>H.</i> 'Serene'	1983	LRC	71	<i>H.</i> 'Special Gift'	1973	LRC	75
<i>H.</i> 'Rim Rock'	1982	LRC	66	<i>H.</i> 'Serenity'	1986	LRC	71	<i>H.</i> 'Spinnaker'	1994	LRC Sup.	69
<i>H.</i> 'Rippling Rhythm'	1998	LRC Sup.	62	<i>H.</i> 'Seven-Eleven'	1996	LRC Sup.	66	<i>H.</i> 'Spinners'	1988	LRC	75
<i>H.</i> 'Rippling Waves'	1986	LRC	66	<i>H.</i> 'Seventh Heaven'	1994	LRC Sup.	66	<i>H.</i> 'Spit Shine'	1986	LRC	75
<i>H.</i> 'Riptide'	1987	LRC	66	<i>H.</i> 'Shade Beauty'	1982	LRC	71	<i>H.</i> 'Splashed Leather'	1996	LRC Sup.	70
<i>H.</i> 'Rising Sun'	1988	LRC	66	<i>H.</i> 'Shade Fanfare'	1986	LRC	71	<i>H.</i> 'Splish Splash'	1980	LRC	75
<i>H.</i> 'Rising Tide'	1984	LRC	67	<i>H.</i> 'Shade Master'	1982	LRC	71	<i>H.</i> 'Spotlight'	1995	LRC Sup.	70
<i>H.</i> 'River Nile'	1983	LRC	67	<i>H.</i> 'Shades of Mercy'	1998	LRC Sup.	66	<i>H.</i> 'Spring Ivory'	1982	LRC	75
<i>H.</i> 'Robert Frost'	1988	LRC	67	<i>H.</i> 'Shadow Waltz'	1995	LRC Sup.	66	<i>H.</i> 'Spring Lace'	1998	LRC Sup.	70
<i>H.</i> 'Robert's Rapier'	1996	LRC Sup.	62	<i>H.</i> 'Shady Choice'	1998	LRC Sup.	66	<i>H.</i> 'Spring Sensation'	1991	LRC	76
<i>H.</i> 'Rock Happy'	1992	LRC Sup.	62	<i>H.</i> 'Shalimar'	1983	LRC	72	<i>H.</i> 'Spritzer'	1986	LRC	76
<i>H.</i> 'Rock Master'	1982	LRC	67	<i>H.</i> 'Shannon'	1986	LRC	72	<i>H.</i> 'Spun Silk'	1990	LRC	76
<i>H.</i> 'Rocknoll Blue Dwarf'	1996	LRC Sup.	62	<i>H.</i> 'Sharp Shooter'	1993	LRC Sup.	66	<i>H.</i> 'Spun Sulphur'	1986	LRC	76
<i>H.</i> 'Rocky Mountain High'	1991	LRC	67	<i>H.</i> 'Shelley's'	1988	LRC	72	<i>H.</i> 'Squash Casserole'	1995	LRC Sup.	70
<i>H.</i> 'Rocky Road'	1988	LRC	67	<i>H.</i> 'Shells at Sea'	1983	LRC	72	<i>H.</i> 'Squiggles'	1978	LRC	76
<i>H.</i> 'Rosebud'	1992	LRC Sup.	63	<i>H.</i> 'Sherborne Profusion'	1988	LRC	72	<i>H.</i> 'Squire Rich'	1988	LRC	76
<i>H.</i> 'Rosie Posie'	1994	LRC Sup.	63	<i>H.</i> 'Sherborne Songbird'	1988	LRC	72	<i>H.</i> 'Standard Deviation'	1998	LRC Sup.	70
<i>H.</i> 'Rossing's Pride'	1993	LRC Sup.	63	<i>H.</i> 'Sherborne Swallow'	1988	LRC	72	<i>H.</i> 'Standing Ovation'	1987	LRC	76
<i>H.</i> 'Rotunda'	1988	LRC	67	<i>H.</i> 'Sherborne Swan'	1988	LRC	72	<i>H.</i> 'Star Struck'	1995	LRC Sup.	70
<i>H.</i> 'Rough Waters'	1969	LRC	67	<i>H.</i> 'Sherborne Swift'	1988	LRC	72	<i>H.</i> 'Starboard Light'	1994	LRC Sup.	70
<i>H.</i> 'Roundabout'	1988	LRC	67	<i>H.</i> 'Shere Khan'	1995	LRC Sup.	66	<i>H.</i> 'Starburst'	1973	LRC	76
<i>H.</i> 'Roundhouse Blues'	1998	LRC Sup.	63	<i>H.</i> 'Sherwood Forest'	1993	LRC Sup.	66	<i>H.</i> 'Stardust'	1998	LRC Sup.	70
<i>H.</i> 'Royal Accolade'	1986	LRC	67	<i>H.</i> 'Shimmering Silk'	1996	LRC Sup.	67	<i>H.</i> 'Starker Yellow Leaf'	1989	LRC	76
<i>H.</i> 'Royal Flush'	1985	LRC	67	<i>H.</i> 'Shining Tot'	1982	LRC	72	<i>H.</i> 'Starlight'	1973	LRC	76
<i>H.</i> 'Royal Lady'	1986	LRC	67	<i>H.</i> 'Shiny Penny'	1997	LRC Sup.	67	<i>H.</i> 'Steam's Beauty'	1995	LRC Sup.	71
<i>H.</i> 'Royal Quilt'	1988	LRC	68	<i>H.</i> 'Shirley'	1998	LRC Sup.	67	<i>H.</i> 'Stefan Edward'	1998	LRC Sup.	71
<i>H.</i> 'Royal Rainbow'	1978	LRC	68	<i>H.</i> 'Shocking Chartreuse'	1982	LRC	72	<i>H.</i> 'Stephen'	1986	LRC	76
<i>H.</i> 'Royal Standard'	1986	LRC	68	<i>H.</i> 'Show Piece'	1998	LRC Sup.	67	<i>H.</i> 'Stetson'	1997	LRC Sup.	71
<i>H.</i> 'Royal Tiara'	1988	LRC	68	<i>H.</i> 'Showboat'	1993	LRC Sup.	67	<i>H.</i> 'Stiletto'	1987	LRC	77
<i>H.</i> 'Royalty'	1982	LRC	68	<i>H.</i> 'Showtime'	1987	LRC	72	<i>H.</i> 'Stirfly'	1990	LRC	77
<i>H.</i> 'Rubber Ducky'	1996	LRC Sup.	63	<i>H.</i> 'Silent Witness'	1997	LRC Sup.	67	<i>H.</i> 'Stone's Valentine'	1989	LRC	77
<i>H.</i> 'Ruby Benedict'	1991	LRC	68	<i>H.</i> 'Silver and Gold'	1995	LRC Sup.	67	<i>H.</i> 'Straka Gold'	1994	LRC Sup.	71
<i>H.</i> 'Ruffled Petticoats'	1998	LRC Sup.	63	<i>H.</i> 'Silver Award'	1986	LRC	73	<i>H.</i> 'Strawberry Delight'	1998	LRC Sup.	71
<i>H.</i> 'Ruffles'	1986	LRC	68	<i>H.</i> 'Silver Bowl'	1986	LRC	73	<i>H.</i> 'Striped Canvas'	1996	LRC Sup.	71

<i>H.</i> 'Striplease'	1991	LRC	77	<i>H.</i> 'Topaz Tiara'	1998	LRC Sup.	75	<i>H.</i> 'White Wall Tire'	1995	LRC Sup.	79
<i>H.</i> 'Subcrocea'	1987	LRC	77	<i>H.</i> 'Torchlight'	1990	LRC	82	<i>H.</i> 'Whoopee'	1980	LRC	86
<i>H.</i> 'Sugar and Cream'	1984	LRC	77	<i>H.</i> 'Torchy'	1995	LRC Sup.	75	<i>H.</i> 'Wide Brim'	1979	LRC	87
<i>H.</i> 'Sugar Babe'	1996	LRC Sup.	71	<i>H.</i> 'Tot Tot'	1978	LRC	82	<i>H.</i> 'William Lachman'	1981	LRC	87
<i>H.</i> 'Sugar Pie'	1998	LRC Sup.	72	<i>H.</i> 'Tracy's Emerald Cup'	1997	LRC Sup.	75	<i>H.</i> 'Willy Nilly'	1996	LRC Sup.	79
<i>H.</i> 'Sugar Plum Fairy'	1987	LRC	77	<i>H.</i> 'Trade Wind'	1994	LRC Sup.	75	<i>H.</i> 'Wily Wily'	1998	LRC Sup.	79
<i>H.</i> 'Sultana'	1988	LRC	77	<i>H.</i> 'Trail's End'	1978	LRC	82	<i>H.</i> 'Winning Edge'	1988	LRC	87
<i>H.</i> 'Sun and Substance'	1980	LRC	77	<i>H.</i> 'Tranquility'	1995	LRC Sup.	75	<i>H.</i> 'Winsome'	1996	LRC Sup.	79
<i>H.</i> 'Sun Total'	1991	LRC	77	<i>H.</i> 'Treasure'	1981	LRC	82	<i>H.</i> 'Wintergreen'	1994	LRC Sup.	79
<i>H.</i> 'Sumi'	1983	LRC	77	<i>H.</i> 'Treasure Island'	1998	LRC Sup.	76	<i>H.</i> 'Witches Brew'	1981	LRC	87
<i>H.</i> 'Summer Dress'	1990	LRC	78	<i>H.</i> 'True Blue'	1978	LRC	82	<i>H.</i> 'Wizard's Turban'	1996	LRC Sup.	79
<i>H.</i> 'Summer Fragrance'	1983	LRC	78	<i>H.</i> 'True Love'	1979	LRC	82	<i>H.</i> 'Wogon'	1986	LRC	87
<i>H.</i> 'Summer Gold'	1998	LRC Sup.	72	<i>H.</i> 'Tucker Blues'	1990	LRC	82	<i>H.</i> 'Wolcott'	1982	LRC	87
<i>H.</i> 'Summer Joy'	1998	LRC Sup.	72	<i>H.</i> 'Tucker Charm'	1993	LRC Sup.	76	<i>H.</i> 'Wolverine'	1995	LRC Sup.	79
<i>H.</i> 'Summer Music'	1998	LRC Sup.	72	<i>H.</i> 'Tucker Friendly Folk'	1991	LRC	82	<i>H.</i> 'Woodland Blue'	1993	LRC Sup.	79
<i>H.</i> 'Summer Serenade'	1998	LRC Sup.	72	<i>H.</i> 'Tucker Irish Heart'	1993	LRC Sup.	76	<i>H.</i> 'Woodland Green'	1990	LRC	87
<i>H.</i> 'Summer Snow'	1978	LRC	78	<i>H.</i> 'Tucker Pucker'	1993	LRC Sup.	76	<i>H.</i> 'Wrinkles and Crinkles'	1985	LRC	87
<i>H.</i> 'Sun Glow'	1974	LRC	78	<i>H.</i> 'Tucker Tigers'	1993	LRC Sup.	76	<i>H.</i> 'Wylde Green Cream'	1996	LRC Sup.	80
<i>H.</i> 'Sun Power'	1986	LRC	78	<i>H.</i> 'Tucker Tiny Tot'	1995	LRC Sup.	76	<i>H.</i> 'Yellow Bird'	1991	LRC	88
<i>H.</i> 'Sunami'	1990	LRC	78	<i>H.</i> 'Tucker Tommy Little'	1991	LRC	83	<i>H.</i> 'Yellow Boa'	1991	LRC	88
<i>H.</i> 'Sundance'	1984	LRC	78	<i>H.</i> 'Tucker Top Cat'	1993	LRC Sup.	76	<i>H.</i> 'Yellow Emperor'	1987	LRC	88
<i>H.</i> 'Sunlight Child'	1991	LRC	78	<i>H.</i> 'Tucker Valentine'	1991	LRC	83	<i>H.</i> 'Yellow Flash'	1997	LRC Sup.	80
<i>H.</i> 'Sunlight Sister'	1986	LRC	78	<i>H.</i> 'Tucker Wave'	1995	LRC Sup.	76	<i>H.</i> 'Yellow High'	1990	LRC	88
<i>H.</i> 'Sunny Isle'	1997	LRC Sup.	72	<i>H.</i> 'Tucker Welcome'	1991	LRC	83	<i>H.</i> 'Yellow Jacket'	1998	LRC Sup.	80
<i>H.</i> 'Sunnybrook'	1987	LRC	78	<i>H.</i> 'Tweeny'	1989	LRC	83	<i>H.</i> 'Yellow River'	1993	LRC Sup.	80
<i>H.</i> 'Sunshine Glory'	1982	LRC	78	<i>H.</i> 'Tweety Bird'	1997	LRC Sup.	76	<i>H.</i> 'Yellow Splash'	1976	LRC	88
<i>H.</i> 'Sunshine Kid'	1980	LRC	78	<i>H.</i> 'Twilight'	1997	LRC Sup.	77	<i>H.</i> 'Yellow Splash Rim'	1986	LRC	88
<i>H.</i> 'Super Streak'	1982	LRC	79	<i>H.</i> 'Twinkle Toes'	1973	LRC	83	<i>H.</i> 'Yellow Surprise'	1983	LRC	88
<i>H.</i> 'Supersonic'	1996	LRC Sup.	72	<i>H.</i> 'Twist and Shout'	1988	LRC	83	<i>H.</i> 'Yellow Waves'	1978	LRC	88
<i>H.</i> 'Surprise'	1986	LRC	79	<i>H.</i> 'Twist of Lime'	1991	LRC	83	<i>H.</i> 'Zager Blue'	1987	LRC	89
<i>H.</i> 'Surprised by Joy'	1998	LRC Sup.	73	<i>H.</i> 'Two Step'	1987	LRC	83	<i>H.</i> 'Zager Giant Puckered'	1989	LRC	89
<i>H.</i> 'Susy'	1986	LRC	79	<i>H.</i> 'Ultra Violet Light'	1989	LRC	84	<i>H.</i> 'Zager Green'	1987	LRC	89
<i>H.</i> 'Suzuki Thumbnail'	1987	LRC	79	<i>H.</i> 'Unducosa'	1986	LRC	84	<i>H.</i> 'Zager Green Rim'	1987	LRC	89
<i>H.</i> 'Swamp Monster'	1991	LRC	79	<i>H.</i> 'Undulata Albomarginata'	1987	LRC	84	<i>H.</i> 'Zager's Pride'	1987	LRC	89
<i>H.</i> 'Swan Lake'	1998	LRC Sup.	73	<i>H.</i> 'Undulata Erromena'	1987	LRC	84	<i>H.</i> 'Zager's White Edge'	1980	LRC	89
<i>H.</i> 'Sweet Jill'	1986	LRC	79	<i>H.</i> 'Undulata Univittata'	1987	LRC	84	<i>H.</i> 'Zebson'	1998	LRC Sup.	80
<i>H.</i> 'Sweet Marjorie'	1983	LRC	79	<i>H.</i> 'Unique'	1991	LRC	84	<i>H.</i> 'Zounds'	1978	LRC	89
<i>H.</i> 'Sweet Serenity'	1990	LRC	79	<i>H.</i> 'Valencia'	1995	LRC Sup.	77				
<i>H.</i> 'Sweet Standard'	1984	LRC	79	<i>H.</i> 'Valentine Lace'	1970	LRC	84				
<i>H.</i> 'Sweet Sunshine'	1997	LRC Sup.	73	<i>H.</i> 'Valerie's Vanity'	1991	LRC	84				
<i>H.</i> 'Sweet Susan'	1986	LRC	79	<i>H.</i> 'Van Wade'	1990	LRC	84				
<i>H.</i> 'Sweet Tater Pie'	1995	LRC Sup.	73	<i>H.</i> 'Vanilla Cream'	1986	LRC	84				
<i>H.</i> 'Sweet Winifred'	1984	LRC	79	<i>H. ventricosa</i> 'Aureomaculata'	1987	LRC	84				
<i>H.</i> 'Sweetie'	1988	LRC	79	<i>H. ventricosa</i> 'Aureomarginata'	1986	LRC	85				
<i>H.</i> 'Swoosh'	1978	LRC	80	<i>H.</i> 'Venucosa'	1986	LRC	85				
<i>H.</i> 'Taffeta'	1991	LRC	80	<i>H.</i> 'Venus'	1993	LRC Sup.	77				
<i>H.</i> 'Tall Boy'	1983	LRC	80	<i>H.</i> 'Vera Verde'	1990	LRC	85				
<i>H.</i> 'Tall Twister'	1973	LRC	80	<i>H.</i> 'Verna Jean'	1990	LRC	85				
<i>H.</i> 'Tambourine'	1987	LRC	80	<i>H.</i> 'Veronica Lake'	1993	LRC Sup.	77				
<i>H.</i> 'Tangerine'	1998	LRC Sup.	73	<i>H.</i> 'Vicki Aden'	1980	LRC	85				
<i>H.</i> 'Tardiflora Hybrida'	1992	LRC Sup.	73	<i>H.</i> 'Viette's Yellow Edge'	1986	LRC	85				
<i>H.</i> 'Tarnished'	1987	LRC	80	<i>H.</i> 'Vivian'	1993	LRC Sup.	77				
<i>H.</i> 'Tatted Lace'	1990	LRC	80	<i>H.</i> 'Wagner's Petite'	1985	LRC	85				
<i>H.</i> 'Tattoo'	1998	LRC Sup.	73	<i>H.</i> 'Wagon Wheels'	1971	LRC	85				
<i>H.</i> 'Teaspoon'	1998	LRC Sup.	73	<i>H.</i> 'Wagtail'	1988	LRC	85				
<i>H.</i> 'Temple Bells'	1992	LRC Sup.	74	<i>H.</i> 'Wahoo'	1976	LRC	85				
<i>H.</i> 'Temple Great'	1986	LRC	81	<i>H.</i> 'Warwick Choice'	1993	LRC Sup.	77				
<i>H.</i> 'Tentacles'	1996	LRC Sup.	74	<i>H.</i> 'Warwick Cup'	1993	LRC Sup.	77				
<i>H.</i> 'Thai Brass'	1972	LRC	81	<i>H.</i> 'Warwick Edge'	1993	LRC Sup.	77				
<i>H.</i> 'The Godfather'	1998	LRC Sup.	74	<i>H.</i> 'Warwick Essence'	1993	LRC Sup.	77				
<i>H.</i> 'The Hulk'	1998	LRC Sup.	74	<i>H.</i> 'Waterford'	1983	LRC	85				
<i>H.</i> 'The Twister'	1986	LRC	81	<i>H.</i> 'Waving Winds'	1991	LRC	85				
<i>H.</i> 'Thea'	1985	LRC	81	<i>H.</i> 'Waving Wuffles'	1995	LRC Sup.	78				
<i>H.</i> 'Thelma M. Pierson'	1988	LRC	81	<i>H.</i> 'Wayside Blue'	1989	LRC	86				
<i>H.</i> 'Thor'	1994	LRC Sup.	74	<i>H.</i> 'Whipped Cream'	1988	LRC	86				
<i>H.</i> 'Thumb Nail'	1982	LRC	81	<i>H.</i> 'Whippersnapper'	1994	LRC Sup.	78				
<i>H.</i> 'Thumbelina'	1996	LRC Sup.	74	<i>H.</i> 'Whirlwind'	1989	LRC	86				
<i>H.</i> 'Tiddlywinks'	1989	LRC	81	<i>H.</i> 'White Charger'	1986	LRC	86				
<i>H.</i> 'Tiffany's Godzilla'	1996	LRC Sup.	74	<i>H.</i> 'White Colossus'	1978	LRC	86				
<i>H.</i> 'Tijuana Brass'	1988	LRC	81	<i>H.</i> 'White Dove'	1995	LRC Sup.	78				
<i>H.</i> 'Timothy'	1998	LRC Sup.	74	<i>H.</i> 'White Hot'	1998	LRC Sup.	78				
<i>H.</i> 'Tinker Bell'	1986	LRC	81	<i>H.</i> 'White Lightning'	1994	LRC Sup.	78				
<i>H.</i> 'Tiny Tears'	1977	LRC	81	<i>H.</i> 'White Magic'	1978	LRC	86				
<i>H.</i> 'Tokudama Aureonebulosa'	1987	LRC	81	<i>H.</i> 'White Mule'	1998	LRC Sup.	78				
<i>H.</i> 'Tokudama Flavocircinalis'	1987	LRC	81	<i>H.</i> 'White Ray'	1974	LRC	86				
<i>H.</i> 'Tokudama Flavoplanata'	1987	LRC	82	<i>H.</i> 'White Shoulders'	1988	LRC	86				
<i>H.</i> 'Tom Schmid'	1995	LRC Sup.	75	<i>H.</i> 'White Surprise'	1995	LRC Sup.	78				
<i>H.</i> 'Toots'	1998	LRC Sup.	75	<i>H.</i> 'White Swan'	1995	LRC Sup.	78				
<i>H.</i> 'Top Banana'	1983	LRC	82	<i>H.</i> 'White Trumpets'	1983	LRC	86				
<i>H.</i> 'Top Number'	1971	LRC	82	<i>H.</i> 'White Vision'	1978	LRC	86				